



## REVISED LABEL DATA SHEET

**PRODUCT NAME:** Vet Kem Siphotrol Plus Fogger

**EPA REGISTRATION NUMBER:** 2724-454

**LABEL COMPONENT NUMBER(S) ATTACHED:** 99.0000661.01 Outer box  
99.0000660.01 Individual can  
99.0000662 door hang tag

### REVISIONS INCLUDE:

All of the changes to this label are the result of the Permethrin RED and the EPA fogger Mitigation Measures:

1. Because this has gone from a 6 oz to a 3 oz fogger, the treated area went from 6,000 to 3,000 cubic feet.
2. Added instructions on the location of the Spanish translation inside the carton.
3. Added a second EPA Est. No. including instructions for determining the correct producing Establishment.
4. Added "3 oz Can Not for individual Sale".
5. Added a graphic of the Flea Life Cycle and a three step approach for controlling fleas.
6. Added the full product name in the directions for use.
7. Added "Does not control bedbugs".
8. Added "General Precautions and Restrictions" as per the EPA Permethrin RED.
9. Added visual pictograms with revised instructions for clarity of use as required by the EPA Fogger Mitigation Measures.
10. Added additional instructions regarding vacating the area after activation and the use of a Hang Tag on the door to alert others about reentry timing.
11. Revised Precautionary Statements and added handler must wear protective clothing per the Permethrin RED.
12. Revised the First Aid Statement.
13. Added "Manufactured for".
14. Added full Spanish translation of the label as per the EPA Fogger Mitigation.
15. Added a door hang tag to mark the time when re-entry is permitted per EPA Fogger Mitigation.



# Siphotrol®

Contains PRECOR®  
Insect Growth Regulator  
*Plus* Permethrin,  
an adulticide

*Plus*  
**FOGGER**



# Siphotrol®

Contains PRECOR®  
Insect Growth Regulator  
*Plus* Permethrin,  
an adulticide

*Plus*  
**FOGGER**

**Kills adult fleas and ticks**  
**Stops hatching eggs and larvae from  
developing into adult fleas for 30 weeks**  
**Leaves no lingering odor, no stains,  
no sticky mess**  
**Each 3 oz. can treats up to 3,000 cubic feet**

For instructions in Spanish, see inside of carton.  
Para leer las instrucciones en español, vea dentro de la caja.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See back and side panels for additional  
Precautionary Statements

EPA Reg. No. 2724-454

(A) EPA Est. No. 11623-GA-3

(B) EPA Est. No. 11623-GA-1

Circled letter in front of the EPA Est. No. corresponds to the first letter in lot  
number on bottom of container.

**ACTIVE INGREDIENTS:**

(S)-Methoprene (CAS #65733-16-6) . . . 0.09%


Permethrin (CAS #52645-53-1) . . . . . 0.58%

**OTHER INGREDIENTS:** . . . . . 99.33%

**TOTAL:** . . . . . 100.00%

**Net Contents: 9 oz. (3 x 3 oz. cans)**  
**3 oz. CAN NOT FOR INDIVIDUAL SALE**

## FLEA LIFE CYCLE



### IMPORTANT INFORMATION ABOUT FLEA CONTROL

To minimize flea infestation, it is necessary to treat not only your pets, but also their surrounding environment. Vet-Kem® products have been formulated to work well together. For best results, simply follow these three easy steps:

#### 1. TREAT YOUR PET

- Apply a topical or shampoo to your pet to kill biting adult fleas on your pet.
- Vet-Kem® products in Step 1 kill adult fleas and flea eggs with a combination of an adulticide and an Insect Growth Regulator.

#### 2. TREAT THE AREAS YOUR PET FREQUENTS

- Vet-Kem® products in Step 2 contain an Insect Growth Regulator. Use a Vet-Kem® Aerosol, Fogger or Spray to kill adult fleas and flea larvae in your home and yard.
- Follow individual product directions to kill additional fleas which may later emerge from protected cocoons.

#### 3. MAINTAIN YOUR FLEA-FREE PET

- Use a Vet-Kem® On-Animal Spray to kill any fleas your pet picks up on outings.
- Vet-Kem® products in Step 3 kill adult fleas and flea eggs using a combination of an adulticide and an Insect Growth Regulator.



Vet-Kem® Siphontrol® Plus Fogger kills adult fleas, hatching flea eggs, and ticks. **Does not control bedbugs.** PRECOR® Insect Growth Regulator, the ingredient in Vet-Kem® Siphontrol® Plus Fogger, provides 30 weeks' protection by preventing eggs from ever developing into biting fleas. Vet-Kem® Siphontrol® Plus Fogger enables you to fill an entire room with insect-killing fog while you are away. For best results, use Vet-Kem® Siphontrol® Plus Fogger together with other Vet-Kem® products for complete control of fleas and ticks.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**GENERAL PRECAUTIONS AND RESTRICTIONS:**

Do not apply when food is present.

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove pets, birds, and cover and turn off fish aquariums before use.

Do not use in greenhouses where plants are grown for food.

Wait two hours after application, then open windows, vents and doors to outdoors for two hours. If an odor is still detected, continue ventilating until no remaining trace or odor of pesticide remains.

Do not use in aircraft cabins.

Remove poultry before treating poultry houses.

When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Use one fogger for each 375 square feet of floor space (a room 15' X 25' with an 8' ceiling or 3,000 cubic ft).

**TO USE THIS PRODUCT CORRECTLY:**



DO NOT use multiple foggers per room.



DO NOT use in small confined spaces such as closets, cabinets, or under counters or tables. Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property. DO NOT use in a room 5 ft X 5 ft or smaller; instead, allow fog to enter from other rooms.



UNPLUG AND TURN OFF ALL ignition sources such as pilot lights (shut off gas valves), other open flames, or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).



NO FLAMES OR PILOT LIGHTS. Call your gas utility or management company if you need assistance with your pilot lights.

**BEFORE YOU FOG:**

Vacuum thoroughly before fogging. To ensure unobstructed flow of fogger mist, OPEN inside doors and cabinets. REMOVE or cover exposed food, dishes, utensils, food preparation equipment, and surfaces. CLOSE outside doors and windows. Remove all motor vehicles before fogging garage.



**TO START FOGGING:**

SHAKE WELL BEFORE USING. Elevate fogger by placing on stand or table covered by newspaper in center of room to be fogged. Spread newspapers on the floor for several feet around area of release. Before activating, tilt can AWAY from face (container sprays straight up). Press down firmly on edge of actuator tab until it locks into place. After activating fogger, leave room or house at once. For best results, spot treat with Vet-Kem® premise products under beds, furniture, or obstructed areas where fogger mist may not penetrate. After activating fogger, **vacate the treated house, individual apartment unit, or other structure immediately.** Use enclosed Door Hang Tag to mark the time when re-entry is permitted (at least two hours after the start time). Fill out and place hang tag on the door to the treated area to alert family and others with access to the treated area not to enter for two hours.




**AIRING OUT:**

**Do Not Re-enter for Two Hours.**



Air out the room before entering. Keep treated area closed for at least two hours, then open all doors and windows and allow treated area to air for two hours before returning.



**STORAGE and DISPOSAL:**

**STORAGE:** Store in a cool, dry area away from heat or open flame.

**DISPOSAL:** Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION:**

USE ONLY WHEN AREA TO BE TREATED IS VACATED BY HUMANS AND PETS.

Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Breathing spray mist may be harmful. Applicators and other handlers must wear: Long sleeve shirt and long pants, shoes plus socks, and chemical-resistant gloves (barrier laminate or

butyl rubber ≥ 14 mils). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. If pet is exposed to wet surface, wash fur with soap and water.

**FIRST AID**

<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>Immediately call a poison control center or doctor.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give <i>any</i> liquid to the person.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-766-7661 for emergency medical treatment information. Contact veterinarian if pets are exposed during application.

**Note to Physician/Veterinarian:** May present aspiration hazard.

Highly Flammable  
Ingredient



Ingredients Altamente  
Inflamable

**PHYSICAL OR CHEMICAL HAZARDS:** Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. **THIS PRODUCT CONTAINS A HIGHLY FLAMMABLE INGREDIENT. IT MAY CAUSE A FIRE OR EXPLOSION IF NOT USED PROPERLY. FOLLOW THE "DIRECTIONS FOR USE" ON THIS LABEL VERY CAREFULLY.**

For more information about Vet-Kem® products or about flea and tick problems and how to solve them, or in case of emergency, call 1-800-766-7661. If not completely satisfied with this product, return it to place of purchase with your receipt for a full refund.

[www.vet-kem.com](http://www.vet-kem.com)

Manufactured for:

**Wellmark International**

1501 East Woodfield Road 200W, Schaumburg, IL 60173

PRECOR, Siphontrol, Vet-Kem and Vet-Kem with design are registered trademarks of Wellmark International.



# Siphotrol®

Contiene PRECOR®  
Insect Growth Regulator  
*Plus* y Permetrina,  
un adulticida

*Plus*

## Nebulizador



contaminación de alimentos, productos alimenticios y de áreas donde se preparen comidas. Abandonar la habitación o la casa de inmediato tras la activación del nebulizador. Si una mascota se expone a una superficie húmeda, lavar su piel con agua y jabón.

### PRIMEROS AUXILIOS

<b>Si entra en contacto con la piel o la ropa</b>	<ul style="list-style-type: none"> <li>• Quítese la ropa contaminada.</li> <li>• Enjuáguese la piel de inmediato con abundante agua de 15 a 20 minutos.</li> <li>• Llame a un centro de control de intoxicaciones o a un médico para obtener asesoramiento sobre tratamiento.</li> </ul>
<b>Si se traga</b>	<ul style="list-style-type: none"> <li>• Llame de inmediato a un centro de control de intoxicaciones o a un médico.</li> <li>• No induzca el vómito a menos que así se lo indique el centro de control de intoxicaciones o un médico.</li> <li>• No le dé ningún líquido para beber a la persona.</li> <li>• No administre nada por boca a una persona que haya perdido el conocimiento.</li> </ul>

Tenga el recipiente o la etiqueta del producto con usted cuando llame al centro de control de intoxicaciones o al médico, o cuando se someta a tratamiento. También puede llamar al 1-800-766-7661 para obtener información sobre tratamiento médico de emergencia. Comuníquese con su veterinario si las mascotas quedan expuestas durante la aplicación.

**Nota para el médico/veterinario:** Podría representar peligro por aspiración.

Highly Flammable Ingredient  Ingredients Altamente Inflamable

**RIESGOS FÍSICOS O QUÍMICOS:** Extremadamente inflamable. Contenido bajo presión. Mantener alejado del calor, chispas y llamas expuestas. No perforar ni incinerar el envase. La exposición a temperaturas superiores a los 54 °C puede causar explosión. **ESTE PRODUCTO CONTIENE UN INGREDIENTE ALTAMENTE INFLAMABLE. PUEDE CAUSAR UN INCENDIO O UNA EXPLOSIÓN SI NO SE USA ADECUADAMENTE. SEGUIR CON MUCHA ATENCIÓN LAS "INSTRUCCIONES DE USO" QUE FIGURAN EN ESTA ETIQUETA.**

Para obtener más información sobre los productos Vet-Kem® o sobre problemas con pulgas y garrapatas y cómo solucionarlos, o en caso de emergencia, llamar al 1-800-766-7661. Si no está completamente satisfecho con este producto, devolver al lugar de su compra con el recibo para obtener un reembolso total.

www.vet-kem.com Hecho en los EE. UU.  
Producido por: Wellmark International  
1501 East Woodfield Road 200W, Schaumburg, IL 60173  
PRECOR Insect Growth Regulator, Vet-Kem y el logotipo de Vet-Kem y Siphotrol son marcas registradas de Wellmark International.

# Siphotrol®

Contiene PRECOR®  
Insect Growth Regulator  
*Plus* y Permetrina,  
un adulticida

*Plus*

## Nebulizador

Mata garrapatas y pulgas adultas

Evita que los huevos en incubación y las larvas se conviertan en pulgas adultas durante 30 semanas

No deja olores persistentes, manchas ni superficies pegajosas

Con cada lata de 88,7 ml se pueden tratar hasta 85 metros cúbicos

Para leer las instrucciones en español, vea dentro de la caja.

**MANTENER FUERA DEL ALCANCE  
DE LOS NIÑOS  
PRECAUCIÓN**

Consulte las medidas de precaución adicionales al dorso y en el panel lateral.

EPA Reg. No. 2724-454

- Ⓐ EPA Est. No. 11623-GA-3
- Ⓑ EPA Est. No. 11623-GA-1

La letra marcada con un círculo delante del EPA Est. N.º corresponde a la primera letra del número de lote que figura en la base del envase.

### INGREDIENTES ACTIVOS:

(S)-Metopreno (N.º CAS 65733-16-6) . . . 0,09%  
Permetrina (N.º CAS 52645-53-1) . . . . . 0,58%  
**OTROS INGREDIENTES:** . . . . . 99,33%  
TOTAL . . . . . 100,00%

**Contenido neto: 266,1 ml (3 latas de 88,7 ml)  
PROHIBIDA LA VENTA INDIVIDUAL DE LA LATA  
DE 88,7 ml**

## CICLO DE VIDA DE LA PULGA



### INFORMACIÓN IMPORTANTE SOBRE EL CONTROL DE PULGAS

Para reducir la infestación por pulgas, es necesario tratar no solo a las mascotas, sino también su entorno. Los productos Vet-Kem® fueron formulados para actuar bien en conjunto. Para obtener mejores resultados, solo deben seguirse estos cuatro sencillos pasos:

#### 1. APLIQUE SOBRE SU MASCOTA

- Aplique un producto topico o un shampoo a su mascota para matar a las pulgas adultas.
- Los productos Vet-Kem® en el Paso 1 matan tanto pulgas adultas como sus huevos mediante la combinación de un compuesto adulticida con un compuesto regulador de crecimiento de insectos.

#### 2. TRATE LAS ÁREAS QUE FRECUENTA SU MASCOTA

- Los productos Vet-Kem® descritos en el Paso 2 contienen un compuesto regulador de crecimiento para insectos que mata la larva de la pulga. Utilice un aerosol, un spray o un nebulizador Vet-Kem® para matar las pulgas adultas dentro de su casa o en su jardín.
- Siga las instrucciones que figuran en cada producto para matar otras pulgas que puedan emerger, más tarde, de capullos protegidos.

#### 3. MANTENGA A SU MASCOTA SIN PULGAS

- Use un atomizador Vet-Kem® de aplicación sobre animales para matar las pulgas que su mascota recoge durante sus paseos al aire libre.
- Los productos Vet-Kem®, en el paso 3, matan las pulgas adultas y los huevos de pulgas gracias a la combinación de un adulticida y Insect Growth Regulator.

El nebulizador Vet-Kem® Siphotrol® Plus mata pulgas adultas, huevos de pulgas en incubación y garrapatas. **No es apto para el control de chinches.** PRECO® Insect Growth Regulator, el ingrediente del nebulizador Vet-Kem® Siphotrol® Plus, proporciona protección durante 30 semanas, ya que evita que los huevos se conviertan en pulgas. El nebulizador Vet-Kem® Siphotrol® Plus le permite llenar toda una habitación con niebla de insecticida cuando usted no está. Para obtener mejores resultados, use el nebulizador Vet-Kem® Siphotrol® Plus junto con otros productos Vet-Kem® para lograr el control total de pulgas y garrapatas.

**INSTRUCCIONES DE USO:** Utilizar este producto de manera diferente a la indicada en su etiqueta constituye una violación a la ley federal.

#### PRECAUCIONES Y RESTRICCIONES GENERALES:

No aplique cuando haya animales presentes.

No aplique este producto de forma que entre en contacto con adultos, niños o mascotas, ya sea directa o indirectamente. Retire las mascotas, los pájaros, y cubra y apague las peceras antes de usar el producto.

No lo use en invernaderos en donde se estén cultivando plantas comestibles.

Espera dos horas después de la aplicación; posteriormente abra las ventanas, los conductos de ventilación y las puertas que den al exterior durante dos horas. Si todavía se detecta un olor, continúe ventilando hasta que no quede ningún resto u olor del pesticida.

No lo use en cabinas de aviones.

Retire las aves antes de tratar las naves avícolas.

Cuando se use en establos o instalaciones lecheras: Cierre las tapas de los tanques de almacenamiento de leche a granel para evitar la contaminación a causa del rocío y de los insectos muertos o que pudieran caer. Retire o cubra los utensilios para ordeñar antes de la aplicación. Lave las ubres de los animales antes de ordeñar.


Durante el tratamiento en el hogar, deben cubrirse todos los utensilios y las superficies donde se preparen alimentos o, de lo contrario, deben lavarse muy bien antes de usarse. Se deben retirar o cubrir los alimentos expuestos.

Use un nebulizador para cada espacio de 35 metros cuadrados (una habitación de 4,7 m X 7,6 m con un techo de 2,4 m o 85 metros cúbicos).

### PARA USAR ESTE PRODUCTO CORRECTAMENTE:



NO use varios nebulizadores por habitación.



NO use en pequeños espacios reducidos, como armarios, gabinetes, ni debajo de encimeras o mesas. El uso de un nebulizador en lugares cerrados puede provocar la explosión del producto y ocasionar lesiones a las personas o daños a la propiedad. **NO USE** en una habitación de 1,5 m X 1,5 m o más pequeña; en cambio, permita que el insecticida ingrese desde otras habitaciones.



**DESENCHUFE Y APAGUE TODAS** las fuentes de ignición, como luces piloto (cierre las válvulas de gas), apague llamas expuestas o artefactos eléctricos en funcionamiento que se prendan y apaguen por ciclos (es decir, heladeras, termostatos, etc.).

©2010, 2012, 2013 Wellmark International  
Product Code: 100505019 • RM# 99.0000661.01 • 13-0088



**NO DEBE HABER LLAMAS NI LUCES PILOTO.** Llame a la empresa de gas o a la compañía de gestión en caso de necesitar asistencia con las luces piloto.

### ANTES DE APLICAR LA NIEBLA:

Pase la aspiradora muy bien antes de activar el nebulizador. Para garantizar el flujo sin obstrucciones de la niebla, abra las puertas internas y los gabinetes. Retire o cubra los alimentos expuestos, la vajilla, los utensilios, el equipo y las superficies para preparar alimentos. Cierre las puertas y ventanas que den al exterior. Retire todos los vehículos con motor antes de activar el nebulizador en el garaje.



### PARA ACTIVAR EL NEBULIZADOR:

**AGITE BIEN ANTES DE USAR.** Coloque el nebulizador sobre una mesa o estante cubierto con diario, de modo que quede elevado, en el centro de la habitación donde se activará. Esparra diarios sobre el suelo por varios metros alrededor del área donde se activará el producto. Antes de activar, incline la lata lejos del rostro (la niebla sale por la parte superior del envase). Presione firmemente sobre el borde de la pestaña de activación hasta que se traben en su lugar. Después de activar el nebulizador, salga de la habitación o de la casa de inmediato. Para obtener mejores resultados, aplique el tratamiento con productos Vet-Kem® de la línea Premise debajo de camas, muebles o áreas obstruidas, donde la niebla del nebulizador no penetre. Luego de activar el nebulizador, evacue de inmediato la casa, el departamento o cualquier otra estructura bajo tratamiento.




Use la etiqueta colgante adjunta en la puerta para indicar el momento en que se podrá volver a ingresar (dos horas después de la hora de inicio, como mínimo). Complete y coloque la etiqueta colgante en la puerta del área tratada para avisar a la familia y a quienes tengan acceso al área tratada que no entren durante 2 horas.

### VENTILACIÓN:

#### No vuelva a ingresar durante 2 horas.



Ventile la habitación antes de ingresar. Mantenga cerrada el área tratada durante, al menos, dos horas; luego, abra todas las puertas y ventanas, y ventile el área tratada durante dos horas antes de volver a ingresar.



### ALMACENAMIENTO Y ELIMINACIÓN:

**ALMACENAMIENTO:** Almacenar en un área fresca y seca, lejos del calor y las llamas expuestas.

**ELIMINACIÓN:** ¡No perforar ni incinerar el envase! **Si está vacío:** Tirar a la basura o, si hay un servicio disponible, destinar a reciclaje. **Si aún tiene producto en su interior:** Llamar a la agencia local de residuos sólidos para recibir instrucciones sobre cómo desechar este tipo de productos.

### MEDIDAS DE PRECAUCIÓN

**RIESGOS PARA LAS PERSONAS Y LOS ANIMALES DOMÉSTICOS; PRECAUCIÓN:** USAR SOLAMENTE CUANDO NO HAYA PERSONAS NI ANIMALES DOMÉSTICOS EN EL ÁREA QUE SE TRATARÁ.

Es peligroso si se inhala, se ingiere o se absorbe a través de la piel. Puede ser peligroso respirar la niebla de pulverización. Puede causar irritación en los ojos. Evitar el contacto con los ojos, la piel y la ropa. Lavarse muy bien con agua y jabón después de usar el producto. Evitar la



# Siphotrol®

Contains PRECOR®  
Insect Growth Regulator  
*Plus* Permethrin,  
an adulticide

## Plus

## FOGGER

Kills adult fleas and ticks  
Stops hatching eggs and larvae from  
developing into adult fleas for 30 weeks  
Leaves no lingering odor, no stains,  
no sticky mess  
Treats up to 3,000 cubic feet

For instructions in Spanish, see inside of carton. If you do not have a carton,  
call 1-800-766-7661.

Para leer las instrucciones en español, vea dentro de la caja. Si no tiene la  
caja, llame al 1-800-766-7661.

### KEEP OUT OF REACH OF CHILDREN CAUTION

See Outer Carton For Additional  
Precautionary Statements And  
Complete Directions

#### ACTIVE INGREDIENTS:

(S)-Methoprene (CAS #65733-16-6) . . . 0.09%  
Permethrin (CAS #52645-53-1) . . . . . 0.58%

OTHER INGREDIENTS: . . . . . 99.33%

TOTAL . . . . . 100.00%

Net Contents: 3 oz.  
NOT FOR INDIVIDUAL SALE

### PRECAUTIONARY STATEMENTS – HAZARDS TO HUMANS AND DOMESTIC ANIMALS – CAUTION: USE ONLY WHEN AREA TO BE TREATED IS VACATED BY HUMANS AND PETS.

Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Breathing spray mist may be harmful. Applicators and other handlers must wear: Long sleeve shirt and long pants, shoes plus socks, and chemical-resistant gloves (barrier laminate or butyl rubber ≥ 14 mls). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. If pet is exposed to wet surface, wash fur with soap and water.

FIRST AID	
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give <i>any</i> liquid to the person.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-766-7661 for emergency medical treatment information. Contact veterinarian if pets are exposed during application.	
<b>Note to Physician/Veterinarian:</b> May present aspiration hazard.	

Highly Flammable  
Ingredient



Ingredients Altamente  
Inflamable

**PHYSICAL OR CHEMICAL HAZARDS:** Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. **THIS PRODUCT CONTAINS A HIGHLY FLAMMABLE INGREDIENT. IT MAY CAUSE A FIRE OR EXPLOSION IF NOT USED PROPERLY. FOLLOW THE "DIRECTIONS FOR USE" ON THE CARTON VERY CAREFULLY.**

**STORAGE and DISPOSAL:** **STORAGE:** Store in a cool, dry area away from heat or open flame. **DISPOSAL:** Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

In case of emergency or for product use information, call **1-800-766-7661**.

[www.vet-kem.com](http://www.vet-kem.com)

Manufactured for:

**Wellmark International**

1501 East Woodfield Road 200W  
Schaumburg, IL 60173

EPA Reg. No. 2724-454

Ⓐ EPA Est. No. 11623-GA-3

Ⓑ EPA Est. No. 11623-GA-1

Circled letter in front of the EPA Est. No. corresponds to the first letter in lot number on bottom of container.

Precor, Siphotrol, and the Vet-Kem design are registered trademarks of Wellmark International.

©2010, 2012, 2013 Wellmark International

Product Code: 100505019 RM# 99.0000660.01 13-0089

NO LETTERING IN THIS AREA


NECKED) WILL DISTORT

6 1/4" H

11" W

PERFORATED

PERFORATED



Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for two (2) hours.

Do not enter until \_\_\_\_\_ on \_\_\_\_\_  
(insert time) (insert date)

This room is currently being treated by


\_\_\_\_\_  
(insert product name)

Complete y coloque la etiqueta colgante en la puerta del área tratada para avisar a la familia y a quienes tengan acceso al área tratada que no entren durante dos (2) horas.

No entrar hasta las \_\_\_\_\_ del \_\_\_\_\_  
(insertar hora) (insertar fecha)

Esta habitación está, actualmente, bajo tratamiento con

\_\_\_\_\_  
(insertar el nombre del producto)



Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for two (2) hours.

Do not enter until \_\_\_\_\_ on \_\_\_\_\_  
(insert time) (insert date)

This room is currently being treated by


\_\_\_\_\_  
(insert product name)

Complete y coloque la etiqueta colgante en la puerta del área tratada para avisar a la familia y a quienes tengan acceso al área tratada que no entren durante dos (2) horas.

No entrar hasta las \_\_\_\_\_ del \_\_\_\_\_  
(insertar hora) (insertar fecha)

Esta habitación está, actualmente, bajo tratamiento con

\_\_\_\_\_  
(insertar el nombre del producto)



Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for two (2) hours.

Do not enter until \_\_\_\_\_ on \_\_\_\_\_  
(insert time) (insert date)

This room is currently being treated by

\_\_\_\_\_  
(insert product name)

Complete y coloque la etiqueta colgante en la puerta del área tratada para avisar a la familia y a quienes tengan acceso al área tratada que no entren durante dos (2) horas.

No entrar hasta las \_\_\_\_\_ del \_\_\_\_\_  
(insertar hora) (insertar fecha)

Esta habitación está, actualmente, bajo tratamiento con

\_\_\_\_\_  
(insertar el nombre del producto)