

92334-1-92413_Tevrapet Activate II Small Dog 4-10 lbs_20170801_1_92413_.pdt

tevräpet
ACTIVATE II
Small Dog

For use only on dogs and puppies
7 weeks of age and older

4-10 lbs.

tevräpet
ACTIVATE II
Small Dog

READ ENTIRE LABEL BEFORE EACH USE.
For Use Only On Dogs & Puppies
Over 7 Weeks of Age

Monthly Topical Treatment of Fleas, Ticks, Mosquitoes, Biting Flies and Lice

TevraPet™ Activate II Small Dog rapidly kills fleas and may reduce the incidence of flea allergy dermatitis (FAD), a hypersensitivity skin disorder which may be induced by the feeding activity of fleas. TevraPet™ Activate II Small Dog kills existing fleas on dogs within 12 hours. Any other fleas that jump on the dog are killed within 2 hours. Protection against further flea infestation lasts at least four (4) weeks.

Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climate. Flea larvae in the dog's surroundings are killed following contact with a TevraPet™ Activate II Small Dog treated dog. TevraPet™ Activate II Small Dog is waterproof and will remain effective even after a shampoo treatment, after swimming, or after exposure to rain or sunlight. For best results, use monthly treatments for flea and tick control.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Do not use on animals other than dogs. Do not use on dogs or puppies under seven weeks of age or weighing less than 4 lbs. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing dogs. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product packaging.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-775-9416.

NOTE TO PHYSICIAN OR VETERINARIAN

Treat patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS.

RESTRICTIONS

Do not use on cats. Do not allow your dog to ingest this product. Do not get this product in your dog's eyes. Do not use on dogs under seven weeks of age or weighing less than 4 lbs. Do not apply more than 1 tube per treatment per dog.

HOW TO APPLY

The dog should be standing for the application. Remove tube from the package. Hold tube in a vertical upright position. Cut off top of tube with scissors. Part the hair at each spot until the skin is visible. Invert tube and place the open end of the tube on the skin of the dog. Squeeze tube to expel the liquid and apply the product evenly along the dog's back in 3 to 4 spots from the base of the skull to the base of the tail. Take care that liquid does not run off the dog. Avoid contact with treated area until dry. Discard empty tube as described in Storage and Disposal. In case of severe pest infestations, you are able to retreat your dog earlier than (4) four weeks. If infestation is severe at the initiation of treatment, once a week treatment is permitted not to exceed 4 weeks. After pest control has been successful, please return to a monthly retreatment schedule.



SIDE EFFECTS Monitor your dog after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Although uncommon, gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-775-9416.



DO NOT USE ON CATS

DO NOT USE ON CATS — MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

LIMITED WARRANTY AND LIMITATION OF DAMAGES
Tevra Brands, LLC warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW Tevra Brands, MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Tevra Brands is authorized to do so except in writing with a specific reference to this warranty. To the extent consistent with applicable law, any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

If you have questions or comments about this product, please write:
Tevra Brands Pet Owner Response, 9100 F Street, Suite 200, Omaha, NE 68127
In Case of Emergency, call: 1-800-775-9416
Non-Emergency call: 1-844-276-3290
Manufactured for: Tevra Brands, LLC
9100 F Street, Suite 200, Omaha, NE 68127
EPA Reg. No. 92334-1-92413
EPA Est. No. 2724-TX-1

tevrä
BRANDS

1 90623 00000 3

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Pesticide Disposal and Container Handling:** Nonrefillable container. If empty: Do not reuse this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency or 1-844-276-3290 for disposal instructions. Never place unused product down any indoor or outdoor drain.

FOUR MONTH SUPPLY



For Use Only on Dogs & Puppies
7 weeks of age and older
4-10 lbs.

tevräpet™
ACTIVATE II
Small Dog

Repels & Kills Fleas,
Flea Eggs, Ticks
and Mosquitoes

Repels Biting Flies and Kills Lice

Waterproof



4 
TUBES

Active Ingredients:
Imidacloprid 7.12%
Permethrin¹ 35.6%
Pyriproxyfen 0.36%
OTHER INGREDIENTS 56.92%
TOTAL **100.00%**
¹ cis:trans ratio: max 55% (+) cis and min 45% (+) trans

Net Contents: 0.064 fl oz (1.92 mL)
Four tubes – 0.016 fl oz (0.48 mL)

KEEP OUT OF REACH OF CHILDREN

WARNING SEE FIRST AID AND DIRECTIONS FOR USE ON BACK PANEL.

Contains
Imidacloprid,
Permethrin & Pyriproxyfen,
the active ingredients
found in
K9 Advantix® II
for Dogs*



DO NOT USE ON CATS

*This product is not manufactured or distributed by Bayer, the maker of K9 Advantix® II. K9 Advantix® II is a registered trademark of Bayer.

tevräpet™
ACTIVATE II
Small Dog

For Use Only on Dogs & Puppies
7 weeks of age and older
4-10 lbs.

tevräpet
ACTIVATE II
Small Dog

tevräpet
ACTIVATE II
Medium Dog

For use only on dogs and puppies
7 weeks of age and older

11-20 lbs.

tevräpet
ACTIVATE II
Medium Dog

READ ENTIRE LABEL BEFORE EACH USE.
For Use Only On Dogs & Puppies
Over 7 Weeks of Age

Monthly Topical Treatment of Fleas, Ticks, Mosquitoes, Biting Flies and Lice

TevraPet® Activate™ II Medium Dog rapidly kills fleas and may reduce the incidence of flea allergy dermatitis (FAD), a hypersensitivity skin disorder which may be induced by the feeding activity of fleas. TevraPet® Activate™ II Medium Dog kills existing fleas on dogs within 12 hours. Any other fleas that jump on the dog are killed within 2 hours. Protection against further flea infestation lasts at least four (4) weeks.

Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climate. Flea larvae in the dog's surroundings are killed following contact with a TevraPet® Activate™ II Medium Dog treated dog. TevraPet® Activate™ II Medium Dog is waterproof and will remain effective even after a shampoo treatment, after swimming, or after exposure to rain or sunlight. For best results, use monthly treatments for flea and tick control.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Do not use on animals other than dogs. Do not use on dogs or puppies under seven weeks of age or weighing less than 11 lbs. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing dogs. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product packaging.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-775-9416.

NOTE TO PHYSICIAN OR VETERINARIAN

Treat patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS.

RESTRICTIONS

Do not use on cats. Do not allow your dog to ingest this product. Do not get this product in your dog's eyes. Do not use on dogs under seven weeks of age or weighing less than 11 lbs. Do not apply more than 1 tube per treatment per dog.

HOW TO APPLY

The dog should be standing for the application. Remove tube from the package. Hold tube in a vertical upright position. Cut top of tube with scissors. Part the hair at each spot until the skin is visible. Invert tube and place the open end of the tube on the skin of the dog. Squeeze tube to expel the liquid and apply the product evenly along the dog's back in 3 to 4 spots from the base of the skull to the base of the tail. Take care that liquid does not run off the dog. Avoid contact with treated area until dry. Discard empty tube as described in Storage and Disposal. In case of severe pest infestations, you are able to retreat your dog earlier than (4) four weeks. If infestation is severe at the initiation of treatment, once a week treatment is permitted not to exceed 4 weeks. After pest control has been successful, please return to a monthly retreatment schedule.



SIDE EFFECTS Monitor your dog after application.

Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Although uncommon, gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-775-9416.

DO NOT USE ON CATS — MAY BE FATAL.
Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

DO NOT USE ON CATS



If you have questions or comments about this product, please write:
Tevra Brands Pet Owner Response, 9100 F Street, Suite 200, Omaha, NE 68127
In Case of Emergency, call: 1-800-775-9416
Non-Emergency call: 1-844-276-3290
Manufactured for: Tevra Brands, LLC
9100 F Street, Suite 200, Omaha, NE 68127
EPA Reg. No. 92334-1-92413
EPA Est. No. 2724-TX-1 P01013 GRN 300521682



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Pesticide Disposal and Container Handling:** Nonrefillable container. If empty: Do not reuse this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency or 1-844-276-3290 for disposal instructions. Never place unused product down any indoor or outdoor drain.

FOUR MONTH SUPPLY



For Use Only on Dogs & Puppies
7 weeks of age and older

11-20 lbs.

tevräpet™
ACTIVATE II
Medium Dog



**Repels & Kills Fleas,
Flea Eggs, Ticks
and Mosquitoes**

Repels Biting Flies and Kills Lice

Waterproof

4 TUBES

Active Ingredients:
Imidacloprid 7.12%
Permethrin¹ 35.6%
Pyriproxyfen 0.36%
OTHER INGREDIENTS 56.92%
TOTAL **100.00%**
¹ cis/trans ratio: max 55% (+) cis and min 45% (+) trans

Net Contents: 0.164 fl oz (4.8 mL)
Four tubes-0.041 fl oz (1.2mL)

Contains
Imidacloprid,
Permethrin & Pyriproxyfen,
the active ingredients
found in
**K9 Advantix® II
for Dogs***

**KEEP OUT OF REACH
OF CHILDREN
WARNING**

SEE FIRST AID AND
DIRECTIONS FOR USE
ON BACK PANEL.



*This product is not manufactured or distributed by Bayer, the maker of K9 Advantix® II. K9 Advantix® II is a registered trademark of Bayer.

tevräpet
ACTIVATE II
Medium Dog

For Use Only on Dogs & Puppies
7 weeks of age and older
11-20 lbs.

tevräpet
ACTIVATE II
Medium Dog

tevräpet
ACTIVATE II
Large Dog

READ ENTIRE LABEL BEFORE EACH USE.
For Use Only On Dogs & Puppies
Over 7 Weeks of Age

Monthly Topical Treatment of Fleas, Ticks, Mosquitoes, Biting Flies and Lice

TevraPet™ Activate II Large Dog rapidly kills fleas and may reduce the incidence of flea allergy dermatitis (FAD), a hypersensitivity skin disorder which may be induced by the feeding activity of fleas. TevraPet™ Activate II Large Dog kills existing fleas on dogs within 12 hours. Any other fleas that jump on the dog are killed within 2 hours. Protection against further flea infestation lasts at least four (4) weeks.

Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climate. Flea larvae in the dog's surroundings are killed following contact with a TevraPet™ Activate II Large Dog treated dog. TevraPet™ Activate II Large Dog is waterproof and will remain effective even after a shampoo treatment, after swimming, or after exposure to rain or sunlight. For best results, use monthly treatments for flea and tick control.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Do not use on animals other than dogs. Do not use on dogs or puppies under seven weeks of age or weighing less than 21 lbs. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing dogs. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product packaging.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-775-9416.

NOTE TO PHYSICIAN OR VETERINARIAN

Treat patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS.

RESTRICTIONS

Do not use on cats. Do not allow your dog to ingest this product. Do not get this product in your dog's eyes. Do not use on dogs under seven weeks of age or weighing less than 21 lbs. Do not apply more than 1 tube per treatment per dog.

HOW TO APPLY

The dog should be standing for the application. Remove tube from the package. Hold tube in a vertical upright position. Cut off top of tube with scissors. Part the hair at each spot until the skin is visible. Invert tube and place the open end of the tube on the skin of the dog. Squeeze tube to expel the liquid and apply the product evenly along the dog's back in 3 to 4 spots from the base of the skull to the base of the tail. Take care that liquid does not run off the dog. Avoid contact with treated area until dry. Discard empty tube as described in Storage and Disposal. In case of severe pest infestations, you are able to retreat your dog earlier than (4) four weeks. If infestation is severe at the initiation of treatment, once a week treatment is permitted not to exceed 4 weeks. After pest control has been successful, please return to a monthly retreatment schedule.



SIDE EFFECTS Monitor your dog after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Although uncommon, gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-775-9416.



DO NOT USE ON CATS — MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.



LIMITED WARRANTY AND LIMITATION OF DAMAGES

Tevra Brands, LLC warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW Tevra Brands, MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Tevra Brands is authorized to do so except in writing with a specific reference to this warranty. To the extent consistent with applicable law, any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

If you have questions or comments about this product, please write: Tevra Brands Pet Owner Response, 9100 F Street, Suite 200, Omaha, NE 68127

In Case of Emergency, call: 1-800-775-9416
Non-Emergency call: 1-844-276-3290

Manufactured for: Tevra Brands, LLC
9100 F Street, Suite 200, Omaha, NE 68127

EPA Reg. No. 92334-1-92413
EPA Est. No. 2724-TX-1

P01014 GRRN 300521681



tevräpet
ACTIVATE II
Large Dog

For use only on dogs and puppies
7 weeks of age and older
21-55 lbs.

FOUR MONTH SUPPLY

FLEA EGGS FLEAS TICKS REPELS BITING FLIES MOSQUITOES LICE

For Use Only on Dogs & Puppies
7 weeks of age and older
21-55 lbs.

tevräpet™
ACTIVATE II
Large Dog

Repels & Kills Fleas,
Flea Eggs, Ticks
and Mosquitoes

Repels Biting Flies and Kills Lice

Waterproof



4 TUBES

Contains
Imidacloprid,
Permethrin & Pyriproxyfen,
the active ingredients
found in
K9 Advantix® II
for Dogs*

Active Ingredients:
Imidacloprid 7.12%
Permethrin† 35.6%
Pyriproxyfen 0.36%
OTHER INGREDIENTS 56.92%
TOTAL **100.00%**

Net Contents: 0.40 fl oz (12.0 mL)
Four tubes – 0.101 fl oz (3.0 mL)

KEEP OUT OF REACH OF CHILDREN WARNING SEE FIRST AID AND DIRECTIONS FOR USE ON BACK PANEL.



DO NOT USE ON CATS

*This product is not manufactured or distributed by Bayer, the maker of K9 Advantix® II. K9 Advantix® II is a registered trademark of Bayer.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Storage:** Store in a cool, dry place. Protect from freezing. **Pesticide Disposal and Container Handling:** Nonrefillable container. If empty: Do not reuse this container. Place in trash or other for recycling, if available. If partly filled: Call your local solid waste agency or 1-844-276-3290 for disposal instructions. Never place unused product down any indoor or outdoor drain.

tevräpet
ACTIVATE II
Large Dog

For Use Only on Dogs & Puppies
7 weeks of age and older
21-55 lbs.

tevräpet
ACTIVATE II
Large Dog

tevräpet
ACTIVATE II
Extra Large Dog

For use only on dogs and puppies
7 weeks of age and older
over 55 lbs.

tevräpet
ACTIVATE II
Extra Large Dog

READ ENTIRE LABEL BEFORE EACH USE.
For Use Only On Dogs & Puppies
Over 7 Weeks of Age

Monthly Topical Treatment of Fleas, Ticks, Mosquitoes, Biting Flies and Lice

TevraPet™ Activate II Extra Large Dog rapidly kills fleas and may reduce the incidence of flea allergy dermatitis (FAD), a hypersensitivity skin disorder which may be induced by the feeding activity of fleas. TevraPet™ Activate II Extra Large Dog kills existing fleas on dogs within 12 hours. Any other fleas that jump on the dog are killed within 2 hours. Protection against further flea infestation lasts at least four (4) weeks.

Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climate. Flea larvae in the dog's surroundings are killed following contact with a TevraPet™ Activate II Extra Large Dog treated dog. TevraPet™ Activate II Extra Large Dog is waterproof and will remain effective even after a shampoo treatment, after swimming, or after exposure to rain or sunlight. For best results, use monthly treatments for flea and tick control.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Do not use on animals other than dogs. Do not use on dogs or puppies under seven weeks of age or weighing less than 55 lbs. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing dogs. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product packaging.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-775-9416.

NOTE TO PHYSICIAN OR VETERINARIAN

Treat patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS.

RESTRICTIONS

Do not use on cats. Do not allow your dog to ingest this product. Do not get this product in your dog's eyes. Do not use on dogs under seven weeks of age or weighing less than 55 lbs. Do not apply more than 1 tube per treatment for dogs over 55 lbs.

HOW TO APPLY

The dog should be standing for the application. Remove tube from the package. Hold tube in a vertical upright position. Cut off top of tube with scissors. Part the hair at each spot until the skin is visible. Invert tube and place the open end of the tube on the skin of the dog. Squeeze tube to expel the liquid and apply the product evenly along the dog's back in 3 to 4 spots from the base of the skull to the base of the tail. Take care that liquid does not run off the dog. Avoid contact with treated area until dry. Discard empty tube as described in Storage and Disposal. In case of severe pest infestations, you are able to retreat your dog earlier than (4) four weeks. If infestation is severe at the initiation of treatment, once a week treatment is permitted not to exceed 4 weeks. After pest control has been successful, please return to a monthly retreatment schedule.



SIDE EFFECTS Monitor your dog after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Although uncommon, gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-775-9416.

DO NOT USE ON CATS — MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.



LIMITED WARRANTY AND LIMITATION OF DAMAGES

Tevra Brands, LLC warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW Tevra Brands, MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Tevra Brands is authorized to do so except in writing with a specific reference to this warranty. To the extent consistent with applicable law, any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

If you have questions or comments about this product, please write: Tevra Brands Pet Owner Response, 9100 F Street, Suite 200, Omaha, NE 68127 Non-Emergency call: 1-844-276-3290

In Case of Emergency, call: 1-800-775-9416
9100 F Street, Suite 200, Omaha, NE 68127
EPA Reg. No. 92334-1-92413
EPA Est. No. 2724-TX-1



PO1015 GRRN 300522044

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Storage:** Store in a cool, dry place. Protect from freezing. **Pesticide Disposal and Container Handling:** Nonrefillable container. If empty: Do not reuse this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency or 1-844-276-3290 for disposal instructions. Never place unused product down any indoor or outdoor drain.

FOUR MONTH SUPPLY

TOP FRONT PANEL

FLEA EGGS FLEAS TICKS REPELS BITING FLIES MOSQUITOES LICE

For Use Only on Dogs & Puppies
7 weeks of age and older
over 55 lbs.

tevräpet™

ACTIVATE II
Extra Large Dog

Repels & Kills Fleas,
Flea Eggs, Ticks
and Mosquitoes

Repels Biting Flies and Kills Lice

Waterproof



4 TUBES

Contains Imidacloprid, Permethrin & Pyriproxyfen, the active ingredients found in K9 Advantix® II for Dogs*

Active Ingredients:

Imidacloprid	7.12%
Permethrin ¹	35.6%
Pyriproxyfen	0.36%
OTHER INGREDIENTS	56.92%
TOTAL	100.00%

¹ cis/trans ratio: max 55% (=) cis and min 45% (=) trans

KEEP OUT OF REACH OF CHILDREN. WARNING SEE FIRST AID AND DIRECTIONS FOR USE ON BACK PANEL.

Net Contents: 0.648 fl oz (19.2 ml)
Four tubes – 0.162 fl oz (4.8 ml)

*This product is not manufactured or distributed by Bayer, the maker of K9 Advantix® II. K9 Advantix® II is a registered trademark of Bayer.



tevräpet
ACTIVATE II
Extra Large Dog

For Use Only on Dogs & Puppies
7 weeks of age and older
over 55 lbs.

tevräpet
ACTIVATE II
Extra Large Dog