

CATMD
MAXIMUM DEFENSE™
advanced 2

Once per month topical flea treatment for cats

- Kills adult fleas, larvae, and eggs, providing 3-way protection
- Controls existing flea eggs and fleas and prevents future infestations for 1 month
- Kills fleas within 12 hours of application on cats

READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON CATS AND KITTENS 8 WEEKS OF AGE OR OLDER.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on cats only. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. Do not treat your cat with more than one pesticide product at a time. Over dosing your cat can result in serious illness and even death. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing cats.

FIRST AID

If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-416-7330 for emergency medical treatment information.

NOTE TO PHYSICIAN

Treat the patient symptomatically.

If you have questions or comments about this product, please write: Consumer Response, P.O. Box 540224, Omaha, NE 68154-0224

Distributed by: Meridian Animal Health, Omaha, NE 68154

In case of Emergency, call: 1-877-416-7330

Non-Emergency call: 1-888-814-4738 (4PET)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. TO PREVENT HARM TO YOU AND YOUR CAT, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

RESTRICTIONS:

DO NOT ALLOW CHILDREN TO APPLY PRODUCT.

- Do not use on animals other than cats.
- Do not allow your cat to ingest this product.
- Do not reapply for 4 weeks.
- Do not use on kittens under 8 weeks of age. Do not apply to cats weighing less than 5 lbs.
- Use entire contents of tube on each cat. Do not spill one tube between two cats.
- Do not use multiple tubes on one cat.

- Weigh your cat to be sure you are applying the right dose formulated for the weight of your cat.
- Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied.
- Do not have contact or allow children to have contact with the treated area until completely dry.

Side Effects: Monitor your cat after application. Some cats may experience temporary startle effects when any product is applied. Cats may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your cat with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-877-416-7330. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your cat and continue to monitor your cat for the next 24 hours.

How to Open:

1. Remove product tubes from the package.
2. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to Apply:

1. Hold cat with one hand and use the other hand to apply the solution.
2. Invert the tube and use the narrow end to part the cat's hair.
3. Squeeze tube firmly to apply all of the solution to the cat's skin as a spot between the shoulder blades.

Only For Cats Weighing 5-9 lbs.

Do not apply to Cats weighing less than 5 lbs.

Apply one tube 0.4 mL (0.014 fl oz) directly to skin as a spot between the shoulder blades. Hold the cat for a few seconds to give the solution time to be absorbed into the cat's coat.

FREQUENCY OF APPLICATION

Use this product monthly for control of flea infestations. Studies show that this product kills fleas within 12 hours of application and lasts for up to 4 weeks. This product kills reinfesting fleas within 2 hours and prevents further infestations of fleas. Apply monthly for effective flea control. This product is waterproof and remains effective, even after water immersion or exposure to sunlight or rain.

EPA Reg. No. 2517-175-84742 EPA Est. No. 2517-NE-02

4 PACK



Kills fleas



Kills flea eggs



Kills flea larvae



Waterproof

4 PACK

CATMD
MAXIMUM DEFENSE™
advanced 2

CONTAINS
IMIDACLOPRID &
PYRIPROXYFEN,
THE ACTIVE
INGREDIENTS
USED IN
ADVANTAGE® II*

medium cat
5-9 lbs



Active Ingredients	
Imidacloprid.....	9.10%
Pyriproxyfen.....	0.46%
Other ingredients.....	90.44%
Total.....	100.00%

Starts working through contact

Once per month topical flea treatment for cats

For use **ONLY** on Cats & Kittens 5-9 lbs and 8 weeks of age or older

KEEP OUT OF REACH OF CHILDREN
CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS: 0.056 fl oz (1.6 mL) 4-0.014 fl oz (0.4 mL) applicators

*CatMD Maximum Defense™ Advanced 2 is not manufactured or distributed by Bayer Healthcare LLC, the makers of Advantage® II

CATMD
MAXIMUM DEFENSE™
advanced 2



PO68372 AVRO 8

Knock Out Area
NO GRAPHICS

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F/25°C), dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CATMD
MAXIMUM DEFENSE™
advanced 2

CATMD
MAXIMUM DEFENSE™
advanced 2

Once per month topical flea treatment for cats

- Kills adult fleas, larvae, and eggs, providing 3-way protection
- Controls existing flea eggs and fleas and prevents future infestations for 1 month
- Kills fleas within 12 hours of application on cats

READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON CATS AND KITTENS 8 WEEKS OF AGE OR OLDER.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on cats only. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. Do not treat your cat with more than one pesticide product at a time. Over dosing your cat can result in serious illness and even death. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing cats.

FIRST AID

If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-416-7330 for emergency medical treatment information.

NOTE TO PHYSICIAN

Treat the patient symptomatically.

If you have questions or comments about this product, please write: Consumer Response, P.O. Box 540224, Omaha, NE 68154-0224

Distributed by: Meridian Animal Health, Omaha, NE 68154

In case of Emergency, call: 1-877-416-7330
Non-Emergency call: 1-888-814-4738 (APET)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. TO PREVENT HARM TO YOU AND YOUR CAT, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

RESTRICTIONS:

• DO NOT ALLOW CHILDREN TO APPLY PRODUCT.

- Do not use on animals other than cats.
- Do not allow your cat to ingest this product.
- Do not reapply for 4 weeks.
- Do not use on kittens under 8 weeks of age. Do not apply to cats weighing less than 9 lbs.
- Use entire contents of tube on each cat. Do not split one tube between two cats. Do not use multiple tubes on one cat.

- Weigh your cat to be sure you are applying the right dose formulated for the weight of your cat.
- Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied.
- Do not have contact or allow children to have contact with the treated area until completely dry.

Side Effects: Monitor your cat after application. Some cats may experience temporary startle effects when any product is applied. Cats may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your cat with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-877-416-7330. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your cat and continue to monitor your cat for the next 24 hours.

How to Open:

1. Remove product tubes from the package.
2. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to Apply:

1. Hold cat with one hand and use the other hand to apply the solution.
2. Invert the tube and use the narrow end to part the cat's hair.
3. Squeeze tube firmly to apply all of the solution to the cat's skin as a spot between the shoulder blades.

Only For Cats Weighing Over 9 lbs. Do not apply to cats weighing less than 9 lbs. Do not use more than one tube on cats greater than 9 lbs.

Apply one tube 0.8 mL (0.027 fl oz) directly to skin as a spot between the shoulder blades. Hold the cat for a few seconds to give the solution time to be absorbed into the cat's coat.

FREQUENCY OF APPLICATION

Use this product monthly for control of flea infestations. Studies show that this product kills fleas within 12 hours of application and lasts for up to 4 weeks. This product kills reinfesting fleas within 2 hours and prevents further infestations of fleas. Apply monthly for effective flea control. This product is waterproof and remains effective, even after water immersion or exposure to sunlight or rain.

EPA Reg. No. 2517-175-84742 EPA Est. No. 2517-NE-02



CATMD
MAXIMUM DEFENSE™
advanced 2

4 PACK



Kills fleas



Kills flea eggs



Kills flea larvae



Waterproof

4 PACK

CATMD
MAXIMUM DEFENSE™
advanced 2

4 PACK

CATMD
MAXIMUM DEFENSE™
advanced 2

CONTAINS
IMIDACLOPRID &
PYRIPROXYFEN,
THE ACTIVE
INGREDIENTS
USED IN
ADVANTAGE® II*

large cat
over 9 lbs



Starts working through contact

Once per month topical flea treatment for cats

For use **ONLY** on Cats & Kittens over 9 lbs and 8 weeks of age or older

KEEP OUT OF REACH OF CHILDREN
CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Active Ingredients	
Imidacloprid.....	9.10%
Pyriproxyfen.....	0.46%
Other ingredients.....	90.44%
Total.....	100.00%

NET CONTENTS: 0.108 fl oz (3.2 mL) 4-0.027 fl oz (0.8 mL) applicators

*CatMD Maximum Defense™ Advanced 2 is not manufactured or distributed by Bayer Healthcare LLC, the makers of Advantage® II

Knock Out Area
NO GRAPHICS

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F/25°C), dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CATMD
MAXIMUM DEFENSE™
advanced 2