

DOGMD
MAXIMUM DEFENSE™
advanced 2

Once per month topical flea treatment for dogs
This product is for the treatment and prevention of fleas on dogs
• Controls multi-stages of flea lifecycle
• Kills fleas within 12 hours of application on dogs

READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER.
PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using ANY pesticide product for dogs. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing dogs.

FIRST AID

If swallowed: • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

If on skin or clothing: • Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-416-7330 for emergency medical treatment information.

NOTE TO PHYSICIAN: Treat the patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

Restrictions:

• **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.**

- Do not use on animals other than dogs.
- Do not allow your dog to ingest this product.
- Do not reapply for 4 weeks.
- Use entire contents of tube on each dog. Do not split one tube between dogs. Do not use multiple tubes on one dog.
- Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.
- Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.
- Do not have contact or allow children to have contact with the treated area until completely dry.

How to Open:

1. Remove product tubes from the package.
2. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to Apply:

1. Invert tube over dog and use open end to part dog's hair.
2. Squeeze tube firmly to apply all of the solution to the dog's skin as a spot to the dog's back between the shoulder blades.

Only For Dogs Weighing 3-10 lbs. Do not apply to dogs weighing less than 3 lbs. Apply one tube 0.4 mL (0.014 fl oz) directly to skin as a spot to the dog's back between the shoulder blades.

FREQUENCY OF APPLICATION

Use this product monthly for control of flea infestations. Studies show that this product kills fleas within 12 hours of application and lasts for up to 4 weeks. This product kills reinfesting fleas within 2 hours and prevents further infestations of fleas. Apply monthly for flea control. This product is waterproof and remains effective, even after bathing, swimming, or exposure to sunlight or rain.

Side Effects: Monitor your dog after application. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-877-416-7330. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.




DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. Contact your veterinarian if applied to a cat or ingested by a cat.

EPA Reg. No. 2517-176-84742
EPA Est. No. 2517-NE-02

If you have questions or comments about this product, please write: Consumer Response, P.O. Box 540224, Omaha, NE 68154-0224

Distributed by:
Meridian Animal Health
Omaha, NE 68154

In case of Emergency, call: 1-877-416-7330
Non-Emergency call: 1-888-814-4738 (4PET)



P068368 AVRO 8

DOGMD
MAXIMUM DEFENSE™
advanced 2

4 PACK



Kills fleas



Kills flea eggs



Kills flea larvae



Waterproof

4 PACK

DOGMD
MAXIMUM DEFENSE™
advanced 2

**CONTAINS
IMIDACLOPRID &
PYRIPROXYFEN,
THE ACTIVE
INGREDIENTS
USED IN
ADVANTAGE® II***

**small dog
3-10 lbs**



DOGMD
MAXIMUM DEFENSE™
advanced 2

Starts working through contact

Once-A-Month topical treatment for fleas on dogs

ONLY for dogs and puppies 7 weeks or older and weighing 3-10 lbs.

KEEP OUT OF REACH OF CHILDREN
CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



DO NOT USE ON CATS

Active Ingredients	
Imidacloprid	9.10%
Pyriproxyfen	0.46%
Other ingredients	90.44%
Total	100.00%

NET CONTENTS: 0.056 fl oz (1.6 mL) 4-0.014 fl oz (0.4 mL) applicators

*DogMD Maximum Defense™ Advanced 2 is not manufactured or distributed by Bayer Healthcare LLC, the makers of Advantage® II

**Knock Out Area
NO GRAPHICS**

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store only in original container in a cool (below 77°F/25°C), dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DOGMD
MAXIMUM DEFENSE™
advanced 2

Once per month topical flea treatment for dogs
This product is for the treatment and prevention of fleas on dogs

- Controls multi-stages of flea lifecycle
- Kills fleas within 12 hours of application on dogs

READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER.
PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS, CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using ANY pesticide product for dogs. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing dogs.

FIRST AID
If swallowed: • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

If on skin or clothing: • Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-416-7330 for emergency medical treatment information.

NOTE TO PHYSICIAN: Treat the patient symptomatically.
DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

- Restrictions:**
- **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.**
 - Do not use on animals other than dogs.
 - Do not allow your dog to ingest this product.
 - Do not reapply for 4 weeks.
 - Use entire contents of tube on each dog. Do not spill one tube between dogs.
 - Do not use multiple tubes on one dog.
 - Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.
 - Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.
 - Do not have contact or allow children to have contact with the treated area until completely dry.

How to Open:

1. Remove product tubes from the package.
2. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to Apply:

1. Invert tube over dog and use open end to part dog's hair.
2. Squeeze tube firmly to apply all of the solution to the dog's skin as a spot to the dog's back between the shoulder blades.

Only For Dogs Weighing 11-20 lbs. Do not apply to dogs weighing less than 11 lbs. Apply one tube 1.0 mL (0.034 fl oz) directly to skin as a spot to the dog's back between the shoulder blades.

FREQUENCY OF APPLICATION

Use this product monthly for control of flea infestations. Studies show that this product kills fleas within 12 hours of application and lasts for up to 4 weeks. This product kills reinfesting fleas within 2 hours and prevents further infestations of fleas. Apply monthly for flea control. This product is waterproof and remains effective, even after bathing, swimming, or exposure to sunlight or rain.

Side Effects: Monitor your dog after application. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-877-416-7330. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.




DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. Contact your veterinarian if applied to a cat or ingested by a cat.

EPA Reg. No. 2517-176-84742
EPA Est. No. 2517-NE-02

If you have questions or comments about this product, please write: Consumer Response, P.O. Box 540224, Omaha, NE 68154-0224

Distributed by:
Meridian Animal Health
Omaha, NE 68154

In case of Emergency, call: 1-877-416-7330
Non-Emergency call: 1-888-814-4738 (4PET)



PO85369 AVRO 8 4 1664 69036 3



Kills fleas



Kills flea eggs



Kills flea larvae



Waterproof



DOGMD
MAXIMUM DEFENSE™

advanced 2

**CONTAINS
IMIDACLOPRID &
PYRIPROXYFEN,
THE ACTIVE
INGREDIENTS
USED IN
ADVANTAGE® II***

medium dog
11-20 lbs



Starts working through contact

Once-A-Month topical treatment for fleas on dogs

ONLY for dogs and puppies 7 weeks or older and weighing 11-20 lbs.

KEEP OUT OF REACH OF CHILDREN
CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



DO NOT USE ON CATS

Active Ingredients

Imidacloprid	9.10%
Pyriproxyfen	0.46%
Other ingredients	90.44%
Total	100.00%

NET CONTENTS: 0.136 fl oz (4.0 mL) 4-0.034 fl oz (1.0 mL) applicators

*DogMD Maximum Defense™ Advanced 2 is not manufactured or distributed by Bayer Healthcare LLC, the makers of Advantage® II

**Knock Out Area
NO GRAPHICS**

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store only in original container in a cool (below 77°F/25°C), dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DOGMD
MAXIMUM DEFENSE™
advanced 2

DOGMD
MAXIMUM DEFENSE™
advanced 2

4 
PACK

DOGMD
MAXIMUM DEFENSE™
advanced 2

Once per month topical flea treatment for dogs
This product is for the treatment and prevention of fleas on dogs
• Controls multi-stages of flea lifecycle
• Kills fleas within 12 hours of application on dogs

READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER.
PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using ANY pesticide product for dogs. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing dogs.

FIRST AID
If swallowed: • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.

If in eyes: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

If on skin or clothing: • Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-416-7330 for emergency medical treatment information.

NOTE TO PHYSICIAN: Treat the patient symptomatically.
DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

Restrictions:
• **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.**

- Do not use on animals other than dogs.
- Do not allow your dog to ingest this product.
- Do not reapply for 4 weeks.
- Use entire contents of tube on each dog. Do not split one tube between dogs.
- Do not use multiple tubes on one dog.
- Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.
- Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.
- Do not have contact or allow children to have contact with the treated area until completely dry.

How to Open:

1. Remove product tubes from the package.
2. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to Apply:

1. Invert tube over dog and use open end to part dog's hair.
2. Squeeze tube firmly to apply all of the solution to the dog's skin as a spot to the dog's back between the shoulder blades.

Only For Dogs Weighing 21-55 lbs. Do not apply to dogs weighing less than 21lbs.

Apply one tube 2.5 mL (0.085 fl oz) directly to skin as a spot to the dog's back between the shoulder blades.

FREQUENCY OF APPLICATION

Use this product monthly for control of flea infestations. Studies show that this product kills fleas within 12 hours of application and lasts for up to 4 weeks. This product kills reinfesting fleas within 2 hours and prevents further infestations of fleas. Apply monthly for flea control. This product is waterproof and remains effective, even after bathing, swimming, or exposure to sunlight or rain.

Side Effects: Monitor your dog after application. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-877-416-7330. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.




DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. Contact your veterinarian if applied to a cat or ingested by a cat.

EPA Reg. No. 2517-176-84742
EPA Est. No. 2517-NE-02

If you have questions or comments about this product, please write: Consumer Response, P.O. Box 540224, Omaha, NE 68154-0224

Distributed by:
Meridian Animal Health
Omaha, NE 68154

In case of Emergency, call: 1-877-416-7330
Non-Emergency call: 1-888-814-4738 (APEP)



4 1664 169037 8
P068370 AVRO

4 
PACK



Kills fleas



Kills flea eggs



Kills flea larvae



Waterproof

4 
PACK

DOGMD
MAXIMUM DEFENSE™
advanced 2

**CONTAINS
IMIDACLOPRID &
PYRIPROXYFEN,
THE ACTIVE
INGREDIENTS
USED IN
ADVANTAGE® II***

large dog
21-55 lbs



Starts working through contact

Once-A-Month topical treatment for fleas on dogs

ONLY for dogs and puppies 7 weeks or older and weighing 21-55 lbs.

KEEP OUT OF REACH OF CHILDREN
CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



**DO NOT
USE ON
CATS**

Active Ingredients	
Imidacloprid.....	9.10%
Pyriproxyfen.....	0.46%
Other ingredients.....	90.44%
Total.....	100.00%

NET CONTENTS: 0.34 fl oz (10.0 mL) 4-0.085 fl oz (2.5 mL) applicators

*DogMD Maximum Defense™ Advanced 2 is not manufactured or distributed by Bayer Healthcare LLC, the makers of Advantage® II

**Knock Out Area
NO GRAPHICS**

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store only in original container in a cool (below 77°F/25°C), dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DOGMD
MAXIMUM DEFENSE™
advanced 2

DOGMD
MAXIMUM DEFENSE™
advanced 2

Once per month topical flea treatment for dogs

This product is for the treatment and prevention of fleas on dogs

- Controls multi-stages of flea lifecycle
- Kills fleas within 12 hours of application on dogs

READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using ANY pesticide product for dogs. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing dogs.

FIRST AID

If swallowed: • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

If on skin or clothing: • Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-416-7330 for emergency medical treatment information.

NOTE TO PHYSICIAN: Treat the patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

Restrictions:

DO NOT ALLOW CHILDREN TO APPLY PRODUCT.

- Do not use on animals other than dogs.
- Do not allow your dog to ingest this product.
- Do not reapply for 4 weeks.
- Use entire contents of tube on each dog. Do not split one tube between dogs. Do not use multiple tubes on one dog.
- Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.
- Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.
- Do not have contact or allow children to have contact with the treated area until completely dry.

How to Open:

1. Remove product tubes from the package.
2. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to Apply:

1. Invert tube over dog and use open end to part dog's hair.
2. Squeeze tube firmly to apply all of the solution to the dog's skin as a spot to the dog's back between the shoulder blades.

Only For Dogs Weighing 55 lbs. or greater. Do not apply to dogs weighing less than 55 lbs. Do not use two tubes on dogs greater than 55 lbs. Apply one tube 4.0 mL (0.135 fl oz) directly to skin as a spot to the dog's back between the shoulder blades.

FREQUENCY OF APPLICATION

Use this product monthly for control of flea infestations. Studies show that this product kills fleas within 12 hours of application and lasts for up to 4 weeks. This product kills reinfesting fleas within 2 hours and prevents further infestations of fleas. Apply monthly for flea control. This product is waterproof and remains effective, even after bathing, swimming, or exposure to sunlight or rain.

Side Effects: Monitor your dog after application. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-877-416-7330. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.



DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. Contact your veterinarian if applied to a cat or ingested by a cat.

EPA Reg. No. 2517-176-84742
EPA Est. No. 2517-NE-02

If you have questions or comments about this product, please write: Consumer Response, P.O. Box 540224, Omaha, NE 68154-0224

Distributed by:
Meridian Animal Health
Omaha, NE 68154

In case of Emergency, call: 1-877-416-7330
Non-Emergency call: 1-888-814-4738 (APET)



PO68371 AVRO 8 4 1664 69038 7

DOGMD
MAXIMUM DEFENSE™
advanced 2

4 PACK



Kills fleas



Kills flea eggs



Kills flea larvae



Waterproof

4 PACK

DOGMD
MAXIMUM DEFENSE™

advanced 2

CONTAINS
IMIDACLOPRID &
PYRIPROXYFEN,
THE ACTIVE
INGREDIENTS
USED IN
ADVANTAGE® II*

extra large dog
Over 55 lbs



Starts working through contact

Once-A-Month topical treatment for fleas on dogs

ONLY for dogs and puppies 7 weeks or older and weighing over 55 lbs.

KEEP OUT OF REACH OF CHILDREN
CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



DO NOT USE ON CATS

Active Ingredients	
Imidacloprid.....	9.10%
Pyriproxyfen.....	0.46%
Other ingredients.....	90.44%
Total.....	100.00%

NET CONTENTS: 0.54 fl oz (16.0 mL) 4-0.135 fl oz (4.0 mL) applicators

*DogMD Maximum Defense™ Advantag 2 is not manufactured or distributed by Bayer Healthcare LLC, the makers of Advantag 2 II

Knock Out Area
NO GRAPHICS

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store only in original container in a cool (below 77°F/25°C), dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DOGMD
MAXIMUM DEFENSE™
advanced 2