

PetLock MAX for DOGS

5 WAY PROTECTION
AGAINST FLEAS, TICKS, BITING FLIES,
MOSQUITOES AND LICE
SMALL DOG



WATERPROOF
KILLS & REPELS
ADULT FLEAS
KILLS & REPELS
TICKS
KILLS & REPELS
MOSQUITOES

4 MONTHS'
SUPPLY

FOR USE **ONLY** ON DOGS AND PUPPIES 7 WEEKS
OF AGE AND OLDER AND WEIGHING 5-10 LBS. **SMALL DOG**
Monthly Topical Treatment and Prevention of Ticks, Fleas, Mosquitoes, Biting Flies, & Lice

PetLock MAX for DOGS



REPELS AND KILLS
TICKS, FLEAS AND MOSQUITOES

**CONTAINS THE SAME
ACTIVE INGREDIENTS
USED IN K9 ADVANTIX® II**

PETLOCK™ MAX is not manufactured by or distributed by Bayer Healthcare LLC.
K9 ADVANTIX® II is a registered trademark of Bayer Healthcare LLC.

ACTIVE INGREDIENTS:	% BY WEIGHT
Imidacloprid	8.80%
Permethrin*	44.00%
Pyriproxyfen	0.44%
OTHER INGREDIENTS	46.76%
TOTAL	100.00%

*cis/trans ratio: max 55% (+) cis and min 45% (+) trans

KEEP OUT OF REACH OF CHILDREN WARNING

See back panel for Precautionary Statements.
See package insert for Directions for Use, Storage
and Disposal, and First Aid information.



Net Contents: 0.056 fl. oz. 4 applicators
each containing 0.014 fl. oz. (0.4 mL)

4 MONTHS'
SUPPLY

**SMALL
DOG**

PetLock MAX for DOGS



4 MONTHS'
SUPPLY

**SMALL
DOG**

PetLock MAX for DOGS

**5 WAY PROTECTION AGAINST
FLEAS, TICKS, BITING FLIES,
MOSQUITOES AND LICE**



PetLock MAX for DOGS

READ THE ENTIRE LABEL BEFORE EACH USE



Monthly Topical Treatment and Prevention of Ticks, Fleas, Mosquitoes, Biting Flies, and Lice on Dogs

FOR USE **ONLY** ON DOGS AND PUPPIES 7 WEEKS
OF AGE AND OLDER AND WEIGHING 5-10 LBS. **SMALL DOG**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 5 pounds. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-855-844-4375.



DO NOT USE ON CATS - MAY BE FATAL
Keep cats away from treated dogs for 24 hours.
If applied to a cat or ingested by a cat, contact
your veterinarian immediately.

For consumer questions call 1-888-845-4921
For medical emergencies call 1-855-844-4375

5 WAY PROTECTION AGAINST FLEAS, TICKS, BITING FLIES, MOSQUITOES AND LICE

- Repels and kills all life stages of fleas
- One treatment prevents further flea infestations for 4 weeks
- Kills fleas within 12 hours of application
- Prevents reinfestations by killing adult fleas before they lay eggs
- Prevents development of fleas, flea eggs, pupae and larvae for four weeks
- Effectively targets all life stages of fleas and ticks
- Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of Ehrlichiosis), and Lone Star ticks (vector of Ehrlichiosis) for up to four weeks
- Repels and kills mosquitoes for up to four weeks
- Repels and prevents blood-feeding by biting flies
- Kills chewing lice
- Remains effective following swimming and/or shampooing
- Convenient, easy to apply topical solution
- Long-Lasting, Waterproof

CAP IM Supply, Inc.
2825 E. Cottonwood Pkwy, Suite 500
Salt Lake City, Utah 84121

EPA Est. No. 89609-FL-001
EPA Reg. No. 91384-3

PetLock[®] MAX for DOGS

ACTIVE INGREDIENTS	% BY WEIGHT
IMIDACLOPRID	8.80%
PERMETHRIN*	44.00%
PYRIPROXYFEN	0.44%
OTHER INGREDIENTS	46.76%
TOTAL	100.00%

*cis/trans ratio: Max 55(±) cis and min 45(±) trans

Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies, and lice.

KEEP OUT OF REACH OF CHILDREN

WARNING


DO NOT USE ON CATS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 5 pounds. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-855-844-4375.

FIRST AID

If In Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies call 1-855-844-4375. For consumer questions, call 1-888-845-4921

NOTE TO PHYSICIAN

Treat the patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

HOW TO OPEN

Repeat steps 1 to 3 for each applicator.

- 1 Tear through perforation



- 2 Fold back the safety tab




- 3 Cut with scissors to open applicator



HOW TO APPLY

1. Prepare applicator as shown in "How to Open".
2. Apply the entire contents of the applicator to one spot as shown:



Part the hair on the dog back between the shoulder blades until the skin is visible. Place the tip of the applicator on the skin and gently squeeze to apply all the contents to the skin. Carefully avoid allowing the product to run off the side of the dog. Keep solution out of your dog's eyes and do not allow your dog to ingest this product.

3. Discard empty applicator and packaging as described in the Storage and Disposal section.
4. Under normal conditions the product remains effective for a month. In cases of severe flea infestation, retreatment may be necessary earlier than one month. Do not reapply PetLock[®]Max for Dogs more often than once every seven (7) days. Once flea control is attained, return to a monthly application schedule.

PRODUCT INFORMATION

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with PetLock[®]Max for Dogs rapidly kills fleas and may reduce the incidence of this condition.

PetLock[®]Max for Dogs kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting at least four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

PetLock[®]Max for Dogs is waterproof and remains effective following a shampoo, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Protect from freezing. **Pesticide Disposal and Container Handling:** Non refillable container. **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of CAP IM Supply, Inc.. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, CAP IM Supply, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither CAP IM Supply, Inc., the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

For more information visit www.PetLockMax.com

DO NOT USE ON CATS – MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

DO NOT USE ON CATS




For consumer questions call 1-888-845-4921
For medical emergencies call 1-855-844-4375

EPA Reg No. 91384-3

CAP IM Supply, Inc.
2825 E. Cottonwood Pkwy, Suite 500
Salt Lake City, Utah 84121

(LABEL TEXT FOR INDIVIDUAL APPLICATOR)

0.014 fl.oz
5-10 LBS.
000000



PetLock
MAX
for Dogs

8.80% IMIDACLOPRID
44.00% PERMETHRIN
0.44% PYRIPROXYFEN

EPA Reg. No. 91384-3

READ THE ENTIRE

LABEL BEFORE USE

DO NOT USE ON CATS

CAP IM, Supply, Inc.

**KEEP OUT OF
REACH OF CHILDREN**

WARNING



0.014 fl.oz
5-10 LBS.
000000

PetLock
MAX
for Dogs

8.80% IMIDACLOPRID

44.00% PERMETHRIN

0.44% PYRIPROXYFEN

EPA Reg. No. 91384-3

READ THE ENTIRE

LABEL BEFORE USE

DO NOT USE ON CATS

CAP IM, Supply, Inc.



**KEEP OUT OF
REACH OF CHILDREN**

WARNING



0.014 fl.oz
5-10 LBS.
000000



PetLock
MAX
for Dogs

8.80% IMIDACLOPRID
44.00% PERMETHRIN
0.44% PYRIPROXYFEN

EPA Reg. No. 91384-3

READ THE ENTIRE

LABEL BEFORE USE

DO NOT USE ON CATS

CAP IM, Supply, Inc.

**KEEP OUT OF
REACH OF CHILDREN**

WARNING



0.014 fl.oz
5-10 LBS.
000000

PetLock
MAX
for Dogs

8.80% IMIDACLOPRID

44.00% PERMETHRIN

0.44% PYRIPROXYFEN

EPA Reg. No. 91384-3

READ THE ENTIRE

LABEL BEFORE USE

DO NOT USE ON CATS

CAP IM, Supply, Inc.



**KEEP OUT OF
REACH OF CHILDREN**

WARNING





WATERPROOF



KILLS & REPELS
ADULT FLEAS



KILLS & REPELS
TICKS



KILLS & REPELS
MOSQUITOES

4 MONTHS'
SUPPLY

PetLock[®] MAX[™] for DOGS

REMINDER STICKERS

The first time you treat your dog, place the First Application Sticker on your calendar. Apply Stickers 2, 3, 4 to the calendar 30, 60, and 90 days after the first application to remind you it's time to reapply PetLock[®] MAX for Dogs.

PetLock
MAX[™] Dogs

FIRST
APPLICATION

PetLock
MAX[™] Dogs

MONTH 2

PetLock
MAX[™] Dogs

MONTH 3

PetLock
MAX[™] Dogs

MONTH 4

For Customer Service please call: 1-888-845-4921

CAP IM Supply, Inc.

2825 E. Cottonwood Pkwy, Suite 500, Salt Lake City, Utah 84121



DO NOT
USE ON
CATS

PetLock MAX for DOGS

5 WAY PROTECTION
AGAINST FLEAS, TICKS, BITING FLIES,
MOSQUITOES AND LICE
MEDIUM DOG



WATERPROOF



KILLS & REPELS
ADULT FLEAS



KILLS & REPELS
TICKS



KILLS & REPELS
MOSQUITOES

4 MONTHS'
SUPPLY

FOR USE **ONLY** ON DOGS AND PUPPIES 7 WEEKS
OF AGE AND OLDER AND WEIGHING 11-20 LBS. **MEDIUM DOG**

Monthly Topical Treatment and Prevention of Ticks, Fleas, Mosquitoes, Biting Flies, & Lice

PetLock MAX for DOGS

4 MONTHS'
SUPPLY

**MEDIUM
DOG**

**PetLock
MAX
for DOGS**



KILLS & REPELS
ADULT FLEAS



KILLS
EGGS



KILLS
LARVAE



KILLS & REPELS
TICKS



KILLS
LICE



KILLS & REPELS
MOSQUITOES



REPELS
BITING FLIES



WATERPROOF

REPELS AND KILLS
TICKS, FLEAS AND MOSQUITOES

**CONTAINS THE SAME
ACTIVE INGREDIENTS
USED IN K9 ADVANTIX® II**

PETLOCK™ MAX is not manufactured by or distributed by Bayer Healthcare LLC.
K9 ADVANTIX® II is a registered trademark of Bayer Healthcare LLC.

**5 WAY PROTECTION AGAINST
FLEAS, TICKS, BITING FLIES,
MOSQUITOES AND LICE**

**MEDIUM
DOG**

**PetLock
MAX
for DOGS**

4 MONTHS'
SUPPLY

PetLock MAX for DOGS

READ THE ENTIRE LABEL BEFORE EACH USE



WATERPROOF



KILLS & REPELS
ADULT FLEAS



KILLS
EGGS



KILLS
LARVAE



KILLS & REPELS
TICKS



KILLS
LICE



KILLS & REPELS
MOSQUITOES



REPELS
BITING FLIES

Monthly Topical Treatment and Prevention of Ticks, Fleas, Mosquitoes, Biting Flies, and Lice on Dogs

FOR USE **ONLY** ON DOGS AND PUPPIES 7 WEEKS
OF AGE AND OLDER AND WEIGHING 11-20 LBS. **MEDIUM DOG**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 11 pounds. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-855-844-4375.



DO NOT USE ON CATS – MAY BE FATAL

Keep cats away from treated dogs for 24 hours.
If applied to a cat or ingested by a cat, contact your veterinarian immediately.

For consumer questions call 1-888-845-4921
For medical emergencies call 1-855-844-4375

5 WAY PROTECTION AGAINST FLEAS, TICKS, BITING FLIES, MOSQUITOES AND LICE

- Repels and kills all life stages of fleas
- One treatment prevents further flea infestations for 4 weeks
- Kills fleas within 12 hours of application
- Prevents reinfestations by killing adult fleas before they lay eggs
- Prevents development of fleas, flea eggs, pupae and larvae for four weeks
- Effectively targets all life stages of fleas and ticks
- Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of Ehrlichiosis), and Lone Star ticks (vector of Ehrlichiosis) for up to four weeks
- Repels and kills mosquitoes for up to four weeks
- Repels and prevents blood-feeding by biting flies
- Kills chewing lice
- Remains effective following swimming and/or shampooing
- Convenient, easy to apply topical solution
- Long-Lasting, Waterproof

ACTIVE INGREDIENTS:	% BY WEIGHT
Imidacloprid	8.80%
Permethrin*	44.00%
Pyriproxyfen	0.44%
OTHER INGREDIENTS	46.76%
TOTAL	100.00%

*cis/trans ratio: max 55% (+) cis and min 45% (+) trans

KEEP OUT OF REACH OF CHILDREN WARNING

See back panel for Precautionary Statements.
See package insert for Directions for Use, Storage
and Disposal, and First Aid information.



Net Contents: 0.136 fl. oz. 4 applicators
each containing 0.034 fl. oz. (1.0 mL)



8 18145 01204 4

CAP IM Supply, Inc.
2825 E. Cottonwood Pkwy, Suite 500
Salt Lake City, Utah 84121

EPA Est. No. 89609-FL-001
EPA Reg. No. 91384-3

PetLock[®] MAX for DOGS

ACTIVE INGREDIENTS	% BY WEIGHT
IMIDACLOPRID	8.80%
PERMETHRIN*	44.00%
PYRIPROXYFEN	0.44%
OTHER INGREDIENTS	46.76%
TOTAL	100.00%

*cis/trans ratio: Max 55(±) cis and min 45(±) trans

Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies, and lice.

KEEP OUT OF REACH OF CHILDREN

WARNING


DO NOT USE ON CATS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 5 pounds. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-855-844-4375.

FIRST AID

If In Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies call 1-855-844-4375. For consumer questions, call 1-888-845-4921

NOTE TO PHYSICIAN

Treat the patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

HOW TO OPEN

Repeat steps 1 to 3 for each applicator.

- 1** Tear through perforation



- 2** Fold back the safety tab




- 3** Cut with scissors to open applicator



HOW TO APPLY

1. Prepare applicator as shown in "How to Open".
2. Apply the entire contents of the applicator to one spot as shown:



Part the hair on the dog back between the shoulder blades until the skin is visible. Place the tip of the applicator on the skin and gently squeeze to apply all the contents to the skin. Carefully avoid allowing the product to run off the side of the dog. Keep solution out of your dog's eyes and do not allow your dog to ingest this product.

3. Discard empty applicator and packaging as described in the Storage and Disposal section.
4. Under normal conditions the product remains effective for a month. In cases of severe flea infestation, retreatment may be necessary earlier than one month. Do not reapply PetLock[®]Max for Dogs more often than once every seven (7) days. Once flea control is attained, return to a monthly application schedule.

PRODUCT INFORMATION

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with PetLock[®]Max for Dogs rapidly kills fleas and may reduce the incidence of this condition.

PetLock[®]Max for Dogs kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting at least four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

PetLock[®]Max for Dogs is waterproof and remains effective following a shampoo, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Protect from freezing. **Pesticide Disposal and Container Handling:** Non refillable container. **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of CAP IM Supply, Inc.. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, CAP IM Supply, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither CAP IM Supply, Inc., the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

For more information visit www.PetLockMax.com

DO NOT USE ON CATS – MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

DO NOT USE ON CATS



For consumer questions call 1-888-845-4921
For medical emergencies call 1-855-844-4375

EPA Reg No. 91384-3

CAP IM Supply, Inc.
2825 E. Cottonwood Pkwy, Suite 500
Salt Lake City, Utah 84121

(LABEL TEXT FOR INDIVIDUAL APPLICATOR)

0.034 fl.oz
11-20 LBS.
000000

PetLock
for
MAX
for Dogs

8.80% IMIDACLOPRID
44.00% PERMETHRIN
0.44% PYRIPROXYFEN

KEEP OUT OF
REACH OF CHILDREN
WARNING

EPA Reg. No. 91384-3

READ THE ENTIRE
LABEL BEFORE USE

DO NOT USE ON CATS

CAP IM Supply, Inc.



0.034 fl.oz
11-20 LBS.
000000

PetLock
for
MAX
for Dogs

8.80% IMIDACLOPRID
44.00% PERMETHRIN
0.44% PYRIPROXYFEN

EPA Reg. No. 91384-3

READ THE ENTIRE
LABEL BEFORE USE

DO NOT USE ON CATS

CAP IM Supply, Inc.

KEEP OUT OF
REACH OF CHILDREN
WARNING



0.034 fl.oz
11-20 LBS.
000000

PetLock
for
MAX
for Dogs

8.80% IMIDACLOPRID
44.00% PERMETHRIN
0.44% PYRIPROXYFEN

KEEP OUT OF
REACH OF CHILDREN
WARNING

EPA Reg. No. 91384-3

READ THE ENTIRE
LABEL BEFORE USE

DO NOT USE ON CATS

CAP IM Supply, Inc.



0.034 fl.oz
11-20 LBS.
000000

PetLock
for
MAX
for Dogs

8.80% IMIDACLOPRID
44.00% PERMETHRIN
0.44% PYRIPROXYFEN

EPA Reg. No. 91384-3

READ THE ENTIRE
LABEL BEFORE USE

DO NOT USE ON CATS

CAP IM Supply, Inc.

KEEP OUT OF
REACH OF CHILDREN
WARNING





WATERPROOF



KILLS & REPELS
ADULT FLEAS



KILLS & REPELS
TICKS



KILLS & REPELS
MOSQUITOES

4 MONTHS'
SUPPLY

PetLock[®] MAX[™] for DOGS

REMINDER STICKERS

The first time you treat your dog, place the First Application Sticker on your calendar. Apply Stickers 2, 3, 4 to the calendar 30, 60, and 90 days after the first application to remind you it's time to reapply PetLock[®] MAX for Dogs.

PetLock
MAX[™] Dogs

FIRST
APPLICATION

PetLock
MAX[™] Dogs

MONTH 2

PetLock
MAX[™] Dogs

MONTH 3

PetLock
MAX[™] Dogs

MONTH 4

For Customer Service please call: 1-888-845-4921

CAP IM Supply, Inc.

2825 E. Cottonwood Pkwy, Suite 500, Salt Lake City, Utah 84121



DO NOT
USE ON
CATS

PetLock MAX for DOGS

5 WAY PROTECTION
AGAINST FLEAS, TICKS, BITING FLIES,
MOSQUITOES AND LICE
LARGE DOG



WATERPROOF
KILLS & REPELS
ADULT FLEAS
KILLS & REPELS
TICKS
KILLS & REPELS
MOSQUITOES

4 MONTHS'
SUPPLY

FOR USE **ONLY** ON DOGS AND PUPPIES 7 WEEKS
OF AGE AND OLDER AND WEIGHING 21-55 LBS. **LARGE DOG**
Monthly Topical Treatment and Prevention of Ticks, Fleas, Mosquitoes, Biting Flies, & Lice

PetLock MAX for DOGS



REPELS AND KILLS
TICKS, FLEAS AND MOSQUITOES

**CONTAINS THE SAME
ACTIVE INGREDIENTS
USED IN K9 ADVANTIX® II**

PETLOCK™ MAX is not manufactured by or distributed by Bayer Healthcare LLC.
K9 ADVANTIX® II is a registered trademark of Bayer Healthcare LLC.

ACTIVE INGREDIENTS:	% BY WEIGHT
Imidacloprid	8.80%
Permethrin*	44.00%
Pyriproxyfen	0.44%
OTHER INGREDIENTS	46.76%
TOTAL	100.00%

*cis/trans ratio: max 55% (+) cis and min 45% (+) trans

KEEP OUT OF REACH OF CHILDREN WARNING

See back panel for Precautionary Statements.
See package insert for Directions for Use, Storage
and Disposal, and First Aid information.



Net Contents: 0.34 fl. oz. 4 applicators
each containing 0.084 fl. oz. (2.5 mL)

4 MONTHS'
SUPPLY

**LARGE
DOG**

**PetLock
MAX
for DOGS**



KILLS & REPELS
ADULT FLEAS
KILLS EGGS



KILLS LARVAE
KILLS & REPELS
TICKS



KILLS LICE
KILLS & REPELS
MOSQUITOES



REPELS
BITING FLIES
WATERPROOF

4 MONTHS'
SUPPLY

**LARGE
DOG**

**PetLock
MAX
for DOGS**

**5 WAY PROTECTION AGAINST
FLEAS, TICKS, BITING FLIES,
MOSQUITOES AND LICE**



PetLock MAX for DOGS

READ THE ENTIRE LABEL BEFORE EACH USE



WATERPROOF
KILLS & REPELS
ADULT FLEAS
KILLS EGGS
KILLS LARVAE
KILLS & REPELS
TICKS
KILLS LICE
KILLS & REPELS
MOSQUITOES
REPELS
BITING FLIES

Monthly Topical Treatment and Prevention of Ticks, Fleas, Mosquitoes, Biting Flies, and Lice on Dogs

FOR USE **ONLY** ON DOGS AND PUPPIES 7 WEEKS
OF AGE AND OLDER AND WEIGHING 21-55 LBS. **LARGE DOG**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 21 pounds. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-855-844-4375.



DO NOT USE ON CATS - MAY BE FATAL
Keep cats away from treated dogs for 24 hours.
If applied to a cat or ingested by a cat, contact
your veterinarian immediately.

For consumer questions call 1-888-845-4921
For medical emergencies call 1-855-844-4375

5 WAY PROTECTION AGAINST FLEAS, TICKS, BITING FLIES, MOSQUITOES AND LICE

- Repels and kills all life stages of fleas
- One treatment prevents further flea infestations for 4 weeks
- Kills fleas within 12 hours of application
- Prevents reinfestations by killing adult fleas before they lay eggs
- Prevents development of fleas, flea eggs, pupae and larvae for four weeks
- Effectively targets all life stages of fleas and ticks
- Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of Ehrlichiosis), and Lone Star ticks (vector of Ehrlichiosis) for up to four weeks
- Repels and kills mosquitoes for up to four weeks
- Repels and prevents blood-feeding by biting flies
- Kills chewing lice
- Remains effective following swimming and/or shampooing
- Convenient, easy to apply topical solution
- Long-Lasting, Waterproof

CAP IM Supply, Inc.
2825 E. Cottonwood Pkwy, Suite 500
Salt Lake City, Utah 84121

EPA Est. No. 89609-FL-001
EPA Reg. No. 91384-3

Code: plmaxlxl

PetLock[®] MAX for DOGS

ACTIVE INGREDIENTS	% BY WEIGHT
IMIDACLOPRID	8.80%
PERMETHRIN*	44.00%
PYRIPROXYFEN	0.44%
OTHER INGREDIENTS.....	46.76%
TOTAL	100.00%

*cis/trans ratio: Max 55(±) cis and min 45%(±) trans

Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies, and lice.

KEEP OUT OF REACH OF CHILDREN

WARNING

 **DO NOT USE ON CATS**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 21 pounds. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-855-844-4375.

FIRST AID

If In Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies call 1-855-844-4375. For consumer questions, call 1-888-845-4921

NOTE TO PHYSICIAN

Treat the patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

HOW TO OPEN

Repeat steps 1 to 3 for each applicator.

- 1** Tear through perforation



- 2** Fold back the safety tab



- 3** Cut with scissors to open applicator



HOW TO APPLY

1. Prepare applicator as shown in "How to Open".
2. Apply the entire contents of the applicator evenly to three or four spots on the top of the back of the dog from the shoulder to the base of the tail as shown:



At each application site part the hair of the dog until the skin is visible. Place the tip of the applicator on the skin and gently squeeze to apply the solution on the skin. Do not apply an amount of solution at any one spot that could cause some of the solution to run off the side of the dog. Keep solution out of your dog's eyes and do not allow your dog to ingest this product.

3. Discard empty applicator and packaging as described in the Storage and Disposal section.
4. Under normal conditions the product remains effective for a month. In cases of severe flea infestation, retreatment may be necessary earlier than one month. Do not reapply PetLock[®]Max for Dogs more often than once every seven (7) days. Once flea control is attained, return to a monthly application schedule.

PRODUCT INFORMATION

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with PetLock[®]Max for Dogs rapidly kills fleas and may reduce the incidence of this condition.

PetLock[®]Max for Dogs kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting at least four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

PetLock[®]Max for Dogs is waterproof and remains effective following a shampoo, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Protect from freezing. **Pesticide Disposal and Container Handling:** Non refillable container. **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of CAP IM Supply, Inc.. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, CAP IM Supply, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither CAP IM Supply, Inc., the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

For more information visit www.PetLockMax.com

DO NOT USE ON CATS – MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

DO NOT USE ON CATS



For consumer questions call 1-888-845-4921
For medical emergencies call 1-855-844-4375

EPA Reg No. 91384-3

CAP IM Supply, Inc.
2825 E. Cottonwood Pkwy, Suite 500
Salt Lake City, Utah 84121

(LABEL TEXT FOR INDIVIDUAL APPLICATOR)

0.084 fl.oz
21-55 LBS.
000000

PetLock
for
MAX
Dogs

8.80% IMIDACLOPRID
4.40% PERMETHRIN
0.44% PYRIPROXIFEN

EPA Reg. No. 91384-3

READ THE ENTIRE
LABEL BEFORE USE
DO NOT USE ON CATS
CAP III, Supply, Inc.

**KEEP OUT OF
REACH OF CHILDREN**
WARNING



0.084 fl.oz
21-55 LBS.
000000

PetLock
for
MAX
Dogs

8.80% IMIDACLOPRID
4.40% PERMETHRIN
0.44% PYRIPROXIFEN

EPA Reg. No. 91384-3

READ THE ENTIRE
LABEL BEFORE USE
DO NOT USE ON CATS
CAP III, Supply, Inc.

**KEEP OUT OF
REACH OF CHILDREN**
WARNING



0.084 fl.oz
21-55 LBS.
000000

PetLock
for
MAX
Dogs

8.80% IMIDACLOPRID
4.40% PERMETHRIN
0.44% PYRIPROXIFEN

EPA Reg. No. 91384-3

**KEEP OUT OF
REACH OF CHILDREN**
WARNING



READ THE ENTIRE
LABEL BEFORE USE
DO NOT USE ON CATS
CAP III, Supply, Inc.



0.084 fl.oz
21-55 LBS.
000000

PetLock
for
MAX
Dogs

8.80% IMIDACLOPRID
4.40% PERMETHRIN
0.44% PYRIPROXIFEN

EPA Reg. No. 91384-3

READ THE ENTIRE
LABEL BEFORE USE
DO NOT USE ON CATS
CAP III, Supply, Inc.

**KEEP OUT OF
REACH OF CHILDREN**
WARNING





WATERPROOF



KILLS & REPELS
ADULT FLEAS



KILLS & REPELS
TICKS



KILLS & REPELS
MOSQUITOES

4 MONTHS'
SUPPLY

PetLock[®] MAX[™] for DOGS

REMINDER STICKERS

The first time you treat your dog, place the First Application Sticker on your calendar. Apply Stickers 2, 3, 4 to the calendar 30, 60, and 90 days after the first application to remind you it's time to reapply PetLock[®] MAX for Dogs.

PetLock
MAX[™] Dogs

FIRST
APPLICATION

PetLock
MAX[™] Dogs

MONTH 2

PetLock
MAX[™] Dogs

MONTH 3

PetLock
MAX[™] Dogs

MONTH 4

For Customer Service please call: 1-888-845-4921

CAP IM Supply, Inc.

2825 E. Cottonwood Pkwy, Suite 500, Salt Lake City, Utah 84121



DO NOT
USE ON
CATS

PetLock MAX for DOGS

5 WAY PROTECTION
AGAINST FLEAS, TICKS, BITING FLIES,
MOSQUITOES AND LICE
XLARGE DOG



4 MONTHS' SUPPLY

FOR USE **ONLY** ON DOGS AND PUPPIES 7 WEEKS OF AGE AND OLDER AND WEIGHING OVER 55 LBS. **XLARGE DOG**
Monthly Topical Treatment and Prevention of Ticks, Fleas, Mosquitoes, Biting Flies, & Lice

PetLock MAX for DOGS



REPELS AND KILLS
TICKS, FLEAS AND MOSQUITOES

CONTAINS THE SAME ACTIVE INGREDIENTS USED IN K9 ADVANTIX® II

PETLOCK™ MAX is not manufactured by or distributed by Bayer Healthcare LLC. K9 ADVANTIX® II is a registered trademark of Bayer Healthcare LLC.

ACTIVE INGREDIENTS:	% BY WEIGHT
Imidacloprid	8.80%
Permethrin*	44.00%
Pyriproxyfen	0.44%
OTHER INGREDIENTS	46.76%
TOTAL	100.00%

*cis/trans ratio: max 55% (±) cis and min 45% (±) trans

KEEP OUT OF REACH OF CHILDREN WARNING

See back panel for Precautionary Statements. See package insert for Directions for Use, Storage and Disposal, and First Aid information.



Net Contents: 0.54 fl. oz. 4 applicators each containing 0.135 fl. oz. (4.0 mL)

4 MONTHS' SUPPLY

XLARGE DOG

PetLock MAX for DOGS



4 MONTHS' SUPPLY

XLARGE DOG

PetLock MAX for DOGS

5 WAY PROTECTION AGAINST FLEAS, TICKS, BITING FLIES, MOSQUITOES AND LICE



PetLock MAX for DOGS

READ THE ENTIRE LABEL BEFORE EACH USE



Monthly Topical Treatment and Prevention of Ticks, Fleas, Mosquitoes, Biting Flies, and Lice on Dogs

FOR USE **ONLY** ON DOGS AND PUPPIES 7 WEEKS OF AGE AND OLDER AND WEIGHING OVER 55 LBS. **XLARGE DOG**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 55 pounds. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-855-844-4375.



DO NOT USE ON CATS – MAY BE FATAL

Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

For consumer questions call 1-888-845-4921
For medical emergencies call 1-855-844-4375

5 WAY PROTECTION AGAINST FLEAS, TICKS, BITING FLIES, MOSQUITOES AND LICE

- Repels and kills all life stages of fleas
- One treatment prevents further flea infestations for 4 weeks
- Kills fleas within 12 hours of application
- Prevents reinfestations by killing adult fleas before they lay eggs
- Prevents development of fleas, flea eggs, pupae and larvae for four weeks
- Effectively targets all life stages of fleas and ticks
- Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of Ehrlichiosis), and Lone Star ticks (vector of Ehrlichiosis) for up to four weeks
- Repels and kills mosquitoes for up to four weeks
- Repels and prevents blood-feeding by biting flies
- Kills chewing lice
- Remains effective following swimming and/or shampooing
- Convenient, easy to apply topical solution
- Long-Lasting, Waterproof

CAP IM Supply, Inc.
2825 E. Cottonwood Pkwy, Suite 500
Salt Lake City, Utah 84121

EPA Est. No. 89609-FL-001
EPA Reg. No. 91384-3

Code: plmaxlxl

PetLock[®] MAX for DOGS

ACTIVE INGREDIENTS	% BY WEIGHT
IMIDACLOPRID	8.80%
PERMETHRIN*	44.00%
PYRIPROXYFEN	0.44%
OTHER INGREDIENTS.....	46.76%
TOTAL	100.00%

*cis/trans ratio: Max 55(±) cis and min 45%(±) trans

Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies, and lice.

KEEP OUT OF REACH OF CHILDREN

WARNING

 **DO NOT USE ON CATS**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 21 pounds. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-855-844-4375.

FIRST AID

If In Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies call 1-855-844-4375. For consumer questions, call 1-888-845-4921

NOTE TO PHYSICIAN

Treat the patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

HOW TO OPEN

Repeat steps 1 to 3 for each applicator.

- 1** Tear through perforation



- 2** Fold back the safety tab



- 3** Cut with scissors to open applicator



HOW TO APPLY

1. Prepare applicator as shown in "How to Open".
2. Apply the entire contents of the applicator evenly to three or four spots on the top of the back of the dog from the shoulder to the base of the tail as shown:



At each application site part the hair of the dog until the skin is visible. Place the tip of the applicator on the skin and gently squeeze to apply the solution on the skin. Do not apply an amount of solution at any one spot that could cause some of the solution to run off the side of the dog. Keep solution out of your dog's eyes and do not allow your dog to ingest this product.

3. Discard empty applicator and packaging as described in the Storage and Disposal section.
4. Under normal conditions the product remains effective for a month. In cases of severe flea infestation, retreatment may be necessary earlier than one month. Do not reapply PetLock[®]Max for Dogs more often than once every seven (7) days. Once flea control is attained, return to a monthly application schedule.

PRODUCT INFORMATION

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with PetLock[®]Max for Dogs rapidly kills fleas and may reduce the incidence of this condition.

PetLock[®]Max for Dogs kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting at least four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

PetLock[®]Max for Dogs is waterproof and remains effective following a shampoo, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Protect from freezing. **Pesticide Disposal and Container Handling:** Non refillable container. **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of CAP IM Supply, Inc.. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, CAP IM Supply, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither CAP IM Supply, Inc., the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

For more information visit www.PetLockMax.com

DO NOT USE ON CATS – MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

DO NOT USE ON CATS



For consumer questions call 1-888-845-4921
For medical emergencies call 1-855-844-4375

EPA Reg No. 91384-3

CAP IM Supply, Inc.
2825 E. Cottonwood Pkwy, Suite 500
Salt Lake City, Utah 84121

(LABEL TEXT FOR INDIVIDUAL APPLICATOR)

0.135 fl.oz
OVER 55 LBS.
000000

PetLock
for
MAX
Dogs

8.80% IMIDACLOPRID
44.00% PERMETHRIN
0.44% PYRIPROXYFEN

EPA Reg. No. 91384-3

**KEEP OUT OF
REACH OF CHILDREN
WARNING**



READ THE ENTIRE
LABEL BEFORE USE

DO NOT USE ON CATS

CAP M, Supply, Inc.



0.135 fl.oz
OVER 55 LBS.
000000

PetLock
for
MAX
Dogs

8.80% IMIDACLOPRID
44.00% PERMETHRIN
0.44% PYRIPROXYFEN

EPA Reg. No. 91384-3

READ THE ENTIRE
LABEL BEFORE USE
DO NOT USE ON CATS
CAP M, Supply, Inc.

**KEEP OUT OF
REACH OF CHILDREN
WARNING**



0.135 fl.oz
OVER 55 LBS.
000000

PetLock
for
MAX
Dogs

8.80% IMIDACLOPRID
44.00% PERMETHRIN
0.44% PYRIPROXYFEN

EPA Reg. No. 91384-3

**KEEP OUT OF
REACH OF CHILDREN
WARNING**



READ THE ENTIRE
LABEL BEFORE USE

DO NOT USE ON CATS

CAP M, Supply, Inc.



0.135 fl.oz
OVER 55 LBS.
000000

PetLock
for
MAX
Dogs

8.80% IMIDACLOPRID
44.00% PERMETHRIN
0.44% PYRIPROXYFEN

EPA Reg. No. 91384-3

READ THE ENTIRE
LABEL BEFORE USE
DO NOT USE ON CATS
CAP M, Supply, Inc.

**KEEP OUT OF
REACH OF CHILDREN
WARNING**





WATERPROOF



KILLS & REPELS
ADULT FLEAS



KILLS & REPELS
TICKS



KILLS & REPELS
MOSQUITOES

4 MONTHS'
SUPPLY

PetLock[®] MAX[™] for DOGS

REMINDER STICKERS

The first time you treat your dog, place the First Application Sticker on your calendar. Apply Stickers 2, 3, 4 to the calendar 30, 60, and 90 days after the first application to remind you it's time to reapply PetLock[®] MAX for Dogs.

PetLock
MAX[™] Dogs

FIRST
APPLICATION

PetLock
MAX[™] Dogs

MONTH 2

PetLock
MAX[™] Dogs

MONTH 3

PetLock
MAX[™] Dogs

MONTH 4

For Customer Service please call: 1-888-845-4921

CAP IM Supply, Inc.

2825 E. Cottonwood Pkwy, Suite 500, Salt Lake City, Utah 84121



DO NOT
USE ON
CATS