



FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER WEIGHING 5-10 LBS

91384-3 Provecta Advanced for Dogs (5-10 lbs) 20161222 31 91384 .pdf



MONTHS'
SUPPLY

ADVANCED

FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER, WEIGHING 5-10 LBS

> **SMALL** DOG

MONTHS' SUPPLY

PROWECTA* ADVANCED FOR DOGS

CONTAINS IMIDACLOPRID, PERMETHRIN & PYRIPROXYFFN

SMALL DOG 5-10 LBS

REPELS AND KILLS TICKS, FLEAS AND MOSQUITOS.







Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies and lice.

ACTIVE INGREDIENTS: % BY WEIGH 0.44% Pyriproxyfen OTHER INGREDIENTS.....46.76% 100.00%

*cis/trans ratio: max 55% (±) cis and min 45% (±) trans

KEEP OUT OF REACH OF CHILDREN

See back panel for Precautionary Statements. See package insert for Directions for Use. Storage and Disposal, and First Aid Information Convenient, easy-to-apply monthly topical solution, Fragrance free.



4 analicators each containing 0.014 fl.oz (0.4ml.)

MONTHS

ADVANCED П

FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER,

WEIGHING 5-10 LBS

SMALL DOG

PROWECTA" ADVANCED FOR DOGS

Monthly Topical Treatment and Prevention of Ticks, Fleas, Mosquitos, Biting Flies, and Lice.

SMALL DOG FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE AND OLDER AND WEIGHING 5-10 LBS.

READ THE ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eves or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause alleraic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated dothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 5 pounds. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-855-844-4375.

CAP IM Supply. Inc.

2825 E. Cottonwood Pkwy, Suite 500, Salt Lake City, Utah 84121

CONTAINS THE SAME ACTIVE INGREDIENTS FOUND IN K9 ADVANTIX II
Proveta dynaced is not manufactured by or distributed by Bayer Health Care LLC. K9 Advanțix II is a registered trademark of

5 WAY PROTECTION AGAINST FLEAS, TICKS, BITING FLIES, MOSQUITOS AND LICE

- . Convenient, easy to apply topical solution
- Long-Lasting, Waterproof
- Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of Ehrlichiosis), and Lone Star ticks (vector of Ehrlichiosis) for up to four weeks
- Repels and kills all life stages of fleas
- One treatment prevents further fleg infestations for a month
- Kills flegs within 12 hours of application
- Prevents reinfestations by killing adult fleas before they lay eggs
- Prevents development of fleas, flea eags, puppe and larvae for a
- Effectively targets all life stages of fleas and ticks Treatment with Provecta Advanced For Dogs rapidly kills fleas.
- and may reduce the incidence of Flea Alleraic Dermatitis (FAD)
- · Repels and kills mosquitos for up to four weeks Repels and kills mosquitos often before they have a chance to take a
- blood meal · Repels bothersome biting flies
- Kills chewing lice
- Remains effective following bathing and/or swimming



For consumer questions call 1-888-261-4657 For medical emergencies call 1-855-844-4375

> EPA Est. No. 89609-FL-001 EPA Reg. No. 91384-3



ACTIVE INGREDIENTS % BY WEIGHT IMIDACLOPRID 8.80% PERMETHRIN* 44.00% PYRIPROXYFEN ····· OTHER INGREDIENTS 46.76% TOTAL *cis/trans ratio: Max 55(±) cis and min 45%(±) trans

Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies, and lice.

KEEP OUT OF REACH OF CHILDREN

WARNING (N) DO NOT USE ON CATS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 5 pounds. Do not get this product in day's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-855-844-4375.

EIDCT AID

TIKST AID		
If In Eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
If Swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vamiling unless that to do so by the poison control center or doctor. Do not give amything by mouth to an unconscious person.	
HOT LINE NUMBER		
	er or label with you when calling a poison control center or doctor, or going for mergencies call 1-855-844-4375. For consumer questions, call 1-888-261-4657	

Treat the patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

NOTE TO PHYSICIAN

HOW TO OPEN

Repeat steps 1 to 3 for each applicator.











Cut with scissors to open applicator





- Prepare applicator as shown in "How to Open".

 Apply the entire contents of the applicator to one spot as shown:





Part the hair on the dog back between the shoulder blades until the skin is visible. Place the tip of the applicator on the skin and gently squeeze to apply all the contents to the skin. Carefully avoid allowing the product to run off the side of the dog. Keep solution out of your dog's eyes and do not allow your dog to ingest this product.

- Discard empty applicator and packaging as described in the Storage and Disposal section. 3
- Under normal conditions the product remains effective for a month. In cases of severe flea infestation, retreatment may be necessary earlier than one month. Do not reapply Provecta™ Advanced for Dogs more often than once every seven (7) days. Once flea control is attained, return to a monthly application schedule.

PRODUCT INFORMATION

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with Provecta™ Advanced for Dogs rapidly kills fleas and may reduce the incidence of this condition.

Provecta™ Advanced for Dogs kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting at least four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Provecta™ Advanced for Dogs is waterproof and remains effective following a shampoo, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Protect from freezing. Pesticide Disposal and Container Handling: Non refillable container. If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of CAP IM Supply, Inc.. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, CAP IM Supply, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither CAP IM Supply, Inc., the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

DO NOT USE ON CATS - MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately. DO NOT USE ON CATS

For consumer questions call 1-888-261-4657 For medical emergencies call 1-855-844-4375

EPA Reg No. 91384-3

0.014 fl.oz. 5-10 LBS).014 fl.oz. 5-10 LBS).014 fl.oz.

44.00% PERMETHRIN 0.44% PYRIPROXYFEN EPA Reg. No. 91384-3 READ THE ENTIRE LABEL BEFORE USE DO NOT USE ON CATS

CAP IM Supply, Inc.

KFFP OUT OF REACH OF CHILDREN

WARNING

CAP IM Supply, Inc. DO NOT USE ON CATS **TABEL BEFORE USE** READ THE ENTIRE EPA Reg. No. 91384-3 REACH OF CHILDREN 8.80% IMIDACLOPRID 14.00% PERMETHRIU KEEP OUT OF

ADVANCED FOR DOGS

0.44% PYRIPROXYFEN

EPA Reg. No. 91384-3 READ THE ENTIRE LABEL BEFORE USE DO NOT USE ON CATS CAP IM Supply, Inc.

KFFP OUT OF REACH OF CHILDREN

WARNING

REACH OF CHILDREN

DO NOT USE ON CATS LABEL BEFORE USE READ THE ENTIRE EPA Reg. No. 91384-3 8.80% IMIDACLOPRID 44.00% PERMETHRIN 0.44% PYRIPROXYFEN

CAP IM Supply, Inc.



0.014 fl.oz.

KEEP OUT OF











WATERPROOF



MONTH 3



MONTH 4

For Customer Service please call: 1-888-261-4657





MEDIUM DOG

FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER WEIGHING 11-20 LBS



DVANCED

FOR USE ONLY ON DOGS

AND PUPPIES 7 WEEKS

OF AGE OR OLDER.

MEDIUM

DOG

MONTHS'

PROWECTA* ADVANCED FOR DOGS

CONTAINS IMIDACLOPRID. PERMETHRIN & PYRIPROXYEEN



MEDIUM DOG 11-20 LBS

REPELS AND KILLS TICKS, FLEAS AND MOSOUITOS.









KILLS & REPELS

Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies and lice.

ACTIVE INGREDIENTS: % BY WEIGHT WEIGHING 11-20 LBS 100.00% TOTAL

min 45% (+) trans

*cis/trans ratio: max 55% (±) cis and

KEEP OUT OF REACH OF CHILDREN

See back panel for Precautionary Statements. See package insert for Directions for Use. Storage and Disposal, and First Aid Information. Convenient, easy-to-apply monthly topical solution. Fragrance free.



WATERPROOF

Net Contents: 0.136 fl. oz 4 applicators each containing 0.034 fl.oz (1.0mL)

ADVANCED П

FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER.

WEIGHING 11-20 LBS

MEDIUM DOG

PROWECTA" ADVANCED FOR DOGS

Monthly Topical Treatment and Prevention of Ticks, Fleas, Mosquitos, Biting Flies, and Lice.

MEDIUM DOG FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS

READ THE ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause alleraic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 5 pounds. Do not get this product in dog's eves or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, preanant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult vour veterinarian or call 1-855-844-4375.

2825 E. Cottonwood Pkwy. Suite 500. Salt Lake City. Utah 84121

CONTAINS THE SAME ACTIVE INGREDIENTS FOUND IN K9 ADVANTIX II

Provecta Advanced is not manufactured by or distributed by Bayer Health Care LLC. K9 Advantix II is a registered trademark of Bayer HealthCare LLC

5 WAY PROTECTION AGAINST FLEAS, TICKS, BITING FLIES, MOSQUITOS AND LICE

- . Convenient, easy to apply topical solution
- Long-Lasting, Waterproof
- Renels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever). Brown dog ticks (vector of Ehrlichiosis), and Lone Star ticks (vector of Ehrlichiosis) for up to four weeks
- Repels and kills all life stages of fleas
- One treatment prevents further flea infestations for a month
- Kills fleas within 12 hours of application
- · Prevents reinfestations by killing adult fleas before they lay eggs
- Prevents development of fleas, flea eags, puppe and larvae for a
- Effectively targets all life stages of fleas and ticks
- Treatment with Provecta Advanced For Dogs rapidly kills fleas
- and may reduce the incidence of Flea Allergic Dermatitis (FAD)
- Repels and kills mosquitos for up to four weeks
- Repels and kills mosquitos often before they have a chance to take a blood meal
- Repels bothersome biting flies
- Kills chewing lice
- Remains effective following bathing and/or swimming.



DO NOT USE ON CATS - MAY BE FATAL Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact vour veteringrign immediately

For consumer questions call 1-888-261-4657 For medical emergencies call 1-855-844-4375

EPA Est. No. 89609-FL-001

LOT/BATCH NUMBER





ACTIVE INGREDIENTS % BY WEIGHT IMIDACLOPRID 8.80% PERMETHRIN* 44.00% PYRIPROXYFEN ····· OTHER INGREDIENTS 46.76% TOTAL *cis/trans ratio: Max 55(±) cis and min 45%(±) trans

Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies, and lice.

KEEP OUT OF REACH OF CHILDREN

WARNING (N) DO NOT USE ON CATS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 5 pounds. Do not get this product in day's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-855-844-4375.

EIDCT AID

TIKST AID		
If In Eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
If Swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vamiling unless that to do so by the poison control center or doctor. Do not give amything by mouth to an unconscious person.	
HOT LINE NUMBER		
	er or label with you when calling a poison control center or doctor, or going for mergencies call 1-855-844-4375. For consumer questions, call 1-888-261-4657	

Treat the patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

NOTE TO PHYSICIAN

HOW TO OPEN

Repeat steps 1 to 3 for each applicator.











Cut with scissors to open applicator





- Prepare applicator as shown in "How to Open".

 Apply the entire contents of the applicator to one spot as shown:





Part the hair on the dog back between the shoulder blades until the skin is visible. Place the tip of the applicator on the skin and gently squeeze to apply all the contents to the skin. Carefully avoid allowing the product to run off the side of the dog. Keep solution out of your dog's eyes and do not allow your dog to ingest this product.

- Discard empty applicator and packaging as described in the Storage and Disposal section. 3
- Under normal conditions the product remains effective for a month. In cases of severe flea infestation, retreatment may be necessary earlier than one month. Do not reapply Provecta™ Advanced for Dogs more often than once every seven (7) days. Once flea control is attained, return to a monthly application schedule.

PRODUCT INFORMATION

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with Provecta™ Advanced for Dogs rapidly kills fleas and may reduce the incidence of this condition.

Provecta™ Advanced for Dogs kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting at least four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Provecta™ Advanced for Dogs is waterproof and remains effective following a shampoo, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Protect from freezing. Pesticide Disposal and Container Handling: Non refillable container. If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of CAP IM Supply, Inc.. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, CAP IM Supply, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither CAP IM Supply, Inc., the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

DO NOT USE ON CATS - MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately. DO NOT USE ON CATS

For consumer questions call 1-888-261-4657 For medical emergencies call 1-855-844-4375

EPA Reg No. 91384-3

IMIDACLOPRID 0.034 fl.oz. 1-20 LBS PERMETHRIN 0.44% PYRIPROXYFEN EPA Reg. No. 91384-3 READ THE ENTIRE LABEL BEFORE USE

KEEP OUT OF REACH OF CHILDREN WARNING

DO NOT USE ON CATS CAP IM Supply, Inc.

000000 10/2016

NARNING

CAP IM Supply, Inc. DO NOT USE ON CATS TABEL BEFORE USE READ THE ENTIRE EPA Reg. No. 91384-3 **DYRIPROXYFEN**

REACH OF CHILDREN KEEP OUT OF

PERMETHRIN 8.80% IMIDACLOPRID VDAVICED LOB DOGS

1-20 LBS

0.034 fl.oz.

CAP IM Supply, Inc.

.034 fl.oz. 1-20 LBS

IMIDACLOPRID KEEP OUT OF PERMETHRIN REACH OF CHILDREN 0.44% PYRIPROXYFEN EPA Reg. No. 91384-3 WARNING

READ THE ENTIRE LABEL BEFORE USE DO NOT USE ON CATS

000000 10/2016 0.034 fl.oz. 11-20 LBS

CAP IM Supply, Inc. DO NOT USE ON CATS **TABEL BEFORE USE** READ THE ENTIRE WARNING 91384-3 REACH OF CHILDREN 44.00% PERMETHRIN KEEP OUT OF 8.80% IMIDACLOPRID

ADVANCED FOR DOGS











WATERPROOF



MONTH 3



MONTH 4

For Customer Service please call: 1-888-261-4657







WEIGHING 21-55 LBS



MONTHS'

PROWECTA* ADVANCED FOR DOGS

CONTAINS IMIDACLOPRID PERMETHRIN & PYRIPROXYEEN



LARGE DOG 21-55 LBS

REPELS AND KILLS TICKS, FLEAS AND MOSQUITOS.









Monthly topical treatment and prevention of ticks. fleas, mosquitos, biting flies and lice.

FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER. WEIGHING 21-55 LBS

> **LARGE** DOG

KEEP OUT OF REACH OF CHILDREN WARNING

See back panel for Precautionary Statements. See package insert for Directions for Use, Storage and Disposal, and First Aid Information. Convenient, easy-to-apply monthly topical solution. Fragrance free.



Net Contents: 0.34 fl. oz 4 applicators each containing 0.084 fl.oz (2.5mL)

PRO **ADVANCED** П

FOR USE ONLY ON DOGS AND PUPPLES 7 WEEKS OF AGE OR OLDER.

WEIGHING 21-55 LBS

LARGE DOG

PROWECTA" ADVANCED FOR DOGS

Monthly Topical Treatment and Prevention of Ticks, Fleas, Mosauitos, Biting Flies, and Lice.

LARGE DOG FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS of AGE AND OLDER AND WEIGHING 21-55 LBS.

READ THE ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eve injury. Do not get in eves or on dothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause alleraic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 5 pounds. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe consult a veterinarian immediately. If your animal is on medication. consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veteringrian or call 1-855-844-4375.

2825 E. Cottonwood Pkwy. Suite 500. Salt Lake City. Utah 84121

CONTAINS THE SAME ACTIVE INGREDIENTS FOUND IN KO ADVANTIX II Provecta dynared is not manufactured by or distributed by Bayer Health Care LLC. K9 Advantix II is a registered trademark of Bayer HealthCare LLC

5 WAY PROTECTION AGAINST FLEAS, TICKS, BITING FLIES, MOSQUITOS AND LICE

- · Convenient, easy to apply topical solution
- Long-Lasting, Waterproof
- Repels and kills ticks including Deer ticks (vector of Lyme disease). American dog ticks (vector of Rocky Mountain spotted fever). Brown dog ticks (vector of Ehrlichiosis), and Lone Star ticks (vector of Ehrlichiosis) for up to four weeks
- · Repels and kills all life stages of fleas
- One treatment prevents further fleg infestations for a month
- Kills fleas within 12 hours of application
- Prevents reinfestations by killing adult fleas before they lay eggs Prevents development of fleas, flea eags, puppe and larvae for a
- Effectively targets all life stages of fleas and ticks.
- Treatment with Provecta Advanced For Dogs rapidly kills fleas and may reduce the incidence of Flea Allergic Dermatitis (FAD)
- Repels and kills mosquitos for up to four weeks
- Repels and kills mosquitos often before they have a chance to take a blood meal
- Repels bothersome biting flies
- Kills chewing lice
- Remains effective following bathing and/or swimming



DO NOT USE ON CATS - MAY BE FATAL Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact vour veterinarian immediately

For consumer questions call 1-888-261-4657 For medical emergencies call 1-855-844-4375

> EPA Est. No. 89609-FL-001 EPA Reg. No. 91384-3

Permethrin* 44.00%
Pyriproxyfen 0.44%
OTHER INGREDIENTS46.76%

*cis/trans ratio: max 55% (±) cis and

Imidacloprid

min 45% (±) trans

...... 8.80%

...... 100,00%



ACTIVE INGREDIENTS % BY WEIGHT IMIDACLOPRID ····· 8.80% 0.44% OTHER INGREDIENTS 46.76% TOTAL *cis/trans ratio: Max 55(±) cis and min 45%(±) trans

Monthly topical treatment and prevention of ticks, fleas, mosauitos, biting flies, and lice.

KFFP OUT OF REACH OF CHILDREN



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonaed or frequently repeated skin contact may cause alleraic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 5 pounds. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-855-844-4375.

FIRST AID		
If In Eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
If Swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vamiling unless half to do so by the poison control center or doctor. Do not agive anything by mouth to an unconscious person.	
HOT LINE NUMBER		
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies call 1-855-844-4375. For consumer questions, call 1-888-261-4657		
NOTE TO PHYSICIAN		
Treat the patient symptomatically.		

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

HOW TO OPEN

Repeat steps 1 to 3 for each applicator.



















- Prepare applicator as shown in "How to Open".
- Trepare apparation as snown in now to open.
 Apply the entire contents of the applicator evenly to three or four spots on the top of the back of the doa from the shoulder to the base of the tail as shown:





At each application site part the hair of the dog until the skin is visible. Place the tip of the applicator on the skin and gently squeeze to apply the solution on the skin. Do not apply an amount of solution at any one spot that could couse some of the solution to run off the side of the dog. Keep solution out of your dog's eyes and do not allow your dog to ingest this product.

- 3. Discard empty applicator and packaging as described in the Storage and Disposal section.
- Under normal conditions the product remains effective for a month. In cases of severe flea
 infestation, retreatment may be necessary earlier than one month. Do not reapply Provecta™
 Advanced for Dogs more often than once every seven (7) days. Once flea control is attained, return
 to a monthly application schedule.

PRODUCT INFORMATION

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with Provecta™ Advanced for Dogs rapidly kills fleas and may reduce the incidence of this condition.

Provecto™ Advanced for Dogs kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting at least four (4) weeks. Pre-existing puppe in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Provecta™ Advanced for Dogs is waterproof and remains effective following a shampoo, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Protect from freezing. Pesticide Disposal and Container Handling: Non refillable container. If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of CAP IM Supply, Inc.. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, CAP IM Supply, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither CAP IM Supply, Inc., the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

DO NOT USE ON CATS — MAY BE FATAL. Keep cats away from treated dags for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

DO NOT USE ON CATS

For consumer questions call 1-888-261-4657 For medical emergencies call 1-855-844-4375

EPA Reg No. 91384-3

21-55 LBS

KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 91384-3 READ THE ENTIRE LABEL BEFORE USE

DO NOT USE ON CATS CAP IM Supply. Inc.

WARNING

0.084 fl.oz. 21-55 LBS

0.084 fl.oz.

21-55 LBS

CAP IM Supply, Inc. DO NOI DZE ON CAIS LABEL BEFORE USE KEAD THE ENTIRE E-P& Keg. No. 91384-3

REACH OF CHILDREN KEEP OUT OF

0.44% PYRIPROXYFEN 44.00% PERMETHRIN 8.80% IMIDACLOPRID

ADVANCED FOR DOGS

44.00% PERMETHRIN 0.44% PYRIPROXYFEN EPA Reg. No. 91384-3 READ THE ENTIRE

LABEL BEFORE USE DO NOT LISE ON CATS CAP IM Supply. Inc.

KEEP OUT OF REACH OF CHILDREN WARNING

NAKNING REACH OF CHILDREN

KEEP OUT OF

CAP IM Supply, Inc. DO NOT USE ON CATS LABEL BEFORE USE READ THE ENTIRE EPA Reg. No. 91384-3

8.80% IMIDACLOPRID 4.00% PERMETHRIN











WATERPROOF



MONTH 3



MONTH 4

For Customer Service please call: 1-888-261-4657







FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER WEIGHING OVER 55 LBS





ADVANCE

MONTHS' SUPPLY

PROWECTA* ADVANCED FOR DOGS

CONTAINS IMIDACLOPRID. PERMETHRIN & PYRIPROXYFEN



X-LARGE DOG **OVER 55 LBS**

REPELS AND KILLS TICKS, FLEAS AND MOSQUITOS.









KILLS & REPELS ADUIT FLEAS

KILLS & REPELS NOSQUITOS

WATERPROOF

Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies and lice.

FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER. WEIGHING OVER 55 LBS

X-LARGE DOG

KEEP OUT OF REACH OF CHILDREN WARNING

See back panel for Precautionary Statements. See package insert for Directions for Use. Storage and Disposal, and First Aid Information. Convenient, easy-to-apply monthly topical solution, Fragrance free,



Net Contents: 0.54 fl. oz 4 applicators each containing 0.135 fl.oz (4.0mL) **MONTHS'**

FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER.

WEIGHING OVER 55 LBS

X-LARGE DOG

PROWECTA" ADVANCED FOR DOGS

Monthly Topical Treatment and Prevention of Ticks. Fleas, Mosquitos, Biting Flies, and Lice.

X-LARGE DOG FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS

READ THE ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

WARNING, Causes substantial but temporary eye injury. Do not get in eves or on dothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soon and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 5 pounds. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, preanant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication. consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort, Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethorgy or agitation) occur, consult your veterinarian or call 1-855-844-4375.

CAP IM Supply, Inc. 2825 E. Cottonwood Pkwy, Suite 500, Salt Lake City, Utah 84121

CONTAINS THE SAME ACTIVE INGREDIENTS FOUND IN K9 ADVANTIX II

Provecta Advanced is not manufactured by or distributed by Bayer Health Care LLC. K9 Advantix II is a registered trademark o Bayer HealthCare LLC

5 WAY PROTECTION AGAINST FLEAS, TICKS. **BITING FLIES, MOSQUITOS AND LICE**

- Convenient, easy to apply topical solution
- Long-Lasting, Waterproof
- Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of Ehrlichiosis), and Lone Star ticks (vector of Ehrlichiosis) for up to four weeks

 Repels and kills all life stages of fleas
- One treatment prevents further flea infestations for a month
- Kills fleas within 12 hours of application
- Prevents reinfestations by killing adult fleas before they lay eggs
 Prevents development of fleas, flea eggs, puppe and larvae for a
- Effectively targets all life stages of fleas and ticks
- Treatment with Provecta Advanced For Dogs rapidly kills fleas
- and may reduce the incidence of Flea Allergic Dermatitis (FAD) Repels and kills mosquitos for up to four weeks
- Repels and kills mosquitos often before they have a chance to take a
- blood meal
- Repels bothersome biting flies
- Kills chewing lice
- Remains effective following bathing and/or swimming



For consumer questions call 1-888-261-4657 For medical emergencies call 1-855-844-4375

EPA Est. No. 89609-FL-001

EPA Reg. No. 91384-3

LOT/BATCH NUMBER

ACTIVE INGREDIENTS: % BY WEIGHT

OTHER INGREDIENTS.....46.76%

*cis/trans ratio: max 55% (±) cis and

Permethrin*

Pvriproxvfen

min 45% (±) trans

..... 8.80% 44.00%

...... 100.00%

0.44%



ACTIVE INGREDIENTS % BY WEIGHT IMIDACLOPRID ····· 8.80% 0.44% OTHER INGREDIENTS 46.76% TOTAL *cis/trans ratio: Max 55(±) cis and min 45%(±) trans

Monthly topical treatment and prevention of ticks, fleas, mosauitos, biting flies, and lice.

KFFP OUT OF REACH OF CHILDREN



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonaed or frequently repeated skin contact may cause alleraic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 5 pounds. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-855-844-4375.

FIRST AID		
If In Eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
If Swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vamiling unless half to do so by the poison control center or doctor. Do not agive anything by mouth to an unconscious person.	
HOT LINE NUMBER		
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies call 1-855-844-4375. For consumer questions, call 1-888-261-4657		
NOTE TO PHYSICIAN		
Treat the patient symptomatically.		

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

HOW TO OPEN

Repeat steps 1 to 3 for each applicator.



















- Prepare applicator as shown in "How to Open".
- Trepare apparation as snown in now to open.
 Apply the entire contents of the applicator evenly to three or four spots on the top of the back of the doa from the shoulder to the base of the tail as shown:





At each application site part the hair of the dog until the skin is visible. Place the tip of the applicator on the skin and gently squeeze to apply the solution on the skin. Do not apply an amount of solution at any one spot that could cause some of the solution to run off the side of the dog. Keep solution out of your dog's eyes and do not allow your dog to ingest this product.

- 3. Discard empty applicator and packaging as described in the Storage and Disposal section.
- Under normal conditions the product remains effective for a month. In cases of severe flea
 infestation, retreatment may be necessary earlier than one month. Do not reapply Provecta™
 Advanced for Dogs more often than once every seven (7) days. Once flea control is attained, return
 to a monthly application schedule.

PRODUCT INFORMATION

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with Provecta™ Advanced for Dogs rapidly kills fleas and may reduce the incidence of this condition.

Provecto™ Advanced for Dogs kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting at least four (4) weeks. Pre-existing puppe in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Provecta™ Advanced for Dogs is waterproof and remains effective following a shampoo, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Protect from freezing. Pesticide Disposal and Container Handling: Non refillable container. If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of CAP IM Supply, Inc.. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, CAP IM Supply, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither CAP IM Supply, Inc., the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

DO NOT USE ON CATS — MAY BE FATAL. Keep cats away from treated dags for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

DO NOT USE ON CATS

For consumer questions call 1-888-261-4657 For medical emergencies call 1-855-844-4375

EPA Reg No. 91384-3

VER 55 LBS 0.135 fl.oz.

EPA Reg. No. 91384-3 8.80% IMIDACLOPRID 44.00% PERMETHRIN 0.44% PYRIPROXYFEN REACH OF CHILDREN KEEP OUT OF ADVANCED FOR DOGS

CAP IM Supply, Inc.

TYREE REPORE USE

READ THE ENTIRE

DO NOT USE ON CATS WARNING

JVER 55 LBS).135 fl.oz.

JVER 55 LBS

.135 fl.oz.

VER 55 LBS

.135 fl.oz.

READ THE ENTIRE LABEL BEFORE USE

EPA Reg. No. 91384-3 DO NOT USE ON CATS CAP IM Supply, Inc.

44.00% PERMETHRIN 0.44% PYRIPROXYFEN

ADVANCED FOR DOGS 8.80% IMIDACLOPRID 14.00% PERMETHRIN 0.44% PYRIPROXYFEN

EPA Reg. No. 91384-3 READ THE ENTIRE LABEL BEFORE USE DO NOT USE ON CATS CAP IM Supply, Inc.

> KEEP OUT OF REACH OF CHILDREN WARNING

CAP IM Supply, Inc. DO NOT USE ON CATS ADVANCED FOR DOGS

READ THE ENTIRE EPA Reg. No. 91384-3

LABEL BEFORE USE REACH OF CHILDREN KEEP OUT OF

REACH OF CHILDREN

KEEP OUT OF

WARNING













WATERPROOF

1st APPLICATION





PROWECTA
ADVANCED FOR DOGS

MONTH 2

MONTH 4

For Customer Service please call: 1-888-261-4657

