SENTRY. ADVANCE GUARD2 FOR CATS

Once per month topical flea treatment for cats

- Kills adult fleas, larvae, and eggs, providing 3-way protection
- Controls existing flea eggs and fleas and prevents future infestations for 1 month
 Kills fleas within 12 hours of application on cats

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON CATS AND KITTENS 8 WEEKS OF AGE OR OLDER. PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZAROS TO DOMESTIC ANIMALS. For external use on cats only. Individual sensitivities, while rare, may occur after using AVIV pesticide product for cats. Do not treat your cat with more than one pesticide product at a time. Over dosing your cat can result in sensit allers and even consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or

	FIRST AID
If swallowed:	Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the

Noted eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue missing eye.
 Call a poison control center or doctor for treatment advice.

 Take off contaminated clothing.
 Rinse skin immediately with blenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice. HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-781-4738 for emergency medical treatment information.

NOTE TO PHYSICIAN

Treat the patient symptomatically.

If on skin

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. To prevent harm to you and your Cat, read entire label before each use. Follow ALL directions and precautionary statements carefully.

DECEDIOTIONS

- DO NOT ALLOW CHILDREN TO APPLY PRODUCT.
- Do not use on animals other than cats.
- . Do not allow your cat to ingest this product.
- . Do not reapply for 4 weeks.
- Do not use on kittens under 8 weeks of age. Do not apply to cats weighing less than 5 lbs.
 Use entire contents of tube on each cat. Do not solit one tube between two cats.
- Do not use multiple tubes on one cat.
- Weigh your cat to be sure you are applying the right dose formulated for the weight of your cat.
- Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied.
 Do not have contact or allow children to have contact with the treated area until completely dry.

Side Effects: Monitor your cat after application. Some cals may experience temporary startle effects when any product is applied. Cals may experience some temporary intration at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your cat with a mild sape and rines with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your cat and confinue to monitor your cat for the next 24 hours.

How to One

1. Remove product tubes from the package.

2.Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to Apply:

- Hold cat with one hand and use the other hand to apply the solution.
- 2. Invert the tube and use the narrow end to part the cat's hair.
- Squeeze tube firmly to apply all of the solution to the cat's skin as a soot between the shoulder blades.

Only For Cats Weighing 5 - 9 lbs.

Do not apply to Cats weighing less than 5 lbs.

Apply one tube 0.4 mL (0.014 ff oz) directly to skin as a spot between the shoulder blades. Hold the cat for a few seconds to give the solution time to be absorbed into the cat's coat.

FREQUENCY OF APPLICATION

Use this product monthly for control of flea intestations. Studies show that this product kills fleas within 12 hours of application and least for up to 4 weeks. This product kills irrelateding fleas within 2 hours and prevents further intestations of fleas. Apply monthly for fleas within 2 weeks the product and terminal reflexive, even after water immersion or exous use to sunflict for rain.

If you have questions or comments about this product, please write: SENTRY Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399

Manufactured by: Sergeant's Pet Care Products, Inc., Omaha. NE 68154-0399

In case of Emergency, call: 1-800-781-4738 Non-Emergency call: 1-800-224-PETS (7387)

EPA Reg. No. 2517-175 EPA Est. No. 2517-NE-02



P006293-1 ANRO

SENTRY. ADVANCE GUARD2 FOR CATS















SENTRY. ADVANCE GUARD2

FOR CATS

MEDIUM CAT 5-9 LBS

Starts working through contact

Once per month topical flea treatment for cats.

ONLY for cats and kittens 8 weeks or older and weighing 5-9 lbs.


Active Ingredients

midacloprid	9.10%
yriproxyfen	0.46%
Other ingredients	90.44%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION SEE BACK PANEL FOR ADDITIONAL "SENTRY" Adian distributed by Ba

NET CONTENTS: 0.056 fl oz (1.6 mL) 4-0.014 fl oz (0.4 mL) applicators



STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F/25°C), dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PA MM



STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F/25°C), dry place inaccessible to children and pets, Do not refrigerate, Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container, Do not reuse or refill this container, Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

SENTRY ADVANCE GUARD2 FOR CATS

Once per month topical flea treatment for cats

- Kills adult fleas, larvae, and eggs, providing 3-way protection
 Controls existing flea eggs and fleas and prevents future infestations for 1 month
- Kills fleas within 12 hours of application on cats

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON CATS AND KITTENS 8 WEEKS OF AGE OR OLDER. PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS, CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on cats only. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. Do not treat your cat with more than one pesticide product at a time. Over dosing your car can result in serious illness and even death. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or

FIRST AID		
If swallowed:	Call a poison control center or doctor immediately for treatment advice. Naive person sip a glass of water if able to swallow. Do not induce remitting unless lodd to do so by the poison control center or doctor. Do not gly anything by mouth to an unconscious person.	
If In eyes:	Hold eye open and rises slowly and gently with water for 15-20 minutes. Remove contact lesses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for teatment advice.	
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a posses control center or doctor for treatment advice.	

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-781-4738 for emergency medical breatment information.

NOTE TO PHYSICIAN

Freat the patient symptomatically.

If you have questions or comments about this product, please write: SENTRY Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399

Manufactured by: Sergeant's Pet Care Products, Inc., Omaha, NE 68154-0399 In case of Emergency, call: 1-800-781-4738

Non-Emergency call: 1-800-224-PETS (7387)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. To prevent harm to you and your Cat, read entire label before each use followall. DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

- . DO NOT ALLOW CHILDREN TO APPLY PRODUCT.
- . Do not use on animals other than cats.
- . Do not allow your cat to incest this product.
- Do not reapply for 4 weeks.
- Do not use on kittens under 8 weeks of age. Do not apply to cats weighing less than 9 bs.
 Use entire contents of tube on each cat. Do not split one tube between two cats.
- Do not use multiple tubes on one cat.
- Weigh your cut to be sure you are applying the right dose formulated for the weight of your cut.
 Separate the treated cut from all other cuts and doos for 24 hours after treatment has been applied.
- . Do not have contact or allow children to have contact with the treated area until completely dry.

Side Effects: Mornior your cut after application. Some cuts may experience temporary starfie effects when any product a applied. Cast may experience some temporary instaliant at the site of product application such as reduces, scratching or other signs of document. It signs of sensibility occur, bather your cat with a midd scap and rince with large amounts of water. If these or other side effects occur. consult your veterinarian or call 1-800-781-4738. If your eat has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foarning at the mouth. If these symptoms occur, immediately feed your cat and commune to monitor your cat for the next 24 hours.

How to Open:

- 1. Remove product tubes from the package. 2. Separate one tube from the others. Hold the tube with noticed end pointing up and away from the face and body. Use scissors to out off the narrow end at the notches along the line. How to Apply:
- 1. Hold cat with one hand and use the other hand to annly the solution.
- 2. Invert the tube and use the narrow end to part the cat's hair.
- 3. Squeeze hube firmly to apply all of the solution to the cat's skin as a spot between the shoulder blades. Only For Cats Weighing Over 9 lbs. Do not apply to cats

weighing less than 9 lbs. Do not use more than one tube on cats greater than 9 lbs.

Apply one tube 0.8 mL (0.027 flox) directly to skin as a spot between the shoulder blades. Hold the cat for a few seconds to give the solution time to be absorbed into the cat's coat. FREQUENCY OF APPLICATION

Use this product monthly for control of fee infestations. Studies show that this product kills fleas within 12 hours of application and lasts for up to 4 weeks. This product kills reinfesting fleas within 2 hours and prevents further infestations of fleas. Apply morthly for fiea control. This product is waterproof and remains effective, even after water immersion or exposure to sunlight or rain.

EPA Reg. No. 2517-175 EPA Est. No. 2517-NE-02



P006294-1 ANRO

