

# MATERIAL SAFETY DATA SHEET

VIRBAC KNOCKOUT<sup>™</sup> E.S. Area Treatment Product Code: 612216

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATIONS AND OF THE COMPANY UNDERTAKING

Product Name	VIRBAC KNOCKOUT™ E.S. Area Treatment
Product Description	Kills Adult Fleas and Ticks and Controls Pre-Adult Fleas (Larvae)
Manufacturer/Supplier	Virbac AH, Inc.
Address	P.O. Box 162059
	Fort Worth, Texas 76161
Phone Number	(800) 338-3659 for Technical Support
Chemtrec Number (24 hour)	(800) 424-9300
Emergency Number:	(800) 338-3659 for Human and Animal Medical Emergencies
MSDS Revision Date:	March 1, 2011
Supersedes MSDS Dated:	September 24, 2010
Material October Data Obsertions and in	with OCUM's Harrows Standard (20 OED 1010 1000)

Material Safety Data Sheet in compliance with OSHA's Hazcom Standard (29 CFR 1910.1200)

# 2. HAZARDS IDENTIFICATION

Emergency Overview
CAUTION:
EXTREMELY FLAMMABLE.
KEEP OUT OF REACH OF CHILDREN.
KEEP OUT OF REACH OF DOMESTIC ANIMALS.
HARMFUL IF SWALLOWED.
HARMFUL IF INHALED.
HARMFUL IF ABSORBED THROUGH SKIN.
Do not breathe vapors/mists.
Avoid contact with the skin, eyes and clothing.
Wash thoroughly after handling.
Aerosol container contains flammable gas under pressure
Routes of Entry for solids and liquids
Eye and skin contact, ingestion and inhalation.
Routes of Entry for gases:
Inhalation and eye and skin contact
Acute toxicity
Relatively nontoxic after single ingestion.
Slightly toxic after short-term skin contact.
Relatively nontoxic after short-term inhalation.

# Irritation / corrosion

Causes substantial but temporary eye injury.

May cause slight irritation to the skin.

#### Sensitization

Skin sensitizing effects were not observed in animal studies.

# **Potential Environmental Effects**

Aquatic Toxicity: Acutely toxic for fish.

Terrestrial Toxicity: Acutely toxic to birds.



3.

# MATERIAL SAFETY DATA SHEET

VIRBAC KNOCKOUT<sup>IM</sup> E.S. Area Treatment Product Code: 612216

#### **COMPOSITION/INFORMATION ON INGREDIENTS CAS Number** Concentration **Component Name** Pyriproxyfen 95737-68-1 0.1% **Pyrethrins** 8003-34-7 0.05% n-Octyl bicycloheptene dicarboximide 113-48-4 0.4% Permethrin 52645-53-1 0.435% Distillantes (petroleum), hydrotreated light < 10.0% 64742-47-8 68512-91-4 Hydrocarbons, C3 - C4 Proprietary ingredients

# 4. FIRST AID MEASURES

#### General

First aid providers should wear personal protective equipment (PPE) to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center, doctor or the National Pesticide Information Center Hotline at 1-800-858-7378 for treatment advice. Have the product container or label with you when calling a poison control center or doctor of going for treatment.

# Eyes

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

#### Skin

Rinse skin immediately with plenty of water for 15 - 20 minutes.

#### Ingestion

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water, if able to swallow.

#### Inhalation

Remove the affected individual to fresh air and keep the person calm.

# Advice to Physicians

Treat according to symptoms (decontamination, vital functions), no known specific antidote. Aspiration of this product during induced emesis can result in lung injury. If evacuation of stomach contents is considered necessary, use method least likely to cause aspiration, such as gastric lavage after endotracheal intubation.

# 5. FIRE - FIGHTING MEASURES

#### Autoignition

NFPA 30 B Flammability: Level 1 aerosol Based on the water content the product does not ignite. **Extinguishing Media** Foam, dry extinguishing media, carbon dioxide



# 5. FIRE - FIGHTING MEASURES

#### Hazards During Fire Fighting

Carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, hydrogen chloride, halogenated hydrocarbons, hydrocarbons

Aerosol container contains flammable gas under pressure. Pressure inside container is increased with heated, and may cause explosion. If product is heated above decomposition temperature, toxic vapors will be released. The substances / group of substances mentioned can be released in case of fire.

# Protective Equipment for Fire-Fighting

Wear full protective clothing and self-contained breathing apparatus.

#### **Further information**

Evacuate area of all unnecessary personnel.

Contain contaminated water / fire fighting water.

Do not allow to enter drains or waterways.

#### 6. ACCIDENTAL RELEASE MEASURES

#### **Personal Precautions**

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downward. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

#### **Environmental Precautions**

Do not discharge into the subsoil / soil. Do not discharge into drains / surface waters / groundwater. Contain contaminated water / fire fighting water. A spill of or in excess of the reportable quantity requires notification to state, local, and national emergency authorities. This product is regulated by CERCLA ('Superfund').

#### Cleanup

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance / product should be recovered and applied according to label rates whenever possible. If application of spilled substance / product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

# 7. HANDLING AND STORAGE

#### HANDLING

#### **General Advice**

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERICAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition – No Smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used be as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance / product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance / product. Avoid contact with the skin, eyes and clothing. Avoid inhalations of dusts / mists / vapors. Wear suitable personal protective clothing and equipment.



# 7. HANDLING AND STORAGE

#### **Protection Against Fire and Explosion**

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

# STORAGE

#### **General Advice**

Protect containers form physical damage. Store in a cool, fry well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

#### Storage Incompatibility

General advice: Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

#### **Storage Stability**

8.

May be kept indefinitely if stored properly. If an expiry date is mentioned on the packaging / label this takes priority over the statements on storage duration in this safety data sheet.

# Temperature Tolerance

Protect from temperature above: 130°F

Explosive at or above indicated temperature.

#### EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Components with Workplace Control Parameter**

••••••••••••••••••••••••••••••••••••••	•	
Pyrethrins	OSHA	PEL 5 mg/m3
	ACGIH	TWA value 5 mg/m3
Propane	OSHA	PEL 1,000 ppm 1,800 mg/m3
	ACGIH	TWA value 1,000 ppm
Distillates (petroleum),		
Hydrotreated light	ACGIH	TWA value 200 mg/m3 ;Non-aerosol (total hydrocarbon vapor) Application restricted to conditions in which there are negligible aerosol exposures. Skin Designation Non-aerosol (total hydrocarbon vapor); The substance can be absorbed through the skin.

#### Advise on System Design

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment (PPE).



# MATERIAL SAFETY DATA SHEET VIRBAC KNOCKOUT<sup>™</sup> E.S. Area Treatment

Product Code: 612216

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Respiratory Protection**

Wear respiratory protective if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour / particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respiratory is effective, or where the levels are unknown or immediately Dangerous to Life of Health (IDLH); use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) will escape provisions.

#### Hand Protection

Chemical resistant protective gloves. Protective glove selection must be based on the user's assessment of the workplace hazards.

#### **Body Protection**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

# **General Safety and Hygiene Measures**

Wear long sleeved work shirt and log work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment (PPE) should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Aerosol
Odor	Characteristic, Solvent-like
рН	7.1 (10 g/l)
Information on: Distillates (petroleum),	hydrotreated light:
Boiling Point	231ºC (1.031 hPa)
Information on: Water	
Boiling Temperature	100ºC
Density	0.97 g/cm3 (approx. 20°C)
Viscosity, dynamic	No data available
Solubility in Water	Dispersible

# 10. STABILITY AND REACTIVITY

# Conditions to Avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge.

# Substances to Avoid

No substances known that should be avoided.



VIRBAC KNOCKOUT<sup>IM</sup> E.S. Area Treatment Product Code: 612216

### 10. STABILITY AND REACTIVITY

#### **Hazardous Reactions**

The product is chemically stable.

#### **Decomposition Products**

No hazardous decomposition products if stored and handled as prescribed / indicated. Prolonged thermal loading can result in products of degradation being given off.

# Thermal Decomposition

Possible thermal decomposition products:

Carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, hydrogen chloride, halogenated hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapors may be released. To avoid thermal decomposition, do not overheat.

#### Corrosion to Metals

Corrosive effects to metal are not anticipated.

# 11. TOXICOLOGICAL INFORMATION

#### **Acute Toxicity**

Oral LD50: (rat) > 5,000 mg/kg. Inhalation LC50: (rat) > 5.12 mg/l Dermal LD50: (rabbit) >2,000 mg/kg

#### Irritation / Corrosive

Skin: (rabbit) moderately irritating. Prolonged contact with the product can result in skin irritation. Eye: (rabbit) moderately to severely irritating.

#### Sensitization

Skin: (guinea pig) Skin sensitizing effects were not observed in animal studies.

#### **Genetic Toxicity**

Information on: Pyriproxyfen

No mutagenic effects reported

#### Information on: Pyrethrum

No mutagenic effects reported

Information on: n-Octyl bicycloheptene discarboximide

Results form a number of mutagenicity studies with microorganisms and mammalian cell culture are available. Taking into account all of the information, there is no indication that the substance is mutagenic.

Information on: Permethrin

In the majority of studies performed with microorganisms and in mammalian cell culture, a mutagenic effect was not found. A mutagenic effect was also not observed in in-vivo tests.

Information on: Distillates (petroleum), hydrotreated light

In the majority of tests performed (bacterial / microorganisms / cell cultures) a mutagenic effect was not found. A mutagenic effect was also not observed in in-vivo assays. Literature data.

#### Carcinogenicity

#### Information on: Pyriproxyfen

In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.



VIRBAC KNOCKOUT<sup>IM</sup> E.S. Area Treatment Product Code: 612216

# 11. TOXICOLOGICAL INFORMATION

Information on: Pyrethrum Not Likely to Be a Carcinogenic to Humans. Information on: Permethrin In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. **Reproductive Toxicity** Information on: Pyriproxyfen No reproductive toxic effects reported. Information on: Pyrethrum No reproductive toxic effects reported. Information on: n-Octyl bicycloheptene dicarboximide No reproductive toxic effects reported. Information on: Permethrin In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. **Development** Information on: Pyriproxyfen No indications of a developmental toxic / teratogenic effect were seen in animal studies. Information on: Pyrethrum No indications of a developmental toxic / teratogenic effect were seen in animal studies. Information on: n-Octyl bicycloheptene dicarboximide No indications of a developmental toxic / teratogenic effect were seen in animal studies. Information on: Permethrin This substance did not cause malformations in animal studies. When given in high doses embryotoxicity was observed. Information on: Distillates (petroleum), hydrotreated light No indications of a developmental toxic / teratogenic effect were seen in animal studies. Literature data.

#### 12. ECOLOGICAL INFORMATION

# FISH

Information on: Pyriproxyfen Acute: Flow through. Oncorhynchus mykiss / LC 50 (96h): > 0.325 mg/l. Information on: Pyrethrum Acute: Oncorhynchus mykiss / LC 50 (96h): 0.0051 mg/l. Information on: n-Octyl bicycloheptene dicarboximide Acute: Oncorhynchus mykiss / LC 50 (96h): 1.4 mg/l. Information on: Permethrin Acute: Oncorhynchus mykiss / LC 50 (96h): 0.006 – 0.0028 mg/l. Brachydanio rerio / LC50 (96 h): 0.022 mg/l. Information on: Distillates (petroleum), hydrotreated light Brachydanio rerio / LC50 (96 h): 7.3 mg/l. The product has not been tested. The statement has been derived from products of similar structure and composition. Literature data.



Product Code: 612216

# 12. ECOLOGICAL INFORMATION

#### **Aquatic Invertebrates**

Information on: Pyrethrum Acute: Daphnia magna / EC50 (48 h): 0.0116 mg/l. Information on: n-Octyl bicycloheptene dicarboximide Acute: Daphnia magna / LC50 (48 h): 2.3 mg/l. . Information on: Permethrin Acute: Daphnia magna / LC50 (24 h): 0.0.24 mg/l. Information on: Distillates (petroleum), hydrotreated light Acute: Daphnia magna / EL50 (48 h): 1.4 - 21 mg/l. The product has not been tested. The statement has been derived from products of similar structure and composition. Literature data. **Aquatic Plants** 

Information on: Distillates (petroleum), hydrotreated light Toxicity to aquatic plants: algae / EC 50 (72 h): 3.7 – 8.3 mg/l. Literature data.

# 13. DISPOSAL CONSIDERATIONS

# Waste disposal substances.

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

# **Container Disposal.**

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternate procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

# 14. TRANSPORT INFORMATION

#### Land Transport: USDOT

Hazard Class: 2.1 ID Number: UN 1950 Hazard Label: 2.1 Proper Shipping Name. AEROSOLS Sea Transport: IMDG Hazard Class: 2.1 ID Number: UN 1950 Marine Pollutant: NO Proper Shipping Name. AEROSOLS Air Transport: IATA / ICAO Hazard Class: 2.1 ID Number: UN 1950 Marine Pollutant: 2.1 Proper Shipping Name. AEROSOLS



VIRBAC KNOCKOUT<sup>™</sup> E.S. Area Treatment Product Code: 612216

#### 15. **REGULATORY INFORMATION**

Federal Regulations	
<b>Regulation Status:</b>	
Chemical	TSCA, US

ChemicalTSCA, USblocked / not listedCrop ProtectionTSCA, USreleased / exemptEPCRA 311 / 312 (Hazard Categories):

Acute; Fire; Sudden release of pressure

CERCLA RQ	CAS Number	Chemical Name
1 lbs	8003-34-7	Pyrethrins

#### **State Regulations**

State RTK	CAS Number	Chemical Name
MA, NJ, PA	8003-34-7	Pyrethrins
MA	52645-53-1	Permethrin

# 16. OTHER INFORMATION

Recommended use: Insecticide

Abbreviations:

ACGIH: BOD:	American Conference of Governmental Industrial Hygienists Biological Oxygen Demand
CAS#:	Chemical Abstracts Service Number
DOT	Department of Transportation
EC50	Effective Concentration 50%
FIFRA	Federal Insecticide, Fungicide and Rodenticide Act
IARC:	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transportation Association
ICAO	International Civil Aviation Organization
IMDG:	International Maritime Dangerous Goods
LC50:	Lethal Concentration 50%
LD50:	Lethal Dose 50%
N/A:	Denotes no applicable information found or available
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
PEL:	Permissible Exposure Limit
RCRA:	Resource Conservation and Recovery Act
STEL:	Short Term Exposure Limit
TLV:	Threshold Limit Value
TSCA:	Toxic Substance Control Act
TWA:	Time Weighed Average



# 16. OTHER INFORMATION

For further Information call:(800) 338-3659Prepared By:Virbac Corp.

VIRBAC KNOCKOUT is a trademark of Virbac Corporation.

The information and recommendations presented in this MSDS are based on sources believed to be accurate. Virbac AH, Inc. assumes no liability for the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of the **material** for their particular purposes. In particular, we make NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, with respect to such information, and we assume no liability resulting from its use. Users should ensure that any use **or disposal** of the material is in accordance with applicable Federal, State, and local laws and regulations.