



How to Apply
FRONTLINE®
Plus FOR CATS

Step 1.

OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

Step 2.

APPLY FRONTLINE Plus

Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not apply to cats weighing less than 1.5 lbs or younger than 8 weeks of age. Do not allow your cat to ingest this product. Do not use more than one application per cat per month.

Questions or Comments?

Call: 1-800-660-1842.

Monday-Friday, 8am-8pm EST or visit us at www.FRONTLINE.com



* 3 9 0 6 8 2 9 *



FRONTLINE®

Kills fleas, flea eggs & larvae,
ticks & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

ACTIVE INGREDIENTS:
Fipronil:9.8%
(S)-methoprene:11.8%
INERT INGREDIENTS:78.4%
TOTAL:100%
NET CONTENTS: 1-0.017 fl oz (0.50 mL) applicator
1 monthly dose

Plus
FOR
CATS

**Kills ticks, including those that may
transmit Lyme disease**

For use **ONLY** on
CATS & KITTENS
8 weeks
and Older
and Weighing
Over 1.5 lbs.

EPA Reg. No. 65331-4
EPA Est. 65331-FR-2
MADE IN FRANCE



053 906829

KEEP OUT OF REACH OF CHILDREN
CAUTION

See inside panels
for **FIRST AID** and
PRECAUTIONARY
statements.



FRONTLINE® Plus FOR CATS

For use **ONLY** on **CATS & KITTENS** 8 weeks or older and weighing over 1.5 lbs.: Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, and chewing lice.

ACTIVE INGREDIENTS

fenopronil:9.8%

(S)-methoprene11.8%

INERT INGREDIENTS78.4%

TOTAL100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FRONTLINE® Plus for Cats:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

FRONTLINE Plus is approved for use on all cats, including:

- Breeding, pregnant, and lactating queens
- Kittens as young as 8 weeks and weighing at least 1.5 lbs.

One spot application is all that's needed: FRONTLINE Plus spreads from the single point of application, rapidly covering the entire cat and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the cat gets wet.

Fleas, ticks, and chewing lice are killed quickly after coming into contact with a treated cat. Fleas and ticks do not need to bite the cat in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.** To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Cats as follows:
• **OPEN** Applicator
Hold upright with foil side toward you and snap applicator tip.
• **APPLY** FRONTLINE Plus

Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

Do not allow the cat to ingest the product. Do not apply to cats weighing less than 1.5 lbs. or younger than 8 weeks of age. Do not use more than one application per cat per month. FRONTLINE Plus for Cats is approved for use on all cats, including breeding, pregnant, and lactating queens and kittens as young as 8 weeks. FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to six weeks. FRONTLINE Plus also prevents development of all flea stages for up to six weeks. FRONTLINE Plus can control fleas for up to six weeks, however, if there is a high risk of reinfestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases. FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on kittens under 8 weeks of age or 1.5 lbs.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

WARNING

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd.
Duluth, GA 30096-4640, USA

©FRONTLINE is a registered trademark of Merial.
©2013 Merial Limited, Duluth, GA. All rights reserved.



Lot #

How to Apply FRONTLINE® Plus FOR CATS



Step 1. To REMOVE Applicator:
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.




Step 2. OPEN Applicator
Hold upright with foil side toward you and snap applicator tip.



Step 3. APPLY FRONTLINE Plus
Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not apply to cats weighing less than 1.5 lbs or younger than 8 weeks of age. Do not allow your cat to ingest this product. Do not use more than one application per cat per month.

Questions or Comments?
Call: 1-800-660-1842,
Monday-Friday, 8am-8pm EST or
visit us at www.FRONTLINE.com



036-906836

EPA Reg. No. 65331-4
EPA Est. 0000-XX-0*

LOT NO:
x00000xx

FRONTLINE® Plus FOR CATS

FRONTLINE Plus for Cats provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, and chewing lice for use ONLY on cats and kittens 8 weeks or older and weighing over 1.5 lbs.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. Pets may experience some temporary irritation at the site of application. Please see insert for additional information. To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Cats as follows:

- To REMOVE Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- OPEN Applicator: Hold upright with foil side toward you and snap applicator tip.
- APPLY FRONTLINE Plus. Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your cat to ingest this product. Do not apply to cats weighing less than 1.5 lbs or younger than 8 weeks of age. Do not use more than one application per cat per month.

FRONTLINE Plus for Cats is approved for use on all cats, including breeding, pregnant, and lactating queens and kittens as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Frequency of Application

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to six weeks. FRONTLINE Plus also prevents development of all flea stages for up to six weeks. FRONTLINE Plus can control fleas for up to six weeks, however, if there is a high risk of reinfestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis, haemobartonellosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

For use ONLY on CATS & KITTENS
8 Weeks and Older
and Weighing
Over 1.5 lbs.
3 doses

FRONTLINE®
Plus FOR CATS



Please call our experts at
1-800-660-1842.
Monday-Friday,
8am-8pm EST with any
questions or comments
about flea, tick, or
chewing lice control or
FRONTLINE Plus.



Merial Limited
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA
MADE IN FRANCE

@FRONTLINE is a registered
trademark of Merial.
©2013 Merial Limited, Duluth, GA.
All rights reserved.

For cat use only

FRONTLINE®
Plus FOR CATS

For use ONLY on CATS & KITTENS
8 Weeks and Older
and Weighing
Over 1.5 lbs.

3 doses

FRONTLINE® Plus FOR CATS

Kills fleas, flea eggs & larvae,
ticks, & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

Kills ticks, including
those that may
transmit Lyme disease

For use
ONLY on
CATS & KITTENS
8 Weeks
and Older
and Weighing
Over 1.5 lbs.

ACTIVE INGREDIENTS:
Fipronil: 9.8%
(S)-methoprene: 11.8%
INERT INGREDIENTS: 78.4%
TOTAL: 100%
NET CONTENTS: 0.051 fl oz (1.50 ml)
3-0.017 fl oz (0.50 ml) applicators

SEE INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS.
KEEP OUT OF REACH OF CHILDREN
CAUTION



3 doses

Lift Here

FRONTLINE[®] Plus FOR CATS

FRONTLINE[®] Plus for Cats is:

- Fast-acting
- Long-lasting
- Waterproof

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire cat and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the cat gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated cat. Fleas and ticks do not need to bite the cat in order to die.

FRONTLINE Plus for Cats:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis, haemobartonellosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

FRONTLINE Plus is approved for use on all cats, including:

- Breeding, pregnant, and lactating queens
- Kittens as young as 8 weeks and over 1.5 lbs.



Adult Fleas



Flea Eggs




Flea Larvae



Ticks



Chewing Lice



How to Apply FRONTLINE® Plus FOR CATS



Step 1. To REMOVE Applicator:
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.




Step 2. OPEN Applicator
Hold upright with foil side toward you and snap applicator tip.



Step 3. APPLY FRONTLINE Plus
Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not apply to cats weighing less than 1.5 lbs or younger than 8 weeks of age. Do not allow your cat to ingest this product. Do not use more than one application per cat per month.

Questions or Comments?
Call: 1-800-660-1842,
Monday-Friday, 8am-8pm EST or
visit us at www.FRONTLINE.com



036-906841

EPA Reg. No. 65331-4
EPA Est. 0000-XX-0*

LOT NO:
x00000xx

FRONTLINE® Plus FOR CATS

FRONTLINE Plus for Cats provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, and chewing lice for use ONLY on cats and kittens 8 weeks or older and weighing over 1.5 lbs.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. Pets may experience some temporary irritation at the site of application. Please see insert for additional information. To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Cats as follows:

- To REMOVE Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- OPEN Applicator: Hold upright with foil side toward you and snap applicator tip.
- APPLY FRONTLINE Plus. Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your cat to ingest this product. Do not apply to cats weighing less than 1.5 lbs or younger than 8 weeks of age. Do not use more than one application per cat per month.

FRONTLINE Plus for Cats is approved for use on all cats, including breeding, pregnant, and lactating queens and kittens as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Frequency of Application

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to six weeks. FRONTLINE Plus also prevents development of all flea stages for up to six weeks. FRONTLINE Plus can control fleas for up to six weeks, however, if there is a high risk of reinfestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis, haemobartonellosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

For use ONLY on CATS & KITTENS
8 Weeks and Older
and Weighing
Over 1.5 lbs.
9 doses

FRONTLINE®
Plus FOR CATS



Please call our experts at
1-800-660-1842.
Monday-Friday,
8am-8pm EST with any
questions or comments
about flea, tick, or
chewing lice control or
FRONTLINE Plus.



Merial Limited
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA
MADE IN FRANCE

©FRONTLINE is a registered
trademark of Merial.
©2013 Merial Limited, Duluth, GA.
All rights reserved.

FRONTLINE®
Plus FOR CATS

For use ONLY on CATS & KITTENS
8 Weeks and Older
and Weighing
Over 1.5 lbs.

6 doses

For cat use only

FRONTLINE® Plus FOR CATS

Kills fleas, flea eggs & larvae
ticks, & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

Kills ticks, including
those that may
transmit Lyme disease

For use
ONLY on
CATS & KITTENS
8 Weeks
and Older
and Weighing
Over 1.5 lbs.

ACTIVE INGREDIENTS:
Fipronil: 9.8%
(S)-methoprene: 11.8%
INERT INGREDIENTS: 78.4%
TOTAL: 100%
NET CONTENTS: 0.102 fl oz (3.00 ml)
6-0.017 fl oz (0.50 ml) applicators

SEE INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS.
KEEP OUT OF REACH OF CHILDREN
CAUTION



6 doses

Lift Here

FRONTLINE® Plus FOR CATS

FRONTLINE® Plus for Cats is:

- Fast-acting
- Long-lasting
- Waterproof

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire cat and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the cat gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated cat. Fleas and ticks do not need to bite the cat in order to die.

FRONTLINE Plus for Cats:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis, haemobartonellosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

FRONTLINE Plus is approved for use on all cats, including:

- Breeding, pregnant, and lactating queens
- Kittens as young as 8 weeks and over 1.5 lbs.



Adult Fleas



Flea Eggs




Flea Larvae



Ticks



Chewing Lice



* 6 9 0 6 8 4 1 *

FRONTLINE[®] *Plus* FOR CATS

For use **ONLY** on **CATS & KITTENS** 8 weeks or older and weighing over 1.5 lbs.:

Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, and chewing lice.

ACTIVE INGREDIENTS

fipronil: 9.8%

(S)-methoprene 11.8%

INERT INGREDIENTS 78.4%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTLINE[®] Plus for Cats:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

FRONTLINE Plus is approved for use on all cats, including:

- Breeding, pregnant, and lactating queens
- Kittens as young as 8 weeks and weighing at least 1.5 lbs.

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire cat and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the cat gets wet. Fleas, ticks, and chewing lice are killed quickly after coming into contact with a treated cat. Fleas and ticks do not need to bite the cat in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.**

To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Cats as follows:

- To **REMOVE** Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- **OPEN** Applicator

Hold upright with foil side toward you and snap applicator tip.

- **APPLY** FRONTLINE Plus

Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow the cat to ingest the product. Do not apply to cats weighing less than 1.5 lbs or younger than 8 weeks of age. Do not use more than one application per cat per month.



* 3 9 0 6 8 4 6 *

FRONTLINE Plus for Cats is approved for use on all cats, including breeding, pregnant, and lactating queens and kittens as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to six weeks. FRONTLINE Plus also prevents development of all flea stages for up to six weeks. FRONTLINE Plus can control fleas for up to six weeks, however, if there is a high risk of reinfestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment or advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on kittens under 8 weeks of age or 1.5 lbs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.




EPA Reg. No. 65331-4

Merial Limited - 3239 Satellite Blvd. Duluth, GA 30096-4640, USA

©FRONTLINE is a registered trademark of Merial.

©2013 Merial Limited, Duluth, GA. All rights reserved.



 <p>FRONTLINE[®] Plus</p>	 <p>FRONTLINE[®] Plus</p>	 <p>FRONTLINE[®] Plus</p>
<p>MERIAL</p> <p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p>	<p>MERIAL</p> <p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p>	<p>MERIAL</p> <p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p>
<p>0.017 floz LOT XXXXX ONLY FOR CATS AND KITTENS 8 WEEKS AND OLDER & OVER 1.5 lbs</p>	<p>0.017 floz LOT XXXXX ONLY FOR CATS AND KITTENS 8 WEEKS AND OLDER & OVER 1.5 lbs</p>	<p>0.017 floz LOT XXXXX ONLY FOR CATS AND KITTENS 8 WEEKS AND OLDER & OVER 1.5 lbs</p>

MERIAL

Contains: fluralaner (9.8%) EPA Reg. No. 141-2013
(S-methoprene) (1.5%) No. 65531-4

**ONLY
FOR
CATS &
KITTENS**

8 weeks or older
and weighing
over 1.5 lbs.



0.017 fl oz or
FRONTLINE®
Plus for
CATS

Keep out of reach of children
See full label for
additional directions

CAUTION

Some tips and other information **FRONTLINE**[®]

See other side
for more...

Some
tips
and other
information



- ✓ To successfully control fleas and ticks, all dogs and cats must be treated with their own dose of FRONTLINE[®].
- ✓ Apply according to label instructions, ensuring the product is applied to the skin, not on top of the fur and not near the collar. It may be helpful to remove the collar before application, so it doesn't absorb the product.
- ✓ Remember, your pet needs to be dry at the time FRONTLINE is applied and remain dry 24 hours after application.
- ✓ Verify pipette is empty after application (multiple squeezes may be necessary to apply the entire dose).
- ✓ Even indoor pets need flea and tick control because you or other pets in the household may bring fleas into the home. These fleas can lead to a flea infestation.

FLEAS:
What you
need to know



Fleas



Ticks



Chewing
Lice

It can take up to 3 months to get rid of a serious flea infestation because of all of the flea life stages that existed BEFORE you started using FRONTLINE.

The adult fleas on your pet may just be the tip of the infestation iceberg.

5% Adult Fleas

10% Pupae

35% Larvae

50% Eggs

▲ Adult Fleas live up to 120 days

Pupae can survive up to 174 days

The larval stage lasts 5-11 days

Eggs will hatch in 1-10 days

The average flea life cycle in the home is about 21 days long.

**Calendar
Reminder
stickers**

**To ensure continued protection of your
pets, use these stickers as a reminder
to apply and re-purchase FRONTLINE.**

After treating your pet for the first time,
peel off the sticker and place on your
calendar that day.

**Don't
forget to
re-purchase!**

Place the remaining stickers on your
calendar as a reminder to apply
FRONTLINE monthly.

6 Months
use all 6 stickers



3 Months



QUESTIONS?
Contact your veterinarian
or call our technical
experts at
1-800-660-1842,
Monday-Friday, 8am-8pm.
For more information, visit
www.FRONTLINE.com



®FRONTLINE is a
registered trademark
of Merial.
©2011 Merial Limited,
Duluth, GA.
All rights reserved.

037 903508

