

Signature numérique de
 SENEZ Nathalie e AHFR
 DN: c=FR, o=sanofi-aventis,
 ou=2343, ouo=2343, ouc=1144,
 cn=SENEZ Nathalie
 AHFR,
 Date: 2014.02.27 09:56:35
 +01'00'



How to Apply **FRONTLINE[®]** *Plus* FOR DOGS



Step 1.
OPEN Applicator
 Hold upright **with foil side toward you**
 and snap applicator tip.



Step 2.
APPLY FRONTLINE Plus
 Part the dog's hair between the
 shoulder blades. Place the applicator tip
 just above the **skin** and squeeze. Apply
 entire contents of the applicator in a
 single spot directly onto the dog's skin.
 Do not apply on top of the hair coat.
 Avoid contact with treated area until dry.
 Do not allow your dog to ingest the
 product. Do not apply to dogs weighing
 less than 5 lbs or younger than 8 weeks
 of age. Do not use more than one
 application per dog per month.

Questions or Comments?
Call: 1-800-660-1842.
Monday-Friday, 8am-8pm EST or
visit us at www.FRONTLINE.com



Technical area :
 No print except prod. barcode

FRONTLINE[®]

Plus

FOR DOGS

Kills fleas, flea eggs & larvae,
 ticks & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

ACTIVE INGREDIENTS:
 Fipronil:9.8%
 (S)-methoprene:8.8%
INERT INGREDIENTS:81.4%
TOTAL:100%
NET CONTENTS: 1-0.023 fl oz (0.67 mL) applicator
1 monthly dose

**Kills ticks, including those that may
 transmit Lyme disease**

For use **ONLY** on
DOGS & PUPPIES
8 Weeks or Older
 and **5 to 22 lbs**

EPA Reg. No. 65331-5
 EPA Est. 65331-FR-2
MADE IN FRANCE

See inside panels for **FIRST AID**
 and **PRECAUTIONARY**
 statements.



053 906830

KEEP OUT OF REACH OF CHILDREN
CAUTION

**DO NOT
 USE ON
 CATS**



MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906830
PRODUCT: FRT PLUS
 NOTICE SINGLE CHIENS S
 RECTO
COUNTRY: United States of America (USA)
Dimensions:
 mm = 176 x 112 • Pliéé 88 x 112
 inches=

VERSION
INITIALS:
 LYON SJ AJ NSe
VERSION - DATE:
 A 17/07/13 16h20 B 22/07/13 14h29
 C 08/08/13 COMPOSER RH 11h00
**CANCEL AND
 REPLACE:** 053 906007

COLORS
 Black/Noir Cyan
 Magenta Yellow
 Please use the official PANTONE® (P) matching
 system for an accurate color representation.

Marketing approval:
**COMPLETE
 NAME:**
**DATE +
 SIGNATURE:**

Regulatory approval:
**COMPLETE
 NAME:**
**DATE +
 SIGNATURE:**

FRONTLINE® Plus FOR DOGS

For use **ONLY** on **DOGS & PUPPIES** 8 weeks or older and weighing at least 5 lbs.; Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, and sarcoptic mites.

ACTIVE INGREDIENTS

fipronil: 9.8%
(S)-methoprene 8.8%
INERT INGREDIENTS 81.4%
TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FRONTLINE® Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 5 lbs.

One spot application is all that's needed: FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.** To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

- **OPEN** Applicator

Hold upright with foil side toward you and snap applicator tip.

- **APPLY** FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 5 lbs or younger than 8 weeks of age. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages

for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age and 5 lbs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE Plus for Dogs is available in sizes for use ONLY on small dogs and puppies 8 weeks or older and 5-22 lbs., medium dogs ONLY 23-44 lbs., large dogs ONLY 45-88 lbs., and extra-large dogs ONLY 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd. Duluth, GA 30096-4640, USA
©FRONTLINE is a registered trademark of Merial.
©2013 Merial Limited, Duluth, GA. All rights reserved.

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906830	VERSION	COLORS
PRODUCT: FRT PLUS NOTICE SINGLE CHIENS S VERSO	INITIALS: LYON SJ AJ NSe VERSION - DATE: A 17/07/13 16h20 B 22/07/13 14h29 C 08/08/13 COMPOSER RH 11h00	Black/Noir
COUNTRY: United States of America (USA)	CANCEL AND REPLACE: 053 906007	Please use the official PANTONE® (P) matching system for an accurate color representation.
Dimensions: mm = 176 x 112 • Pliée 88 x 112 inches=		

Marketing approval:	Regulatory approval:
COMPLETE NAME:	COMPLETE NAME:
DATE + SIGNATURE:	DATE + SIGNATURE:

Signature numérique de
 SENEZ Nathalie - AN/FR
 DN : c = FR, o = sanofi_aventis,
 0 9 2342 19200300 100 1 1
 SENEZ cn = SENEZ Nathalie
 - AN/FR
 Date : 2014 02 27 09:57 08
 +01'00'



How to Apply **FRONTLINE®** *Plus* FOR DOGS



Step 1.
OPEN Applicator
 Hold upright with foil side toward you and snap applicator tip.



Step 2.
APPLY FRONTLINE Plus
 Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 23 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month.

Questions or Comments?
Call: 1-800-660-1842,
 Monday-Friday, 8am-8pm EST or
 visit us at www.FRONTLINE.com



* 3 9 0 6 8 3 1 *

Technical area :
 No print except prod. barcode

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906831

PRODUCT: FRT PLUS
 NOTICE SINGLE CHIENS M
 RECTO

COUNTRY: United States of America (USA)

Dimensions:
 mm = 176 x 112 - Pliéé 88 x 112
 inches =

VERSION

INITIALS:
 SJ AJ NSe
VERSION - DATE:
 A 17/07/13 16h42 B 22/07/13 14h23
 C 08/08/13 COMPOSER RH 11h00

**CANCEL AND
 REPLACE:** 053 906008

COLORS



↑ Please use the official PANTONE® (P) matching
 ● system for an accurate color representation.

053 906831

FRONTLINE® *Plus* FOR DOGS

Kills fleas, flea eggs & larvae,
 ticks & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

ACTIVE INGREDIENTS:
 Fipronil:9.8%
 (S)-methoprene:8.8%
INERT INGREDIENTS:81.4%
TOTAL:100%
NET CONTENTS: 1-0.045 fl oz (1.34 mL) applicator
1 monthly dose

**Kills ticks, including those that may
 transmit Lyme disease**

For use **ONLY**
 on **DOGS**
23 to 44 lbs

EPA Reg. No. 65331-5
 EPA Est. 65331-FR-2
 MADE IN FRANCE

See inside panels for **FIRST AID**
 and **PRECAUTIONARY**
 statements.



KEEP OUT OF REACH OF CHILDREN
CAUTION

**DO NOT
 USE ON
 CATS**



Marketing approval:

**COMPLETE
 NAME:**

**DATE +
 SIGNATURE:**

Regulatory approval:

**COMPLETE
 NAME:**

**DATE +
 SIGNATURE:**

FRONTLINE® Plus FOR DOGS

For use **ONLY** on **DOGS & PUPPIES 8 weeks or older and weighing at least 23 lbs.**: Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, and sarcoptic mites.

ACTIVE INGREDIENTS

fipronil: 9.8%
(S)-methoprene 8.8%
INERT INGREDIENTS 81.4%
TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FRONTLINE® Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 23 lbs.

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.** To kill fleas, flea eggs & larva, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

- OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

- APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 23 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month. FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages

for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases. FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age and 23 lbs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE Plus for Dogs is available in sizes for use ONLY on small dogs and puppies 8 weeks or older and 5-22 lbs., medium dogs ONLY 23-44 lbs., large dogs ONLY 45-88 lbs., and extra-large dogs ONLY 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd. Duluth, GA 30096-4640, USA
©FRONTLINE is a registered trademark of Merial.
©2013 Merial Limited, Duluth, GA. All rights reserved.

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906831

PRODUCT: FRT PLUS
NOTICE SINGLE CHIENS M
VERSO

COUNTRY: United States of America (USA)

Dimensions:
mm = 176 x 112 - Pliéé 88 x 112
inches =

VERSION

INITIALS:
SJ AJ NSe
VERSION - DATE:
A 17/07/13 16h42 B 22/07/13 14h23
C 08/08/13 COMPOSER RH 11h00

**CANCEL AND
REPLACE: 053 906008**

COLORS

Black/Noir

↑ Please use the official PANTONE® (P) matching
● system for an accurate color representation.

Marketing approval:

**COMPLETE
NAME:**

**DATE +
SIGNATURE:**

Regulatory approval:

**COMPLETE
NAME:**

**DATE +
SIGNATURE:**

Signature numérique de
 SENE Nathalie AH/FR
 DN : c=FR o=sanofi aventis
 0 9 2342 19200300 100 11=N
 SENE cn=SENE Nathalie
 AH/FR
 Date: 2014.02.27 09:57:40
 +01'00'



How to Apply **FRONTLINE®** *Plus* FOR DOGS



Step 1.
OPEN Applicator
 Hold upright with foil side toward you and snap applicator tip.



Step 2.
APPLY FRONTLINE Plus
 Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 45 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month.

Questions or Comments?
Call: 1-800-660-1842,
 Monday-Friday, 8am-8pm EST or
 visit us at www.FRONTLINE.com



* 3 9 0 6 8 3 2 *

Technical area :
 No print except prod. barcode

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906832

PRODUCT: FRT PLUS
 NOTICE SINGLE CHIENS L
 RECTO

COUNTRY: United States of America (USA)

Dimensions:
 mm = 176 x 112 - Pliéé 88 x 112
 inches =

VERSION

INITIALS:
 SJ AJ NSe
VERSION - DATE:
 A 17/07/13 16h58 B 22/07/13 14h35
 C 08/08/13 COMPOSER RH 11h00

**CANCEL AND
 REPLACE:** 053 906009

COLORS



Please use the official PANTONE® (P) matching system for an accurate color representation.

053 906832

FRONTLINE® *Plus* FOR DOGS

Kills fleas, flea eggs & larvae,
 ticks & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

ACTIVE INGREDIENTS:
 Fipronil:9.8%
 (S)-methoprene:8.8%
INERT INGREDIENTS:81.4%
TOTAL:100%
 NET CONTENTS: 1-0.091 fl oz (2.68 mL) applicator
1 monthly dose

**Kills ticks, including those that may
 transmit Lyme disease**

For use **ONLY**
 on **DOGS**
45 to 88 lbs

EPA Reg. No. 65331-5
 EPA Est. 65331-FR-2
 MADE IN FRANCE

See inside panels for **FIRST AID**
 and **PRECAUTIONARY**
 statements.



KEEP OUT OF REACH OF CHILDREN
CAUTION

**DO NOT
 USE ON
 CATS**



Marketing approval:

**COMPLETE
 NAME:**

**DATE +
 SIGNATURE:**

Regulatory approval:

**COMPLETE
 NAME:**

**DATE +
 SIGNATURE:**

FRONTLINE® Plus FOR DOGS

For use **ONLY** on **DOGS & PUPPIES 8 weeks or older and weighing at least 45 lbs.**: Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, and sarcoptic mites.

ACTIVE INGREDIENTS

fipronil: 9.8%
(S)-methoprene 8.8%
INERT INGREDIENTS 81.4%
TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FRONTLINE® Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 45 lbs.

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.** To kill fleas, flea eggs & larva, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

- OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

- APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 45 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month. FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages

for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases. FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age and 45 lbs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE Plus for Dogs is available in sizes for use ONLY on small dogs and puppies 8 weeks or older and 5-22 lbs., medium dogs ONLY 23-44 lbs., large dogs ONLY 45-88 lbs., and extra-large dogs ONLY 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd. Duluth, GA 30096-4640, USA
©FRONTLINE is a registered trademark of Merial.
©2013 Merial Limited, Duluth, GA. All rights reserved.

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906832

PRODUCT: FRT PLUS
NOTICE SINGLE CHIENS L
VERSO

COUNTRY: United States of America (USA)

Dimensions:

mm = 176 x 112 - Pliéé 88 x 112
inches =

VERSION

INITIALS:

SJ AJ NSe

VERSION - DATE:

A 17/07/13 16h58 B 22/07/13 14h35
C 08/08/13 COMPOSER RH 11h00

CANCEL AND

REPLACE: 053 906009

COLORS

Black/Noir

↑ Please use the official PANTONE® (P) matching
● system for an accurate color representation.

Marketing approval:

**COMPLETE
NAME:**

**DATE +
SIGNATURE:**

Regulatory approval:

**COMPLETE
NAME:**

**DATE +
SIGNATURE:**



How to Apply **FRONTLINE®** *Plus* FOR DOGS



Step 1.

OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.



Step 2.

APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 89 lbs. or younger than 8 weeks of age. Do not use two applicators for dogs weighing more than 132 lbs. Do not use more than one application per dog per month.

Questions or Comments?

Call: **1-800-660-1842**,
 Monday-Friday, 8am-8pm EST or
 visit us at www.FRONTLINE.com



* 3 9 0 6 8 3 3 *

Technical area :
 No print except prod. barcode

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906833

PRODUCT: FRT PLUS
 NOTICE SINGLE CHIENS XL
 RECTO

COUNTRY: United States of America (USA)

Dimensions:
 mm = 176 x 112 - Pliéé 88 x 112
 inches=

VERSION

INITIALS:
 SJ AJ NSe
VERSION - DATE:
 A 17/07/13 17h11 B 22/07/13 15h01
 C 08/08/13 COMPOSER RH 11h00

CANCEL AND
 REPLACE: 053 906010

COLORS



Please use the official PANTONE® (P) matching system for an accurate color representation.

053 906833

FRONTLINE®

Kills fleas, flea eggs & larvae,
 ticks & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

ACTIVE INGREDIENTS:
 Fipronil:9.8%
 (S)-methoprene:8.8%
INERT INGREDIENTS:81.4%
TOTAL:100%
 NET CONTENTS: 1-0.136 fl oz (4.02 mL) applicator
1 monthly dose

Plus FOR DOGS

Kills ticks, including those that may
 transmit Lyme disease

For use **ONLY**
 on **DOGS**
89 to 132 lbs

EPA Reg. No. 65331-5
 EPA Est. 65331-FR-2
 MADE IN FRANCE

See inside panels for **FIRST AID**
 and **PRECAUTIONARY**
 statements.



KEEP OUT OF REACH OF CHILDREN
CAUTION

**DO NOT
 USE ON
 CATS**



Marketing approval:

**COMPLETE
 NAME:**

**DATE +
 SIGNATURE:**

Regulatory approval:

**COMPLETE
 NAME:**

**DATE +
 SIGNATURE:**

FRONTLINE® Plus FOR DOGS

For use **ONLY** on **DOGS & PUPPIES 8 weeks or older and weighing at least 89 lbs.**: Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, and sarcoptic mites.

ACTIVE INGREDIENTS

fipronil: 9.8%
(S)-methoprene 8.8%
INERT INGREDIENTS 81.4%
TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FRONTLINE® Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 89 lbs.

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.** To kill fleas, flea eggs & larva, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

- **OPEN** Applicator

Hold upright with foil side toward you and snap applicator tip.

- **APPLY** FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 89 lbs. or younger than 8 weeks of age. Do not use two applicators for dogs weighing more than 132 lbs. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and

flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age and 89 lbs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

**PHYSICAL OR CHEMICAL HAZARDS
COMBUSTIBLE:** Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE Plus for Dogs is available in sizes for use ONLY on small dogs and puppies 8 weeks or older and 5-22 lbs., medium dogs ONLY 23-44 lbs., large dogs ONLY 45-88 lbs., and extra-large dogs ONLY 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd. Duluth, GA 30096-4640, USA
©FRONTLINE is a registered trademark of Merial.
©2013 Merial Limited, Duluth, GA. All rights reserved.

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906833

PRODUCT: FRT PLUS
NOTICE SINGLE CHIENS XL
VERSO

COUNTRY: United States of America (USA)

Dimensions:

mm = 176 x 112 - Pliéé 88 x 112
inches =

VERSION

INITIALS:
SJ AJ NSe
VERSION - DATE:
A 17/07/13 17h11 B 22/07/13 15h01
C 08/08/13 COMPOSER RH 11h00

CANCEL AND

REPLACE: 053 906010

COLORS

Black/Noir

Please use the official PANTONE® (P) matching system for an accurate color representation.

Marketing approval:

**COMPLETE
NAME:**

**DATE +
SIGNATURE:**

Regulatory approval:

**COMPLETE
NAME:**

**DATE +
SIGNATURE:**



Lot #

Code: 0 036 908758	VERSION	COLORS									
PRODUCT: FRONTLINE PLUS Etui x3 CHIENS S	INITIALS: NSe COMPOSER ET VERSION - DATE: A 23/05/14 15h15	<table border="1"> <tr> <td>Noir/Black</td> <td>Cyan</td> <td>P 173</td> </tr> <tr> <td>Magenta</td> <td>Yellow</td> <td>P 152</td> </tr> <tr> <td></td> <td></td> <td>P 877</td> </tr> </table>	Noir/Black	Cyan	P 173	Magenta	Yellow	P 152			P 877
Noir/Black	Cyan	P 173									
Magenta	Yellow	P 152									
		P 877									
COUNTRY: United States of America (USA)	CANCEL AND REPLACE: 0 036 906837	Please use the official PANTONE® (P) matching system for an accurate color representation.									
Dimensions: mm = 148x17x112											
PRINTED BASIS CODE (if applicable): NA											

How to Apply
FRONTLINE® Plus FOR DOGS



Step 1. To REMOVE Applicator:
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.



Step 2. OPEN Applicator
Hold upright with foil side toward you and snap applicator tip.



Step 3. APPLY FRONTLINE Plus
Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 5 lbs or younger than 8 weeks of age. Do not use more than one application per dog per month.

Questions or Comments?
Call: 1-800-660-1842,
Monday-Friday, 8am-8pm EST or
visit us at www.FRONTLINE.com



036 908758

Marketing approval:	Regulatory approval:
COMPLETE NAME:	COMPLETE NAME:
DATE + SIGNATURE:	DATE + SIGNATURE:



* 6 9 0 8 7 5 8 *

* Toulouse: EPA Est. 65331-FR-2
Ivers Lee: EPA Est. 74528-CHE-1

ATTENTION !
Ne pas repiquer sur cette partie de la tranche (moitié supérieure)

LOT NO: x00000xx
EPA Reg. No. 65331-5
EPA Est. 00000-XX-0*

FRONTLINE® Plus FOR DOGS



FRONTLINE Plus for Dogs provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, chewing lice, and sarcoptic mites for use ONLY on dogs and puppies 8 weeks or older and 5-22 lbs.

Directions for Use
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. Pets may experience some temporary irritation at the site of application. Please see insert for additional information.

To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

- To REMOVE Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- OPEN Applicator. Hold upright with foil side toward you and snap applicator tip.
- APPLY FRONTLINE Plus. Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 5 lbs or younger than 8 weeks of age. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.
SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Frequency of Application

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

3 doses
and 5 to 22 lbs
PUPPIES 8 Weeks or Older
For use ONLY on DOGS & PUPPIES 8 Weeks or Older



Please call our experts at
1-800-660-1842.
Monday-Friday,
8am-8pm EST with any
questions or comments
about flea, tick, chewing lice,
or sarcoptic mite control or
FRONTLINE Plus.



Keep cats away from treated dogs for 24 hours or until product has dried. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

Merial Limited
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA
MADE IN FRANCE

©FRONTLINE is a registered trademark of Merial.
©2013 Merial Limited, Duluth, GA.
All rights reserved.

FRONTLINE® Plus FOR DOGS
For use ONLY on DOGS & PUPPIES 8 Weeks or Older
and 5 to 22 lbs
3 doses

FRONTLINE® Plus FOR DOGS
3 doses

Kills fleas, flea eggs & larvae, ticks, & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

Kills ticks, including those that may transmit Lyme disease

For use ONLY on DOGS & PUPPIES 8 Weeks or Older and 5 to 22 lbs

ACTIVE INGREDIENTS:
Fipronil: 9.8%
(S)-methoprene: 8.8%
INERT INGREDIENTS: 81.4%
TOTAL: 100%
NET CONTENTS: 0.069 fl oz (2.01 ml)
3-0.023 fl oz (0.67 ml) applicators

SEE INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS.
KEEP OUT OF REACH OF CHILDREN
CAUTION

DO NOT USE ON CATS

For dog use only

Code: 0 036 908758	VERSION	COLORS
PRODUCT: FRONTLINE PLUS Etui x3 CHIENS S	INITIALS: NSe COMPOSER ET VERSION - DATE: A 23/05/14 15h15	Noir/Black P 1795
COUNTRY: United States of America (USA) Dimensions: mm = 148x17x112	CANCEL AND REPLACE: 0 036 906837	Please use the official PANTONE® (P) matching system for an accurate color representation.
PRINTED BASIS CODE (if applicable): NA		

FRONTLINE® Plus FOR DOGS

FRONTLINE® Plus for Dogs is:

- Fast-acting
- Long-lasting
- Waterproof

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, flea eggs & larvae, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

FRONTLINE Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*).
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 5 lbs.



Adult Fleas



Flea Eggs



Flea Larvae



Ticks



Chewing Lice



Marketing approval:	Regulatory approval:
COMPLETE NAME:	COMPLETE NAME:
DATE + SIGNATURE:	DATE + SIGNATURE:

Code: 0 036 908759	VERSION	COLORS									
PRODUCT: FRONTLINE PLUS Etui x3 CHIENS M	INITIALS: NSe COMPOSER ET VERSION - DATE: A 23/05/14 15h15	<table border="1"> <tr> <td>Noir/Black</td> <td>Cyan</td> <td>P 653</td> </tr> <tr> <td>Magenta</td> <td>Yellow</td> <td>P 7461</td> </tr> <tr> <td colspan="2"></td> <td>P 877</td> </tr> </table>	Noir/Black	Cyan	P 653	Magenta	Yellow	P 7461			P 877
Noir/Black	Cyan	P 653									
Magenta	Yellow	P 7461									
		P 877									
COUNTRY: United States of America (USA)											
Dimensions: mm = 148x17x112											
PRINTED BASIS CODE (if applicable): NA	CANCEL AND REPLACE: 0 036 906838	! Please use the official PANTONE® (P) matching system for an accurate color representation.									

How to Apply
FRONTLINE® Plus FOR DOGS



Step 1. To REMOVE Applicator:
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.




Step 2. OPEN Applicator
Hold upright with **foil side toward you** and snap applicator tip.



Step 3. APPLY FRONTLINE Plus
Part the dog's hair between the shoulder blades. Place the applicator tip just above the **skin** and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 23 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month.

Questions or Comments?
Call: **1-800-660-1842**,
Monday-Friday, 8am-8pm EST or visit us at www.FRONTLINE.com



036 908759

Marketing approval:	Regulatory approval:
COMPLETE NAME:	COMPLETE NAME:
DATE + SIGNATURE:	DATE + SIGNATURE:



ATTENTION !
Ne pas repiquer sur cette partie de la tranche (moitié supérieure)

LOT NO: x00000xx
EPA Reg. No. 65331-5
EPA Est. 00000-XX-0*

* Toulouse: EPA Est. 65331-FR-2
Ivers Lee: EPA Est. 74528-CHE-1

FRONTLINE® Plus FOR DOGS

FRONTLINE Plus for Dogs provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, chewing lice, and sarcoptic mites for use ONLY on dogs weighing 23-44 lbs.

Directions for Use
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. Pets may experience some temporary irritation at the site of application. Please see insert for additional information.**

- To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:
- To REMOVE Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
 - OPEN Applicator. Hold upright with foil side toward you and snap applicator tip.
 - APPLY FRONTLINE Plus. Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 23 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.
SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Frequency of Application

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.



Please call our experts at **1-800-660-1842**, Monday-Friday, 8am-8pm EST with any questions or comments about flea, tick, chewing lice, or sarcoptic mite control or FRONTLINE Plus.



Keep cats away from treated dogs for 24 hours or until product has dried. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

Merial Limited
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA
MADE IN FRANCE

©FRONTLINE is a registered trademark of Merial.
©2013 Merial Limited, Duluth, GA. All rights reserved.

3 doses
23 to 44 lbs
For use ONLY on DOGS
FRONTLINE® Plus FOR DOGS

FRONTLINE® Plus FOR DOGS

For use ONLY on DOGS
23 to 44 lbs

3 doses

For dog use only

FRONTLINE® Plus FOR DOGS
Kills fleas, flea eggs & larvae, ticks, & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

Kills ticks, including those that may transmit Lyme disease



For use ONLY on DOGS
23 to 44 lbs

ACTIVE INGREDIENTS:
Fipronil: 9.8%
(S)-methoprene: 8.8%
INERT INGREDIENTS: ... 81.4%
TOTAL: 100%
NET CONTENTS: 0.135 fl oz (4.02 ml)
3-0.045 fl oz (1.34 ml) applicators

SEE INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS.
KEEP OUT OF REACH OF CHILDREN
CAUTION



DO NOT USE ON CATS

3 doses

Code: 0 036 908759	VERSION	COLORS
PRODUCT: FRONTLINE PLUS Etui x3 CHIENS M	INITIALS: NSe COMPOSER ET VERSION - DATE: A 23/05/14 15h15	Noir/Black P 1795
COUNTRY: United States of America (USA) Dimensions: mm = 148x17x112	CANCEL AND REPLACE: 0 036 906838	Please use the official PANTONE® (P) matching system for an accurate color representation.
PRINTED BASIS CODE (if applicable): NA		

FRONTLINE® Plus FOR DOGS

FRONTLINE® Plus for Dogs is:

- Fast-acting
- Long-lasting
- Waterproof

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, flea eggs & larvae, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

FRONTLINE Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*).
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 23 lbs.



Adult Fleas



Flea Eggs



Flea Larvae



Ticks



Chewing Lice



Marketing approval:	Regulatory approval:
COMPLETE NAME:	COMPLETE NAME:
DATE + SIGNATURE:	DATE + SIGNATURE:

Code: 0 036 908760	VERSION	COLORS									
PRODUCT: FRONTLINE PLUS Etui x3 CHIENS L	INITIALS: NSe COMPOSER ET VERSION - DATE: A 23/05/14 15h15	<table border="1"> <tr> <td>Noir/Black</td> <td>Cyan</td> <td>P 2607</td> </tr> <tr> <td>Magenta</td> <td>Yellow</td> <td>P 2593</td> </tr> <tr> <td></td> <td></td> <td>P 877</td> </tr> </table>	Noir/Black	Cyan	P 2607	Magenta	Yellow	P 2593			P 877
Noir/Black	Cyan	P 2607									
Magenta	Yellow	P 2593									
		P 877									
COUNTRY: United States of America (USA)											
Dimensions: mm = 148x17x112											
PRINTED BASIS CODE (if applicable): NA	CANCEL AND REPLACE: 0 036 906839	! Please use the official PANTONE® (P) matching system for an accurate color representation.									

How to Apply
FRONTLINE[®] Plus FOR DOGS



Step 1. To REMOVE Applicator:
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.



Step 2. OPEN Applicator
Hold upright with foil side toward you and snap applicator tip.



Step 3. APPLY FRONTLINE Plus
Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 45 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month.

Questions or Comments?
Call: **1-800-660-1842**,
Monday-Friday, 8am-8pm EST or visit us at www.FRONTLINE.com



036 908760

ATTENTION !
Ne pas repiquer sur cette partie de la tranche (moitié supérieure)

EPA Reg. No. 65331-5
EPA Est. 00000-XX-0*

LOT NO:
x00000xx

FRONTLINE[®] Plus FOR DOGS



FRONTLINE Plus for Dogs provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, chewing lice, and sarcoptic mites for use ONLY on dogs weighing 45-88 lbs.

Directions for Use
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. Pets may experience some temporary irritation at the site of application. Please see insert for additional information.

To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

- To REMOVE Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- OPEN Applicator. Hold upright with foil side toward you and snap applicator tip.
- APPLY FRONTLINE Plus. Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 45 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Frequency of Application
When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

3 doses
45 to 88 lbs
For use ONLY on DOGS
FRONTLINE[®] Plus FOR DOGS



Please call our experts at **1-800-660-1842**, Monday-Friday, 8am-8pm EST with any questions or comments about flea, tick, chewing lice, or sarcoptic mite control or FRONTLINE Plus.



Keep cats away from treated dogs for 24 hours or until product has dried. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

Merial Limited
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA
MADE IN FRANCE

©FRONTLINE is a registered trademark of Merial.
©2013 Merial Limited, Duluth, GA. All rights reserved.

FRONTLINE[®] Plus FOR DOGS

For use ONLY on DOGS
45 to 88 lbs

3 doses

FRONTLINE[®] Plus FOR DOGS

Kills fleas, flea eggs & larvae, ticks, & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

Kills ticks, including those that may transmit Lyme disease



For use ONLY on DOGS
45 to 88 lbs

ACTIVE INGREDIENTS:
Fipronil: 9.8%
(S)-methoprene: 8.8%
INERT INGREDIENTS: ... 81.4%
TOTAL: 100%
NET CONTENTS: 0.273 fl oz (8.04 ml)
3-0.091 fl oz (2.68 ml) applicators

SEE INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS.
KEEP OUT OF REACH OF CHILDREN
CAUTION




DO NOT USE ON CATS

3 doses

Lift Here

Marketing approval:	Regulatory approval:
COMPLETE NAME:	COMPLETE NAME:
DATE + SIGNATURE:	DATE + SIGNATURE:



* Toulouse: EPA Est. 65331-FR-2
Ivers Lee: EPA Est. 74528-CHE-1

For dog use only

Code: 0 036 908760	VERSION	COLORS
PRODUCT: FRONTLINE PLUS Etui x3 CHIENS L	INITIALS: NSe COMPOSER ET VERSION - DATE: A 23/05/14 15h15	Noir/Black P 1795
COUNTRY: United States of America (USA) Dimensions: mm = 148x17x112	CANCEL AND REPLACE: 0 036 906839	Please use the official PANTONE® (P) matching system for an accurate color representation.
PRINTED BASIS CODE (if applicable): NA		

FRONTLINE® Plus FOR DOGS

FRONTLINE® Plus for Dogs is:

- Fast-acting
- Long-lasting
- Waterproof

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, flea eggs & larvae, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

FRONTLINE Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*).
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 45 lbs.



Adult Fleas



Flea Eggs



Flea Larvae



Ticks



Chewing Lice



Marketing approval:	Regulatory approval:
COMPLETE NAME:	COMPLETE NAME:
DATE + SIGNATURE:	DATE + SIGNATURE:

Code: 0 036 908761	VERSION	COLORS									
PRODUCT: FRONTLINE PLUS Etui x3 CHIENS XL	INITIALS: NSe COMPOSER ET VERSION - DATE: A 23/05/14 15h15	<table border="1"> <tr> <td>Noir/Black</td> <td>Cyan</td> <td>P 704</td> </tr> <tr> <td>Magenta</td> <td>Yellow</td> <td>P 1795</td> </tr> <tr> <td></td> <td></td> <td>P 877</td> </tr> </table>	Noir/Black	Cyan	P 704	Magenta	Yellow	P 1795			P 877
Noir/Black	Cyan	P 704									
Magenta	Yellow	P 1795									
		P 877									
COUNTRY: United States of America (USA)											
Dimensions: mm = 148x17x112											
PRINTED BASIS CODE (if applicable): NA	CANCEL AND REPLACE: 0 036 906840	! Please use the official PANTONE® (P) matching system for an accurate color representation.									

How to Apply
FRONTLINE® Plus FOR DOGS



- Step 1. To REMOVE Applicator:**
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- Step 2. OPEN Applicator**
Hold upright with **foil side toward you** and snap applicator tip.
- Step 3. APPLY FRONTLINE Plus**
Part the dog's hair between the shoulder blades. Place the applicator tip just above the **skin** and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 89 lbs. or younger than 8 weeks of age. Do not use two applicators for dogs weighing more than 132 lbs. Do not use more than one application per dog per month.

Questions or Comments?
Call: 1-800-660-1842.
Monday-Friday, 8am-8pm EST or visit us at www.FRONTLINE.com



036 908761

ATTENTION !
Ne pas repiquer sur cette partie de la tranche (moitié supérieure)

LOT NO: x00000xx
EPA Reg. No. 65331-5
EPA Est. 00000-XX-0*

FRONTLINE® Plus FOR DOGS
89 to 132 lbs
3 doses

FRONTLINE® Plus FOR DOGS

FRONTLINE Plus for Dogs provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, chewing lice, and sarcoptic mites for use ONLY on dogs weighing 89-132 lbs.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. Pets may experience some temporary irritation at the site of application. Please see insert for additional information.**

To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

- To **REMOVE** Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- OPEN** Applicator. Hold upright with foil side toward you and snap applicator tip.
- APPLY** FRONTLINE Plus. Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 89 lbs. or younger than 8 weeks of age. Do not use two applicators for dogs weighing more than 132 lbs. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Frequency of Application

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.



Please call our experts at **1-800-660-1842**, Monday-Friday, 8am-8pm EST with any questions or comments about flea, tick, chewing lice, or sarcoptic mite control or FRONTLINE Plus.



DO NOT USE ON CATS

Keep cats away from treated dogs for 24 hours or until product has dried. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

Merial Limited
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA
MADE IN FRANCE

©FRONTLINE is a registered trademark of Merial.
©2013 Merial Limited, Duluth, GA. All rights reserved.

FRONTLINE® Plus FOR DOGS
89 to 132 lbs
3 doses

FRONTLINE® Plus FOR DOGS
3 doses

Kills fleas, flea eggs & larvae, ticks, & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

Kills ticks, including those that may transmit Lyme disease



For use ONLY on DOGS
89 to 132 lbs

ACTIVE INGREDIENTS:
Fipronil: 9.8%
(S)-methoprene: 8.8%
INERT INGREDIENTS: ... 81.4%
TOTAL: 100%
NET CONTENTS: 0.408 fl oz (12.06 ml)
3-0.136 fl oz (4.02 ml) applicators


SEE INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS.
KEEP OUT OF REACH OF CHILDREN
CAUTION



DO NOT USE ON CATS



Marketing approval:	Regulatory approval:
COMPLETE NAME:	COMPLETE NAME:
DATE + SIGNATURE:	DATE + SIGNATURE:



* Toulouse: EPA Est. 65331-FR-2
Ivers Lee: EPA Est. 74528-CHE-1

For dog use only

Code: 0 036 908761		VERSION	COLORS
PRODUCT: FRONTLINE PLUS Etui x3 CHIENS XL	INITIALS: NSe COMPOSER ET	VERSION - DATE: A 23/05/14 15h15	Noir/Black P 1795
COUNTRY: United States of America (USA)	CANCEL AND REPLACE: 0 036 906840		Please use the official PANTONE® (P) matching system for an accurate color representation.
Dimensions: mm = 148x17x112			
PRINTED BASIS CODE (if applicable): NA			

FRONTLINE® Plus FOR DOGS

FRONTLINE® Plus for Dogs is:

- Fast-acting
- Long-lasting
- Waterproof

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, flea eggs & larvae, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

FRONTLINE Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*).
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 89 lbs.



Marketing approval:	Regulatory approval:
COMPLETE NAME:	COMPLETE NAME:
DATE + SIGNATURE:	DATE + SIGNATURE:

Code: 0 036 908762	VERSION	COLORS									
PRODUCT: FRONTLINE PLUS Etui x6 CHIENS S	INITIALS: NSe COMPOSER ET VERSION - DATE: A 23/05/14 15h15	<table border="1"> <tr> <td>Noir/Black</td> <td>Cyan</td> <td>P 173</td> </tr> <tr> <td>Magenta</td> <td>Yellow</td> <td>P 152</td> </tr> <tr> <td></td> <td></td> <td>P 877</td> </tr> </table>	Noir/Black	Cyan	P 173	Magenta	Yellow	P 152			P 877
Noir/Black	Cyan	P 173									
Magenta	Yellow	P 152									
		P 877									
COUNTRY: United States of America (USA) Dimensions: mm = 148x17x112											
PRINTED BASIS CODE (if applicable): NA	CANCEL AND REPLACE: 0 036 906842	<p>! Please use the official PANTONE® (P) matching system for an accurate color representation.</p>									

How to Apply
FRONTLINE® Plus FOR DOGS



Step 1. To REMOVE Applicator:
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.



Step 2. OPEN Applicator
Hold upright with foil side toward you and snap applicator tip.



Step 3. APPLY FRONTLINE Plus
Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 5 lbs or younger than 8 weeks of age. Do not use more than one application per dog per month.

Questions or Comments?
Call: 1-800-660-1842,
Monday-Friday, 8am-8pm EST or visit us at www.FRONTLINE.com



036 908762

ATTENTION !
Ne pas repiquer sur cette partie de la tranche (moitié supérieure)

EPA Reg. No. 65331-5
EPA Est. 00000-XX-0*

LOT NO:
x00000xx

FRONTLINE® Plus FOR DOGS



FRONTLINE Plus for Dogs provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, chewing lice, and sarcoptic mites for use ONLY on dogs and puppies 8 weeks or older and 5-22 lbs.

Directions for Use
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. Pets may experience some temporary irritation at the site of application. Please see insert for additional information.

To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

- To REMOVE Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- OPEN Applicator. Hold upright with foil side toward you and snap applicator tip.
- APPLY FRONTLINE Plus. Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 5 lbs or younger than 8 weeks of age. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Frequency of Application

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.



Please call our experts at
1-800-660-1842,
Monday-Friday,
8am-8pm EST with any questions or comments about flea, tick, chewing lice, or sarcoptic mite control or FRONTLINE Plus.



Keep cats away from treated dogs for 24 hours or until product has dried. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

Merial Limited
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA
MADE IN FRANCE

©FRONTLINE is a registered trademark of Merial.
©2013 Merial Limited, Duluth, GA. All rights reserved.

FRONTLINE® Plus FOR DOGS

For use ONLY on DOGS & PUPPIES 8 Weeks or Older and 5 to 22 lbs

6 doses

FRONTLINE® Plus FOR DOGS

Kills fleas, flea eggs & larvae, ticks, & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

Kills ticks, including those that may transmit Lyme disease



For use ONLY on DOGS & PUPPIES 8 Weeks or Older and 5 to 22 lbs

6 doses

ACTIVE INGREDIENTS:
Fipronil: 9.8%
(S)-methoprene: 8.8%
INERT INGREDIENTS: ... 81.4%
TOTAL: 100%
NET CONTENTS: 0.138 fl oz (4.02 ml)
6-0.023 fl oz (0.67 ml) applicators

SEE INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS.
KEEP OUT OF REACH OF CHILDREN
CAUTION



DO NOT USE ON CATS



6 doses

Lift Here

Marketing approval:


COMPLETE NAME:

DATE + SIGNATURE:

Regulatory approval:

COMPLETE NAME:

DATE + SIGNATURE:



* Toulouse: EPA Est. 65331-FR-2
Ivers Lee: EPA Est. 74528-CHE-1

For dog use only

Code: 0 036 908762	VERSION	COLORS
PRODUCT: FRONTLINE PLUS Etui x6 CHIENS S	INITIALS: NSe COMPOSER ET VERSION - DATE: A 23/05/14 15h15	Noir/Black P 1795
COUNTRY: United States of America (USA)	CANCEL AND REPLACE: 0 036 906842	! Please use the official PANTONE® (P) matching system for an accurate color representation.
Dimensions: mm = 148x17x112		
PRINTED BASIS CODE (if applicable): NA		

FRONTLINE® Plus FOR DOGS

FRONTLINE® Plus for Dogs is:

- Fast-acting
- Long-lasting
- Waterproof

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, flea eggs & larvae, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

FRONTLINE Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*).
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 5 lbs.



Adult Fleas



Flea Eggs



Flea Larvae



Ticks



Chewing Lice



Marketing approval:	Regulatory approval:
COMPLETE NAME:	COMPLETE NAME:
DATE + SIGNATURE:	DATE + SIGNATURE:

Code: 0 036 908763	VERSION	COLORS									
PRODUCT: FRONTLINE PLUS Etui x6 CHIENS M	INITIALS: NSe COMPOSER ET VERSION - DATE: A 23/05/14 15h15	<table border="1"> <tr> <td>Noir/Black</td> <td>Cyan</td> <td>P 653</td> </tr> <tr> <td>Magenta</td> <td>Yellow</td> <td>P 7461</td> </tr> <tr> <td colspan="2"></td> <td>P 877</td> </tr> </table>	Noir/Black	Cyan	P 653	Magenta	Yellow	P 7461			P 877
Noir/Black	Cyan	P 653									
Magenta	Yellow	P 7461									
		P 877									
COUNTRY: United States of America (USA)											
Dimensions: mm = 148x17x112											
PRINTED BASIS CODE (if applicable): NA	CANCEL AND REPLACE: 0 036 906843	! Please use the official PANTONE® (P) matching system for an accurate color representation.									

How to Apply
FRONTLINE® Plus FOR DOGS



Step 1. To REMOVE Applicator:
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.



Step 2. OPEN Applicator
Hold upright with **foil side toward you** and snap applicator tip.



Step 3. APPLY FRONTLINE Plus
Part the dog's hair between the shoulder blades. Place the applicator tip just above the **skin** and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 23 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month.

Questions or Comments?
Call: 1-800-660-1842,
Monday-Friday, 8am-8pm EST or
visit us at www.FRONTLINE.com



036 908763

ATTENTION !
Ne pas repiquer sur cette
partie de la tranche (moitié supérieure)

LOT NO: x00000xx
EPA Reg. No. 65331-5
EPA Est. 00000-XX-0*

FRONTLINE® Plus FOR DOGS



FRONTLINE Plus for Dogs provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, chewing lice, and sarcoptic mites for use ONLY on dogs weighing 23-44 lbs.

Directions for Use
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. Pets may experience some temporary irritation at the site of application. Please see insert for additional information.**

- To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:
- To REMOVE Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
 - OPEN Applicator. Hold upright with foil side toward you and snap applicator tip.
 - APPLY FRONTLINE Plus. Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 23 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Frequency of Application

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

6 doses
23 to 44 lbs
For use ONLY on DOGS

FRONTLINE® Plus FOR DOGS



Please call our experts at
1-800-660-1842
Monday-Friday,
8am-8pm EST with any
questions or comments
about flea, tick, chewing lice,
or sarcoptic mite control or
FRONTLINE Plus.



Keep cats away from treated dogs for 24 hours or until product has dried. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

Merial Limited
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA
MADE IN FRANCE

©FRONTLINE is a registered trademark of Merial.
©2013 Merial Limited, Duluth, GA.
All rights reserved.

FRONTLINE® Plus FOR DOGS

For use ONLY on DOGS
23 to 44 lbs

6 doses

FRONTLINE® Plus FOR DOGS

6 doses

Kills fleas, flea eggs & larvae, ticks, & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

Kills ticks, including those that may transmit Lyme disease



For use ONLY on DOGS

23 to 44 lbs

ACTIVE INGREDIENTS:
Fipronil: 9.8%
(S)-methoprene: 8.8%
INERT INGREDIENTS: ... 81.4%
TOTAL: 100%
NET CONTENTS: 0.27 fl oz (8.04 ml)
6-0.045 fl oz (1.34 ml) applicators

SEE INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS.
KEEP OUT OF REACH OF CHILDREN
CAUTION



DO NOT USE ON CATS



Marketing approval:


COMPLETE NAME:

DATE + SIGNATURE:

Regulatory approval:

COMPLETE NAME:

DATE + SIGNATURE:



* Toulouse: EPA Est. 65331-FR-2
Ivers Lee: EPA Est. 74528-CHE-1

For dog use only

Code: 0 036 908763	VERSION	COLORS
PRODUCT: FRONTLINE PLUS Etui x6 CHIENS M	INITIALS: NSe COMPOSER ET VERSION - DATE: A 23/05/14 15h15	Noir/Black P 1795
COUNTRY: United States of America (USA) Dimensions: mm = 148x17x112	CANCEL AND REPLACE: 0 036 906843	Please use the official PANTONE® (P) matching system for an accurate color representation.
PRINTED BASIS CODE (if applicable): NA		

FRONTLINE® Plus FOR DOGS

FRONTLINE® Plus for Dogs is:

- Fast-acting
- Long-lasting
- Waterproof

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, flea eggs & larvae, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

FRONTLINE Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*).
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 23 lbs.



Adult Fleas



Flea Eggs



Flea Larvae



Ticks



Chewing Lice



* 6 9 0 8 7 6 3 *

Marketing approval:	Regulatory approval:
COMPLETE NAME:	COMPLETE NAME:
DATE + SIGNATURE:	DATE + SIGNATURE:

Code: 0 036 908764	VERSION	COLORS									
PRODUCT: FRONTLINE PLUS Etui x6 CHIENS L	INITIALS: NSE COMPOSER ET VERSION - DATE: A 23/05/14 15h15	<table border="1"> <tr> <td>Noir/Black</td> <td>Cyan</td> <td>P 2607</td> </tr> <tr> <td>Magenta</td> <td>Yellow</td> <td>P 2593</td> </tr> <tr> <td></td> <td></td> <td>P 877</td> </tr> </table>	Noir/Black	Cyan	P 2607	Magenta	Yellow	P 2593			P 877
Noir/Black	Cyan	P 2607									
Magenta	Yellow	P 2593									
		P 877									
COUNTRY: United States of America (USA)											
Dimensions: mm = 148x26x112											
PRINTED BASIS CODE (if applicable): NA	CANCEL AND REPLACE: 0 036 906844	! Please use the official PANTONE® (P) matching system for an accurate color representation.									

How to Apply
FRONTLINE® Plus FOR DOGS



Step 1. To REMOVE Applicator:

Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.



Step 2. OPEN Applicator

Hold upright with **foil side toward you** and snap applicator tip.



Step 3. APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the **skin** and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 45 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month.

Questions or Comments?

Call: 1-800-660-1842,
Monday-Friday, 8am-8pm EST or
visit us at www.FRONTLINE.com



036 908764

ATTENTION !
Ne pas repiquer sur cette
partie de la tranche (moitié supérieure)

LOT NO: x00000xx
EPA Reg. No. 65331-5
EPA Est. 00000-XX-0*

FRONTLINE® Plus FOR DOGS



FRONTLINE Plus for Dogs provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, chewing lice, and sarcoptic mites for use ONLY on dogs weighing 45-88 lbs.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.** Pets may experience some temporary irritation at the site of application. Please see insert for additional information.

To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

- To REMOVE Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- OPEN Applicator. Hold upright with foil side toward you and snap applicator tip.
- APPLY FRONTLINE Plus. Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 45 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Frequency of Application

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

* Toulouse: EPA Est. 65331-FR-2

Ivers Lee: EPA Est. 74528-CHE-1

6 doses
45 to 88 lbs
For use ONLY on DOGS

FRONTLINE® Plus FOR DOGS



Please call our experts at
1-800-660-1842
Monday-Friday,
8am-8pm EST with any
questions or comments
about flea, tick, chewing lice,
or sarcoptic mite control or
FRONTLINE Plus.



Keep cats away from treated
dogs for 24 hours or until product
has dried. If applied to a cat or
ingested by a cat, contact your
veterinarian immediately.

Merial Limited
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA
MADE IN FRANCE

©FRONTLINE is a registered
trademark of Merial.
©2013 Merial Limited, Duluth, GA.
All rights reserved.

FRONTLINE® Plus FOR DOGS

For use ONLY on DOGS
45 to 88 lbs

6 doses

For dog use only

FRONTLINE® Plus FOR DOGS

Kills fleas, flea eggs & larvae,
ticks, & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

Kills ticks, including
those that may
transmit Lyme disease



For use ONLY on DOGS

45 to 88 lbs

ACTIVE INGREDIENTS:
Fipronil: 9.8%
(S)-methoprene: 8.8%
INERT INGREDIENTS: 81.4%
TOTAL: 100%
NET CONTENTS: 0.546 fl oz (16.08 ml)
6-0.091 fl oz (2.68 ml) applicators

SEE INSERT FOR FIRST AID
AND PRECAUTIONARY STATEMENTS.
KEEP OUT OF REACH OF CHILDREN
CAUTION



DO NOT USE ON CATS



Marketing approval:

COMPLETE NAME:
DATE + SIGNATURE:

Regulatory approval:

COMPLETE NAME:
DATE + SIGNATURE:



* 4 7 6 7 8 0 8 9 0 9 *

Code: 0 036 908764	VERSION	COLORS
PRODUCT: FRONTLINE PLUS Etui x6 CHIENS L	INITIALS: NSe COMPOSER ET VERSION - DATE: A 23/05/14 15h15	Noir/Black P 1795
COUNTRY: United States of America (USA)		
Dimensions: mm = 148x26x112		
PRINTED BASIS CODE (if applicable): NA	CANCEL AND REPLACE: 0 036 906844	! Please use the official PANTONE® (P) matching system for an accurate color representation.

FRONTLINE® Plus FOR DOGS

FRONTLINE® Plus for Dogs is:

- Fast-acting
- Long-lasting
- Waterproof

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, flea eggs & larvae, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

FRONTLINE Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*).
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 45 lbs.



Adult Fleas



Flea Eggs



Flea Larvae



Ticks



Chewing Lice



Marketing approval:

COMPLETE NAME:

DATE + SIGNATURE:

Regulatory approval:

COMPLETE NAME:

DATE + SIGNATURE:

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 0 036 908765	VERSION	COLORS									
PRODUCT: FRONTLINE PLUS Etui x6 CHIENS XL	INITIALS: NSe COMPOSER ET VERSION - DATE: A 23/05/14 15h15	<table border="1"> <tr> <td>Noir/Black</td> <td>Cyan</td> <td>P 704</td> </tr> <tr> <td>Magenta</td> <td>Yellow</td> <td>P 1795</td> </tr> <tr> <td></td> <td></td> <td>P 877</td> </tr> </table>	Noir/Black	Cyan	P 704	Magenta	Yellow	P 1795			P 877
Noir/Black	Cyan	P 704									
Magenta	Yellow	P 1795									
		P 877									
COUNTRY: United States of America (USA)											
Dimensions: mm = 148x26x112											
PRINTED BASIS CODE (if applicable): NA	CANCEL AND REPLACE: 0 036 906845	! Please use the official PANTONE® (P) matching system for an accurate color representation.									

How to Apply FRONTLINE Plus FOR DOGS



- Step 1. To REMOVE Applicator:**
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- Step 2. OPEN Applicator**
Hold upright with **foil side toward you** and snap applicator tip.
- Step 3. APPLY FRONTLINE Plus**
Part the dog's hair between the shoulder blades. Place the applicator tip just above the **skin** and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply to top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 89 lbs. or younger than 8 weeks of age. Do not use two applicators for dogs weighing more than 132 lbs. Do not use more than one application per dog per month.

Questions or Comments?
Call: **1-800-660-1842**,
Monday-Friday, 8am-8pm EST or
visit us at www.FRONTLINE.com



036 908765

ATTENTION !
Ne pas repiquer sur cette partie de la tranche (moitié supérieure)

LOT NO: x00000xx

EPA Reg. No. 65331-5
EPA Est. 00000-XX-0*

FRONTLINE Plus FOR DOGS



FRONTLINE Plus for Dogs provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, chewing lice, and sarcoptic mites for use ONLY on dogs weighing 89-132 lbs.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. Pets may experience some temporary irritation at the site of application. Please see insert for additional information.**

- To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:
- To **REMOVE** Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
 - OPEN** Applicator. Hold upright with foil side toward you and snap applicator tip.
 - APPLY** FRONTLINE Plus. Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 89 lbs. or younger than 8 weeks of age. Do not use two applicators for dogs weighing more than 132 lbs. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Frequency of Application

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.



89 to 132 lbs
For use ONLY on DOGS

FRONTLINE Plus FOR DOGS



Please call our experts at **1-800-660-1842**, Monday-Friday, 8am-8pm EST with any questions or comments about flea, tick, chewing lice, or sarcoptic mite control or FRONTLINE Plus.



Keep cats away from treated dogs for 24 hours or until product has dried. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

Merial Limited
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA
MADE IN FRANCE

©FRONTLINE is a registered trademark of Merial.
©2013 Merial Limited, Duluth, GA.
All rights reserved.

FRONTLINE Plus FOR DOGS

89 to 132 lbs
For use ONLY on DOGS



FRONTLINE Plus FOR DOGS

Kills fleas, flea eggs & larvae, ticks, & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

Kills ticks, including those that may transmit Lyme disease



For use ONLY on DOGS

89 to 132 lbs

ACTIVE INGREDIENTS:
Fipronil: 9.8%
(S)-methoprene: 8.8%
INERT INGREDIENTS: 81.4%
TOTAL: 100%
NET CONTENTS: 0.816 fl oz (24.12 ml)
6-0.136 fl oz (4.02 ml) applicators

SEE INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS.
KEEP OUT OF REACH OF CHILDREN
CAUTION



DO NOT USE ON CATS



Marketing approval:

COMPLETE NAME:

DATE + SIGNATURE:

Regulatory approval:

COMPLETE NAME:

DATE + SIGNATURE:



* 5 9 7 6 6 0 8 0 9 6 *

* Toulouse: EPA Est. 65331-FR-2
Ivers Lee: EPA Est. 74528-CHE-1

For dog use only

Code: 0 036 908765	VERSION	COLORS
PRODUCT: FRONTLINE PLUS Etui x6 CHIENSX L	INITIALS: NSe COMPOSER ET VERSION - DATE: A 23/05/14 15h15	Noir/Black P 1795
COUNTRY: United States of America (USA)		
Dimensions: mm = 148x26x112		
PRINTED BASIS CODE (if applicable): NA	CANCEL AND REPLACE: 0 036 906845	! Please use the official PANTONE® (P) matching system for an accurate color representation.

FRONTLINE® Plus FOR DOGS

FRONTLINE® Plus for Dogs is:

- Fast-acting
- Long-lasting
- Waterproof

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, flea eggs & larvae, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

FRONTLINE Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*).
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations




FRONTLINE Plus is approved for use on all dogs, including:




- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 89 lbs.




-  Adult Fleas
-  Flea Eggs
-  Flea Larvae
-  Ticks
-  Chewing Lice









Marketing approval:	Regulatory approval:
COMPLETE NAME:	COMPLETE NAME:
DATE + SIGNATURE:	DATE + SIGNATURE:

FRONTLINE^{Plus}		MERIAL	<p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p> <p>0.017 floz LOT XXXXX ONLY FOR CATS AND KITTENS 8 WEEKS AND OLDER & OVER 1.5 lbs</p>
FRONTLINE^{Plus}		MERIAL	<p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p> <p>0.017 floz LOT XXXXX ONLY FOR CATS AND KITTENS 8 WEEKS AND OLDER & OVER 1.5 lbs</p>
FRONTLINE^{Plus}		MERIAL	<p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p> <p>0.017 floz LOT XXXXX ONLY FOR CATS AND KITTENS 8 WEEKS AND OLDER & OVER 1.5 lbs</p>

FRONTLINE^{Plus}		MERIAL	<p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p> <p>0.023 floz LOT XXXXX ONLY FOR DOGS AND PUPPIES 8 WEEKS AND OLDER & 5-22 lbs</p>	FRONTLINE^{Plus}		MERIAL	<p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p> <p>0.023 floz LOT XXXXX ONLY FOR DOGS AND PUPPIES 8 WEEKS AND OLDER & 5-22 lbs</p>	FRONTLINE^{Plus}		MERIAL	<p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p> <p>0.023 floz LOT XXXXX ONLY FOR DOGS AND PUPPIES 8 WEEKS AND OLDER & 5-22 lbs</p>
---------------------------------	---	---------------	---	---------------------------------	---	---------------	---	---------------------------------	---	---------------	---

FRONTLINE^{Plus}		MERIAL	<p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p> <p>0.045 floz LOT XXXXX ONLY FOR DOGS 23-44 lbs</p>	FRONTLINE^{Plus}		MERIAL	<p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p> <p>0.045 floz LOT XXXXX ONLY FOR DOGS 23-44 lbs</p>	FRONTLINE^{Plus}		MERIAL	<p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p> <p>0.045 floz LOT XXXXX ONLY FOR DOGS 23-44 lbs</p>
---------------------------------	---	---------------	--	---------------------------------	---	---------------	--	---------------------------------	---	---------------	--

FRONTLINE^{Plus}		MERIAL	<p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p> <p>0.091 floz LOT XXXXX ONLY FOR DOGS 45-88 lbs</p>	FRONTLINE^{Plus}		MERIAL	<p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p> <p>0.091 floz LOT XXXXX ONLY FOR DOGS 45-88 lbs</p>	FRONTLINE^{Plus}		MERIAL	<p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p> <p>0.091 floz LOT XXXXX ONLY FOR DOGS 45-88 lbs</p>
---------------------------------	---	---------------	--	---------------------------------	---	---------------	--	---------------------------------	---	---------------	--

FRONTLINE^{Plus}		MERIAL	<p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p> <p>0.136 floz LOT XXXXX ONLY FOR DOGS 89-132 lbs</p>	FRONTLINE^{Plus}		MERIAL	<p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p> <p>0.136 floz LOT XXXXX ONLY FOR DOGS 89-132 lbs</p>	FRONTLINE^{Plus}		MERIAL	<p>TO REMOVE APPLICATOR: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.</p> <p>0.136 floz LOT XXXXX ONLY FOR DOGS 89-132 lbs</p>
---------------------------------	---	---------------	---	---------------------------------	---	---------------	---	---------------------------------	---	---------------	---

FRONTLINE[®] Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

0.023 fl oz
8 weeks or older and 5-22 lbs.

ONLY FOR DOGS & PUPPIES

Merial Contains: fipronil (9.8%) EPA Reg. (S)-methoprene (6.5%) No. 65331-5

FRONTLINE[®] Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

0.023 fl oz
8 weeks or older and 5-22 lbs.

ONLY FOR DOGS & PUPPIES

Merial Contains: fipronil (9.8%) EPA Reg. (S)-methoprene (6.5%) No. 65331-5

FRONTLINE[®] Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

0.023 fl oz
8 weeks or older and 5-22 lbs.

ONLY FOR DOGS & PUPPIES

Merial Contains: fipronil (9.8%) EPA Reg. (S)-methoprene (6.5%) No. 65331-5

FRONTLINE[®] Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

0.023 fl oz
8 weeks or older and 5-22 lbs.

ONLY FOR DOGS & PUPPIES

Merial Contains: fipronil (9.8%) EPA Reg. (S)-methoprene (6.5%) No. 65331-5

035 906823
FRT PLUS USA CHIENS S - DL
SJ N5e Version: A.09/07/2013 14h53
PANTONE 152 - Annule et remplace : 035 904968

FRONTLINE[®] Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

0.023 fl oz
8 weeks or older and 5-22 lbs.

ONLY FOR DOGS & PUPPIES

Merial Contains: fipronil (9.8%) EPA Reg. (S)-methoprene (6.5%) No. 65331-5

FRONTLINE[®] Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

0.023 fl oz
8 weeks or older and 5-22 lbs.

ONLY FOR DOGS & PUPPIES

Merial Contains: fipronil (9.8%) EPA Reg. (S)-methoprene (6.5%) No. 65331-5

FRONTLINE[®] Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

0.023 fl oz
8 weeks or older and 5-22 lbs.

ONLY FOR DOGS & PUPPIES

Merial Contains: fipronil (9.8%) EPA Reg. (S)-methoprene (6.5%) No. 65331-5

FRONTLINE[®] Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

0.023 fl oz
8 weeks or older and 5-22 lbs.

ONLY FOR DOGS & PUPPIES

Merial Contains: fipronil (9.8%) EPA Reg. (S)-methoprene (6.5%) No. 65331-5

This row contains six labels for Frontline Plus for Dogs. Each label is a teardrop shape with a purple border. The top half of each label features the product name 'FRONTLINE Plus FOR DOGS' in a stylized font, with '0.091 fl oz' and 'Keep out of reach of children' above it. Below the name is a purple circle with a white dog silhouette and a diagonal slash. The middle section contains 'ONLY FOR DOGS' and '45-88 lbs.' in a purple box. The bottom section contains 'Merial' and 'Contains: fipronil (9.8%) EPA Reg. (S)-methoprene (8.5%) No. 65331-5'. The bottom half of the label is inverted, showing 'CAUTION' and 'See full label for additional directions'.

035 906825
FRT PLUS USA CHIENS L - DL
SJ Nse Version: A.09/07/2013 14h52
PANTONE 520 - Annule et remplace : 035 906088

This row contains six labels for Frontline Plus for Dogs, identical to the top row. Each label is a teardrop shape with a purple border. The top half of each label features the product name 'FRONTLINE Plus FOR DOGS' in a stylized font, with '0.091 fl oz' and 'Keep out of reach of children' above it. Below the name is a purple circle with a white dog silhouette and a diagonal slash. The middle section contains 'ONLY FOR DOGS' and '45-88 lbs.' in a purple box. The bottom section contains 'Merial' and 'Contains: fipronil (9.8%) EPA Reg. (S)-methoprene (8.5%) No. 65331-5'. The bottom half of the label is inverted, showing 'CAUTION' and 'See full label for additional directions'.

MERIAL Contiens: fipronil (9.8%) EPA Reg. (S)methoprene (8.8%) No. 65331-5

ONLY FOR DOGS
89-132 lbs.

0.136 fl oz
FRONTLINE® Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

FRONTLINE® Plus FOR DOGS
0.136 fl oz
Keep out of reach of children
See full label for additional directions
CAUTION

MERIAL Contiens: fipronil (9.8%) EPA Reg. (S)methoprene (8.8%) No. 65331-5

ONLY FOR DOGS
89-132 lbs.

0.136 fl oz
FRONTLINE® Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

FRONTLINE® Plus FOR DOGS
0.136 fl oz
Keep out of reach of children
See full label for additional directions
CAUTION

MERIAL Contiens: fipronil (9.8%) EPA Reg. (S)methoprene (8.8%) No. 65331-5

ONLY FOR DOGS
89-132 lbs.

0.136 fl oz
FRONTLINE® Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

FRONTLINE® Plus FOR DOGS
0.136 fl oz
Keep out of reach of children
See full label for additional directions
CAUTION

MERIAL Contiens: fipronil (9.8%) EPA Reg. (S)methoprene (8.8%) No. 65331-5

ONLY FOR DOGS
89-132 lbs.

0.136 fl oz
FRONTLINE® Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

FRONTLINE® Plus FOR DOGS
0.136 fl oz
Keep out of reach of children
See full label for additional directions
CAUTION

MERIAL Contiens: fipronil (9.8%) EPA Reg. (S)methoprene (8.8%) No. 65331-5

ONLY FOR DOGS
89-132 lbs.

0.136 fl oz
FRONTLINE® Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

FRONTLINE® Plus FOR DOGS
0.136 fl oz
Keep out of reach of children
See full label for additional directions
CAUTION

MERIAL Contiens: fipronil (9.8%) EPA Reg. (S)methoprene (8.8%) No. 65331-5

ONLY FOR DOGS
89-132 lbs.

0.136 fl oz
FRONTLINE® Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

FRONTLINE® Plus FOR DOGS
0.136 fl oz
Keep out of reach of children
See full label for additional directions
CAUTION

MERIAL Contiens: fipronil (9.8%) EPA Reg. (S)methoprene (8.8%) No. 65331-5

ONLY FOR DOGS
89-132 lbs.

0.136 fl oz
FRONTLINE® Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

FRONTLINE® Plus FOR DOGS
0.136 fl oz
Keep out of reach of children
See full label for additional directions
CAUTION

MERIAL Contiens: fipronil (9.8%) EPA Reg. (S)methoprene (8.8%) No. 65331-5

ONLY FOR DOGS
89-132 lbs.

0.136 fl oz
FRONTLINE® Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

FRONTLINE® Plus FOR DOGS
0.136 fl oz
Keep out of reach of children
See full label for additional directions
CAUTION

MERIAL Contiens: fipronil (9.8%) EPA Reg. (S)methoprene (8.8%) No. 65331-5

ONLY FOR DOGS
89-132 lbs.

0.136 fl oz
FRONTLINE® Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

FRONTLINE® Plus FOR DOGS
0.136 fl oz
Keep out of reach of children
See full label for additional directions
CAUTION

MERIAL Contiens: fipronil (9.8%) EPA Reg. (S)methoprene (8.8%) No. 65331-5

ONLY FOR DOGS
89-132 lbs.

0.136 fl oz
FRONTLINE® Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

FRONTLINE® Plus FOR DOGS
0.136 fl oz
Keep out of reach of children
See full label for additional directions
CAUTION

MERIAL Contiens: fipronil (9.8%) EPA Reg. (S)methoprene (8.8%) No. 65331-5

ONLY FOR DOGS
89-132 lbs.

0.136 fl oz
FRONTLINE® Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

FRONTLINE® Plus FOR DOGS
0.136 fl oz
Keep out of reach of children
See full label for additional directions
CAUTION

MERIAL Contiens: fipronil (9.8%) EPA Reg. (S)methoprene (8.8%) No. 65331-5

ONLY FOR DOGS
89-132 lbs.

0.136 fl oz
FRONTLINE® Plus FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

FRONTLINE® Plus FOR DOGS
0.136 fl oz
Keep out of reach of children
See full label for additional directions
CAUTION

035 906826
FRT PLUS USA - CHIENS XL - DL
S1 NSE Version: A.09/07/2013 14h51
PANTONE 703 - Annule et remplace : 053 906089

FRONTLINE® Plus FOR DOGS

For use **ONLY** on **DOGS & PUPPIES** 8 weeks or older and weighing at least 5 lbs. for small dogs, 23 lbs. for medium dogs, 45 lbs. for large dogs, and 89 lbs. for extra-large dogs: **Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, and sarcoptic mites.**

ACTIVE INGREDIENTS

fipronil: 9.8%
(S)-methoprene 8.8%
INERT INGREDIENTS 81.4%
TOTAL 100.0%

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**



**DO NOT
USE ON
CATS**

FRONTLINE® Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 5 lbs. for small dogs, 23 lbs. for medium dogs, 45 lbs. for large dogs, and 89 lbs. for extra-large dogs

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.**

To kill fleas, flea eggs & larva, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

- To **REMOVE** Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
 - **OPEN** Applicator
- Hold upright with foil side toward you and snap applicator tip.
- **APPLY** FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 5 lbs. for small dogs, 23 lbs. for medium dogs, 45 lbs. for large dogs, and 89 lbs. for extra-large dogs or younger than 8 weeks of age. Do not use two applicators for dogs weighing



* 3 9 0 6 8 4 7 *

053 906847

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906847 PRODUCT: FRONTLINE PLUS Not to wrap Clients RECTO COUNTRY: United States of America (USA) Dimensions: mm = 80 x 2 0 inches =	VERSION INITIALS: SJ AJ N56 VERSION - DATE: A 17/07/13 1592 B 23/07/13 09H58 C 06/08/13 COMPOSER ET 120 D 08/08/13 COMPOSER RH 08H50 E 09/08/13 COMPOSER RH 10H30 CANCEL AND REPLACE: 037 903520	COLORS Black/Noir <p>PLEASE USE THE OFFICIAL PANTONE® (P) MATCHING SYSTEM FOR AN ACCURATE COLOR REPRESENTATION.</p>
---	---	--

Marketing approval:

COMPLETE
NAME:
DATE +
SIGNATURE:

Regulatory approval:

COMPLETE
NAME:
DATE +
SIGNATURE:

more than 132 lbs. Do not use more than one application per dog per month. FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks. FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases. FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment or advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age and 5 lbs. for small dogs, 23 lbs. for medium dogs, 45 lbs. for large dogs, and 89 lbs. for extra-large dogs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE Plus for Dogs is available in sizes for use ONLY on small dogs and puppies 8 weeks or older and 5-22 lbs., medium dogs ONLY 23-44 lbs., large dogs ONLY 45-88 lbs., and extra-large dogs ONLY 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 65331-5

Merial Limited - 3239 Satellite Blvd. Duluth, GA 30096-4640, USA

©FRONTLINE is a registered trademark of Merial.

©2013 Merial Limited, Duluth, GA. All rights reserved.



MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906847	VERSION	COLORS
PRODUCT: FRONTLINE PLUS Not co wrap Clients VERSO	INITIALS: SJ AJ N5e VERSION - DATE: A 17/07/13 15h2 B 23/07/13 09h58 C 06/08/13 COMPOSER ET 12h D 08/08/13 COMPOSER RH 09h50 E 09/08/13 COMPOSER RH 10h30 CANCEL AND REPLACE: 037 903520	Black/Noir
COUNTRY: United States of America (USA)		
Dimensions: mm = 80 x 2 0 inches =		
		! Please use the official PANTONE® (P) matching system, or an accurate color representation.

Marketing approval:	Regulatory approval:
COMPLETE NAME:	COMPLETE NAME:
DATE + SIGNATURE:	DATE + SIGNATURE:

Some tips and other information

FRONTLINE®

See other side for more...



- To successfully control fleas and ticks, all dogs and cats must be treated with their own dose of FRONTLINE®.
- Apply according to label instructions, ensuring the product is applied to the skin, not on top of the fur and not near the collar. It may be helpful to remove the collar before application, so it doesn't absorb the product.
- Remember, your pet needs to be dry at the time FRONTLINE is applied and remain dry 24 hours after application.
- Verify pipette is empty after application (multiple squeezes may be necessary to apply the entire dose).
- Even indoor pets need flea and tick control because you or other pets in the household may bring fleas into the home. These fleas can lead to a flea infestation.

FLEAS: What you need to know



Fleas




Ticks



Chewing Lice

It can take up to 3 months to get rid of a serious flea infestation because of all of the flea life stages that existed BEFORE you started using FRONTLINE.

The adult fleas on your pet may just be the tip of the infestation iceberg.



The average flea life cycle in the home is about 21 days long.

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 037 903508

PRODUCT: FRONTLINE Carte rappel
commune PLUS/TOPSPOT CHATS/CHIENS
RECTO

COUNTRY: United States of America (USA)

Dimensions:
mm = 120 x 100
inches =

VERSION

INITIALS: SJ NSe
VERSION - DATE:
A 10 AOUT 2011 10h20

CANCEL AND REPLACE:

037 817439-037 817440-037 817377-037 817378
037 817435-037 817436-037 817410-037 817411

COLORS

Black/noir

P254

P129

P3015

! Please use the official PANTONE® (P) matching system for an accurate color representation.

Marketing approval:

Regulatory approval:

COMPLETE
NAME:

COMPLETE
NAME:

DATE +
SIGNATURE:


DATE +
SIGNATURE:

**Calendar
Reminder
stickers**

**Don't
forget to
re-purchase!**

6 Months
use all 6 stickers

3 Months



To ensure continued protection of your pets, use these stickers as a reminder to apply and re-purchase FRONTLINE.

After treating your pet for the first time, peel off the sticker and place on your calendar that day.

Place the remaining stickers on your calendar as a reminder to apply FRONTLINE monthly.

QUESTIONS?

Contact your veterinarian or call our technical experts at **1-800-660-1842**, Monday-Friday, 8am-8pm. For more information, visit www.FRONTLINE.com



©FRONTLINE is a registered trademark of Merial.
©2011 Merial Limited, Duluth, GA.
All rights reserved.



MERIAL GRAPHIC ARTWORK APPROVAL

Code: 037 903508	VERSION	COLORS		
PRODUCT: FRONTLINE Carte rappel commune PLUS/TOPSPOT CHATS/CHIENS VERSO COUNTRY: United States of America (USA)	INITIALS: SJ Nse VERSION - DATE: A 10 AOUT 2011 10h20	Black/noir	P254	P129
Dimensions: mm = 120 x 100 inches=	CANCEL AND REPLACE: 037 817439-037 817440-037 817377-037 817378 037 817435-037 817436-037 817410-037 817411	P3015		
		! Please use the official PANTONE® (P) matching system for an accurate color representation.		

Marketing approval: Regulatory approval:

COMPLETE NAME:

DATE + SIGNATURE:

COMPLETE NAME:

DATE + SIGNATURE: