

4 MONTH
SUPPLY !!!!!

PROVECTA™


FOR CATS

CONTAINS IMIDACLOPRID AND PYRIPROXYFEN

FOR USE ONLY ON CATS 8 WEEKS
AND OLDER AND WEIGHING

5 to 9 LBS.

- KILLS FLEAS AND FLEA EGGS
- PREVENTS REINFESTATION
- FRAGRANCE-FREE



EFFECTIVELY BREAKS THE FLEA LIFE CYCLE

ACTIVE INGREDIENTS:

Imidacloprid	9.10%
Pyriproxyfen	0.46%
OTHER INGREDIENTS	90.44%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

SEE BACK PANEL FOR PRECAUTIONARY
STATEMENTS AND DIRECTIONS FOR USE.

CONVENIENT, EASY-TO-APPLY
MONTHLY TOPICAL SOLUTION.

Net Contents: 0.056 fl. oz (1.6ml)
Contains 4 tubes, each 0.014 fl. oz (0.4 ml)

4 MONTH SUPPLY !!!

PROV^{ECTA}™

FOR CATS

CONTAINS IMIDACLOPRID & PYRIPROXYFEN

FOR USE ONLY ON CATS 8 WEEKS
AND OLDER AND WEIGHING
OVER 9 LBS.



- KILLS FLEAS AND FLEA EGGS
- PREVENTS REINFESTATION
- FRAGRANCE-FREE



EFFECTIVELY BREAKS THE FLEA LIFE CYCLE
WATERPROOF

ACTIVE INGREDIENTS:

Imidacloprid	9.10%
Pyriproxyfen	0.48%
OTHER INGREDIENTS	90.42%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

SEE BACK LABEL FOR PRECAUTIONARY
STATEMENTS AND DIRECTIONS FOR USE.

CONVENIENT, EASY-TO-APPLY
MONTHLY TOPICAL SOLUTION.

Net Content: 0.126 fl oz (3.59 mL)
Contents: 4 tubes, each 0.0317 fl oz (0.9 mL)

FOR USE ONLY ON CATS
WEIGHING OVER 9 LBS

PROV^{ECTA}™
FOR CATS

4 MONTH SUPPLY !!!

Convenient to use.

Provecta™ for Cats remains effective even after bathing or water immersion. Monthly use of **Provecta™** on cats kills fleas that may cause Flea Allergy Dermatitis.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies or consumer questions call 1-855-844-4375.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment or advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not apply to cats or kittens under 8 weeks of age or weighing less than **5 lbs.** As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a veterinarian immediately. If your cat is on medication, consult your veterinarian before using this or any other product.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

READ ENTIRE LABEL BEFORE EACH USE

RESTRICTIONS
USE ONLY ON CATS OR KITTENS 8 WEEKS AND OLDER
WEIGHING 5 TO 9 lbs.
DO NOT USE ON OTHER ANIMALS

Distributed by: CAP IM Supply, Inc.
2825 E. Cottonwood Pkwy, Suite 500, Salt Lake City, UT 84121
Made in the USA

RESTRICTIONS (Cont.)

DO NOT EXCEED LABELED DOSAGE AMOUNT FOR CATS
DO NOT APPLY MORE THAN ONE (1) TUBE PER TREATMENT ON ANY CAT
DO NOT HAVE CONTACT OR ALLOW CHILDREN TO HAVE CONTACT WITH TREATED AREA UNTIL COMPLETELY DRY.

SIDE EFFECTS (CATS): Monitor your cat after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as hypersalivation, vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call, 1-855-844-4375.

HOW TO APPLY

1. Remove one applicator tube from the package.
2. Hold applicator tube in an upright position **facing away from you and your pet's face and eyes.** Pull cap off tube.
3. Turn the cap around and place other end of cap back on tube.
4. Twist cap to break seal, then remove cap from tube.
5. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. **Do not get this product in your pet's eyes, or allow your pet to ingest this product.** The product is bitter tasting and salivation may occur for a short time if the pet licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the cat to lick the product. Do not allow the product to run off.
6. Discard empty tube as described in the Storage and Disposal section.
7. Under normal conditions this product is effective for a month. However, in case of severe flea infestation, retreatment may be necessary earlier than four (4) weeks. On cats, do not retreat more often than once every seven (7) days. After flea control is attained, return to a monthly treatment schedule.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-888-261-4657 for disposal instructions. Never place unused product down any indoor or outdoor drain.

For more information call our experts at 1-888-261-4657

EPA Reg. No. 2596-181-91384
EPA Est. No. 2596-OH-1

Convenient to use.

Provecta™ for Cats remains effective even after bathing or water immersion. Monthly use of Provecta™ on cats kills fleas that may cause Flea Allergy Dermatitis.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies or consumer questions call 1-855-844-4375.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment or advice.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not apply to cats or kittens under 8 weeks of age or weighing less than **9 lbs.** As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a veterinarian immediately. If your cat is on medication, consult your veterinarian before using this or any other product.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

READ ENTIRE LABEL BEFORE EACH USE

RESTRICTIONS

**USE ONLY ON CATS OR KITTENS 8 WEEKS AND OLDER WEIGHING OVER 9 lbs.
DO NOT USE ON OTHER ANIMALS**

Distributed by: CAP IM Supply, Inc.
2825 E. Cottonwood Pkwy, Suite 500, Salt Lake City, UT
84121

RESTRICTIONS (Cont.)

**DO NOT EXCEED LABELED DOSAGE AMOUNT FOR CATS
DO NOT APPLY MORE THAN ONE (1) TUBE PER
TREATMENT ON ANY CAT
DO NOT HAVE CONTACT OR ALLOW CHILDREN TO HAVE
CONTACT WITH TREATED AREA UNTIL COMPLETELY DRY.**

SIDE EFFECTS (CATS): Monitor your cat after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as hypersalivation, vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call, 1-855-844-4375.

HOW TO APPLY

1. Remove one applicator tube from the package.
2. Hold applicator tube in an upright position **facing away from you and your pet's face and eyes.** Pull cap off tube.
3. Turn the cap around and place other end of cap back on tube.
4. Twist cap to break seal, then remove cap from tube.
5. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. **Do not get this product in your pet's eyes, or allow your pet to ingest this product.** The product is bitter tasting and salivation may occur for a short time if the pet licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the cat to lick the product. Do not allow the product to run off.
6. Discard empty tube as described in the Storage and Disposal section.
7. Under normal conditions this product is effective for a month. However, in case of severe flea infestation, retreatment may be necessary earlier than four (4) weeks. On cats, do not retreat more often than once every seven (7) days. After flea control is attained, return to a monthly treatment schedule.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-888-261-4657 for disposal instructions. Never place unused product down any indoor or outdoor drain.

For more information call our experts at 1-888-261-4657

EPA Reg. No. 2596-181-91384
EPA Est. No. 2596-OH-1