

DOCTORS
FOSTER AND SMITH™
FIPROTROL PLUS FOR CATS

For use ONLY on CATS and kittens **8 weeks and older** weighing 3 lbs. or more

DOCTORS
FOSTER AND SMITH™
FIPROTROL PLUS
FOR CATS



**CONTAINS FIPRONIL
AND (S)-METHOPRENE,
THE ACTIVE INGREDIENTS
USED IN FRONTLINE PLUS®**

DOCTORS FOSTER AND SMITH® FIPROTROL™ PLUS for Cats is not manufactured by or distributed by Merial. FRONTLINE PLUS® is a registered trademark of Merial Limited.

For use ONLY on
CATS and kittens
8 weeks
and older
weighing 3 lbs.
or more

KILLS FLEAS, TICKS, FLEA EGGS, FLEA LARVAE, CHEWING LICE

Kills all stages of Deer Ticks that may carry Lyme disease

● **FAST ACTING** ● **LONG LASTING** ● **WATERPROOF**

ACTIVE INGREDIENTS:

Fipronil	9.80%
(S)-Methoprene	11.80%
OTHER INGREDIENTS	78.40%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION:

See back panel for additional precautionary statements.

Net Contents: 0.051 fl. oz. (1.5 ml),
Contains 3 tubes, each 0.017 fl. oz. (0.5 ml)

DOCTORS
FOSTER AND SMITH™
FIPROTROL PLUS FOR CATS

For use ONLY on CATS and kittens
8 weeks and older
weighing 3 lbs. or more

DOCTORS
FOSTER AND SMITH™
FIPROTROL PLUS FOR CATS

For use ONLY on CATS and kittens
8 weeks and older
weighing 3 lbs. or more



RW114599

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage and disposal. **PESTICIDE STORAGE:** Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. If partly filled, call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

SIDE EFFECTS Monitor your cat after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-888-843-2956.

FREQUENCY OF APPLICATION
When used monthly, Doctors Foster and Smith® FIPROTROL™ PLUS for Cats kills adult fleas, flea eggs, and flea larvae for up to six weeks. Doctors Foster and Smith® FIPROTROL™ PLUS for Cats also prevents development of all flea stages for up to six weeks. A once monthly application of Doctors Foster and Smith® FIPROTROL™ PLUS for Cats kills mosquitoes within 24 hours for up to 14 days and within 48 hours for up to 28 days. Doctors Foster and Smith® FIPROTROL™ PLUS for Cats remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply Doctors Foster and Smith® FIPROTROL™ PLUS for Cats for 30 days.

DIRECTIONS FOR USE:
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
DO NOT ALLOW CHILDREN TO APPLY PRODUCT.
DO NOT PRESENT HARM TO YOU AND YOUR PET READ ENTIRE LABEL AND DIRECTIONS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS, DOGS, PUPPIES, OR OTHER ANIMALS.
To kill fleas, all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease), chewing lice and mosquitoes, apply to cats and kittens 8 weeks or older weighing 3 lbs. or more as follows:
1. Remove one applicator tube from the package and hold in an upright position pointed away from your face.
2. Twist dispensing tip clockwise about 1/2 turn while pushing down to break the tube's seal. Do not remove the dispensing tip. 3. Position the dispensing tip on the cat's back between the shoulder blades. Use the dispensing tip back between the shoulder blades, applying entire contents of the tube to part the cat's hair so that the product will be applied at skin level. Squeeze applicator, applying entire contents in a single spot on the animal's skin. Separate treated cat from other pets for 24 hours after treatment has been applied.
Doctors Foster and Smith® FIPROTROL™ PLUS for Cats contains Fipronil and the insect growth regulator (IGR) (S)-Methoprene. Doctors Foster and Smith® FIPROTROL™ PLUS for Cats effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas, ticks, chewing lice and mosquitoes.
Doctors Foster and Smith® FIPROTROL™ PLUS for Cats can also be used for the treatment and control of mosquitoes, and flea, tick and chewing lice infestations on breeding, pregnant and lactating queens.



FIRST AID
Have product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents) you may call 1-888-843-2956 twenty-four (24) hours per day, seven (7) days per week.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a doctor for treatment advice.
Manufactured for: CAP Supply, Inc.,
303 Perimeter Center North, Suite 300, Atlanta, GA 30346
EPA Reg. No. 2596-166-91019 EPA Est. No. 2596-0H-1

COMBUSTIBLE: Do not use or store near heat or open flame.
HAZARDS TO DOMESTIC ANIMALS.
For external use only. Do not use on kittens under 8 weeks of age or weighing less than 3 lbs. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water; if signs continue, consult a veterinarian immediately. Pets may experience some temporary irritation at the site of product application. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Call 1-888-843-2956 for 24-hour assistance.
HAZARDS TO HUMANS, CAUTION.
Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes and before eating, drinking, chewing gum, using tobacco or using the toilet.
PRECAUTIONARY STATEMENTS
For use ONLY on CATS and kittens 8 weeks and older weighing 3 lbs. or more

DOCTORS
FOSTER AND SMITH™
FIPROTROL PLUS FOR CATS
For use ONLY on CATS and kittens 8 weeks and older weighing 3 lbs. or more

DOCTORS
FOSTER^{AND}SMITHTM
FIPROTROL PLUS
FOR CATS



Weighing:
Contains 3 tubes each:
Lot Code:

EPA Reg. No. 2596-166-91019
EPA Est. No. 2596-OH-1



ACTIVE INGREDIENTS:

Fipronil 9.80%

(S)-Methoprene 11.80%

OTHER INGREDIENTS 78.40%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

See full label for additional directions



RM114376

RM114598

EPA Reg. No. 2596-166-91019
EPA Est. No. 2596-OH-1

See full label for
additional directions.

CAUTION

**KEEP OUT OF REACH OF
CHILDREN**

DOCTORS
FOSTER^{AND}SMITH[®]
FIPROTROL PLUS
FOR *CATS*

Only for use on cats
0.017 fl oz (0.5ml)

Active Ingredients: Contains
Fipronil 9.8%
(S)-Methoprene 11.8%

DOCTORS
FOSTER AND SMITH | 3 MONTH
SUPPLY

FIPROTROL PLUS™


CONTAINS FIPRONIL AND (S)-METHOPRENE

FOR CATS



REMINDER STICKERS

The first time you treat your dog, place the First Application Sticker on your calendar. Apply Stickers 2, 3 to the calendar 30, and 60 days after the first application to remind you it's time to reapply FIPROTROL PLUS for Dogs.



Manufactured for: CAP Supply, Inc.,
303 Perimeter Center North, Suite 300
Atlanta, GA 30346

For Customer Service please call: 1-888-846-4231