



P01004 RGRU

Tevrapet™ FirstAct™ Plus For Cats is a registered trademark of Tevra Brands.
EPA Est No. 74720-DEU-01
EPA Reg. No. 88052-16-92413
Made in Germany

Manufactured for
Tevra Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127
Call 1-800-775-9416.
Questions or comments about this product.

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **CONTAINER HANDLING.** Never place unused product down any drain or into the environment. If empty: Place in trash or offer for recycling if available. Do not reuse or refill this container.

FREQUENCY OF APPLICATION
Flea life cycle and prevents reinfestation of fleas on your cat for up to six weeks after application. Although Tevrapet™ FirstAct™ Plus For Cats can control fleas for up to six weeks, if there is a high risk of re-infestation of fleas on your cat, or if the cat has fleas which may cause flea allergy dermatitis, apply Tevrapet™ FirstAct™ Plus For Cats once every 30 days.
TICKS: Tevrapet™ FirstAct™ Plus For Cats kills all stages of the tick life cycle (larvae, nymph, and adult) for at least 30 days. For best control of ticks, apply once every 30 days.
CHEWING LICE: Tevrapet™ FirstAct™ Plus For Cats kills chewing lice for at least 30 days. For best control of chewing lice, apply once every 30 days.
Do not reapply Tevrapet™ FirstAct™ Plus For Cats for 30 days.


DIRECTIONS FOR USE
It is a violation of federal law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.** USE ON CATS ONLY. DO NOT USE ON DOGS, RABBITS OR OTHER ANIMALS.
Monitor your cat after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. In some cases, vomiting or diarrhea may result due to grooming after treatment. If these or other side effects occur, consult your veterinarian or call us at 1-800-775-9416.
Tevrapet™ FirstAct™ Plus For Cats contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks, mosquitoes, and chewing lice. Tevrapet™ FirstAct™ Plus For Cats is fast-acting, long-lasting, waterproof, and easy to use.
Tevrapet™ FirstAct™ Plus For Cats remains effective even after bathing, water immersion, or exposure to sunlight. Tevrapet™ FirstAct™ Plus For Cats can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant and lactating queens.
Do not allow your cat to ingest this product. Do not apply to cats weighing less than 1.5 lbs, and less than 8 weeks old.

USE ONLY ON CATS WEIGHING
over 1.5 lbs. AND 8 WEEKS OR OLDER

tevräpet
FIRSTACTplus
FOR CATS

tevräpet
FIRSTACTplus
FOR CATS

USE ONLY ON CATS WEIGHING
over 1.5 lbs. AND 8 WEEKS OR OLDER



USE ONLY ON CATS WEIGHING
over 1.5 lbs. AND 8 WEEKS OR OLDER

tevräpet™
FIRSTACTplus
FOR CATS

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease.

Fast-Acting • Long-Lasting • Waterproof

3 APPLICATORS

Contains the same active ingredients as **Frontline® Plus for Cats™**



NET CONTENTS: 0.051 fl. oz.
3 applicators each containing 0.017 fl. oz.

ACTIVE INGREDIENTS:

Fipronil	9.8%
(S)-Methoprene	0.5%
OTHER INGREDIENTS	78.4%
TOTAL	100.0%

Tevrapet™ FirstAct™ Plus is not manufactured by or distributed by Merial Limited. Frontline™ is a registered trademark of Merial Limited.
KEEP OUT OF REACH OF CHILDREN
CAUTION SEE LABEL INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS
DO NOT USE ON DOGS

Manufactured for:
Tevra Brands, LLC
9100 F Street, Suite 200
Omaha, NE 68127

tevräpet
FIRSTACTplus
FOR CATS

USE ONLY ON CATS WEIGHING
over 1.5 lbs. AND 8 WEEKS OR OLDER

3. Discard empty applicator and packaging as described in the Storage and Disposal section.
4. Under normal conditions the product remains effective for a month. In cases of severe flea infestation, retreatment may be necessary earlier than one month. Do not reapply Tevrapet™ FirstAct™ Plus for Cats more often than once every seven (7) days. Once flea control is attained, return to a monthly application schedule.
Fleas: Kills newly emerged fleas before they lay eggs. Kills adult fleas which may cause flea allergy dermatitis.
Ticks: Kills ticks that may transmit Lyme disease. Kills tick nymphs and adults.
Lice: Rapidly controls infestations of chewing lice.



product. Carefully avoid allowing the product to run off the side of the cat.
cat will minimize the opportunity for the cat to lick and ingest the product into their eyes. Proper placement of the product on your cat. Do not allow your cat to ingest this product, or get the applicator to apply the entire contents directly on the skin of your visible. Place the tip of the applicator on the skin and squeeze the hair on the neck at the base of the skull until the skin is "How to Open".
1. Prepare applicator as shown in "How to Open".
2. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the applicator on the skin and squeeze the applicator to apply the entire contents directly on the skin of your cat. Do not allow your cat to ingest this product, or get the product into their eyes. Proper placement of the product on your side of the cat.

- How to Open**
- 1 Tear through perforation.
 - 2 Fold back the safety tab.
 - 3 Cut with scissors to open applicator.

EPA Reg. No. 88052-16-92413
Batch No.

tevräpet
FIRSTACTplus
FOR CATS

AZ1003094_000_01

tevräpet™
FIRSTACT^{plus}
 FOR CATS

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease.

Fast-Acting • Long-Lasting • Waterproof

Use ONLY on Cats Weighing
over 1.5 lbs. AND 8 WEEKS
 OR OLDER

DO NOT USE ON DOGS

ACTIVE INGREDIENTS:

Fipronil 9.8%

(S)-Methoprene 11.8%

OTHER INGREDIENTS 78.4%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at 1-800-775-9416 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS.

CAUTION. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use on cats only. Do not use on kittens weighing less than 1.5 lbs. and less than 8 weeks of age. **DO NOT USE ON DOGS. DO NOT USE ON OTHER ANIMALS.** Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Cats may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged cats. Call 1-800-775-9416 for 24-hour assistance.

SIDE EFFECTS

Monitor your cat after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. In some cases, vomiting or diarrhea may result due to grooming after treatment. If these or other side effects occur, consult your veterinarian or call us at 1-800-775-9416.

To kill fleas, flea eggs and larvae, all stages of **Brown Dog ticks, American dog ticks, Lone Star ticks,** and **Deer ticks** (which may carry Lyme disease), and chewing lice, apply this product to cats and kittens weighing over 1.5 lbs. and 8 weeks or older as follows.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND DIRECTIONS FOR USE BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)

TevraPet™ FirstAct™ Plus For Cats contains the active ingredients fipronil and (S)-Methoprene that effectively target fleas, ticks and chewing lice.

TevraPet™ FirstAct™ Plus For Cats is fast-acting, long-lasting, waterproof, and easy to use. TevraPet™ FirstAct™ Plus For Cats remains effective even after bathing, water immersion, or exposure to sunlight. TevraPet™ FirstAct™ Plus For Cats can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant and lactating queens.

Do not allow your cat to ingest this product. Do not apply to cats weighing less than 1.5 lbs. and less than 8 weeks old. Do not use more than one applicator per cat.



HOW TO OPEN:

- 1** Tear through perforation.



- 2** Fold back the safety tab.




- 3** Cut with scissors to open applicator.



HOW TO APPLY:

1. Prepare applicator as shown in "How to Open".
2. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the applicator on the skin and squeeze the applicator to apply the entire contents directly on the skin of your cat. Do not allow your cat to ingest this product, or get the product into their eyes. Proper placement of the product on your cat will minimize the opportunity for the cat to lick and ingest the product. Carefully avoid allowing the product to run off the side of the cat.
3. Discard empty applicator and packaging as described in the Storage and Disposal section.
4. Under normal conditions the product remains effective for a month. In cases of severe flea infestation, retreatment may be necessary earlier than one month. Do not reapply TevraPet™ FirstAct™ Plus For Cats more often than once every seven (7) days. Once flea control is attained, return to a monthly application schedule.



FREQUENCY OF APPLICATION

Fleas: When used monthly, TevraPet™ FirstAct™ Plus For Cats kills all stages of the flea life cycle and prevents reinfestation of fleas on your cat for up to six weeks after application. Although TevraPet™ FirstAct™ Plus For Cats can control fleas for up to six weeks, if there is a high risk of re-infestation of fleas on your cat, or if the cat has fleas which may cause flea allergy dermatitis, apply TevraPet™ FirstAct™ Plus For Cats once every 30 days.

Ticks: TevraPet™ FirstAct™ Plus For Cats kills all stages of the tick life cycle (larvae, nymph, and adult) for at least 30 days. For best control of ticks, apply once every 30 days.

Chewing Lice: TevraPet™ FirstAct™ Plus For Cats kills chewing lice for at least 30 days. For best control of chewing lice, apply once every 30 days.

Do not reapply TevraPet™ FirstAct™ Plus For Cats for 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals. **PESTICIDE DISPOSAL. If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **CONTAINER HANDLING.** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

HOW SUPPLIED

For easy and convenient treatment, TevraPet™ FirstAct™ Plus For Cats is available in one convenient size.

0.051 fl. oz. (1.5 mL) (3 applicators each containing 0.017 fl. oz. (0.50 mL); 3 Doses

WARRANTY

To the extent consistent with applicable law, Tevra Brands, LLC., and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.

Manufactured for: Tevra Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127

Questions or comments about this product, call 1-800-775-9416.

TevraPet™ FirstAct™ Plus For Dogs is a registered trademark of Tevra Brands.

Made in Germany