

|||00000_{|||}00000

C Questions? Comments? 1-888-908-TICK

©2011 Fido**\$**Pharm, Inc. All rights reserved. EPA Reg. No. 86230-3-85495 EPA Est. No. 87688-IND-01

Availoble Exclusively from FidoPharm, Inc. 777 Township Line Road, Suite 170 Yardley, PA 19067-5508 USA

thirty (30) days.

арруу опсе ечегу топты.

during each application.

control of chewing lice, apply once every month.

reinfestation, apply once every month.

Frequency of Application

squeeze the pipette thoroughly so that the entire contents are applied. Plus For Cats is contained in a single spot on the cat's skin. Be sure to Detween the shoulders. Ensure that the entire application of PETARMORTM 3. Part the cat's hair and place the tip of the pipette behind the neck and

2. Snap the tip of the pipette away from you as shown.





the back of the sealed inner package for each pipette. 1. Open the child resistant package according to the directions on

ylqqA ot woH

indicated below for control of fleas, flea eggs, ticks, and chewing lice: aged 8 weeks or older, including on breeding, pregnant, and lactating queens, as For topical application only. Apply PETARMOR $^{\text{TM}}$ Plus For Cats $\underline{\text{ONLY}}$ to cats and kittens

USE ON CATS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS. ALL PRECAUTIONARY STATEMENTS AND APPLICABLE USE DIRECTIONS. FOR LABEL AND ENČLOSED DIRECTIONS BEFORE ËACH USE. CAREFULLY FOLLOW with its labeling. Do not allow children to apply this product. READ ENTIRE Inetsiznooni rennam a ni touborq siht eeu ot wal larebet inconsistent

Directions for Use

and kittens 8 weeks or older. ticks, Deer ticks and Lone Star ticks), and chewing lice <u>ONLY</u> on cats eggs, ticks (including all stages of American Dog ticks, Brown Dog waterproof, and easy-to-use application for control of fleas, flea PETARMORTM Plus For Cats acts fast and is an effective, lasting,

PETARNOR"

PETARMOR**

water immersion, as PETARMORTM Plus For Cats remains effective in those conditions.

Please note that there is no need to reapply following your cat's exposure to bathing or

Do not reapply PETARMOR™ Plus For Cats for

Chewing Lice: Each application kills chewing lice for one month or longer. For best

Ticks: Each application kills ticks for one month or longer. For best control of ticks,

susceptible to flea allergy dermatitis, or if you believe there is a risk of Fleas: According to research studies, adult fleas, flea eggs and flea larvae are killed, and all flea stages' development prevented, for up to six weeks following an application of fiproral place. (S)-methoprene. If, however, your cat or kitten is

Do not apply the product superficially to the cat's hair. Use only one pipette

On not touch the area where the application was made until it is dry.

Cats & Kittens





only for Cats & Kittens 8 weeks or older

ACTIVE INGREDIENTS	
Fipronil	9.8%
(S)-methoprene	11.8%
INERT INGREDIENTS.	78.4%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

Contains 3-0.017 fl. oz. (0.50 mL) pipettes

* This product is not manufactured or distributed by Merial, the makers of Frontline® Plus



Lot Number:

COMPARE TO FRONTLINE®

PLUS

same active

ingredients³



Only for use on cats and kittens 8 weeks or older

PETARMOR™ Plus For Cats is a topical application for fast action and lasting control of fleas, flea eggs, ticks, and chewing lice.

Active Ingredients

Fipronil	9.8%
(S)-methoprene	
INERT INGREDIENTS	
TOTAL	100.0%

Compare to Frontline® Plus same active ingredients*

KEEP OUT OF REACH OF CHILDREN CAUTION

PETARMOR™ Plus For Cats acts fast and is an effective, lasting, waterproof, and easy-to-use application for control of fleas, ticks, and chewing lice on cats and kittens. When used as directed, PETARMOR™ Plus For Cats can stop infestations of fleas, ticks, and chewing lice, and help to prevent reinfestation on cats and kittens, including on breeding, pregnant, and lactating queens.

Specifically, PETARMOR $^{\text{M}}$ Plus For Cats kills, controls and prevents infestations of:

- Adult fleas, flea eggs, and flea larvae, including fleas which could cause flea allergy dermatitis, and can prevent the further development of fleas at the egg, larvae and pupae stages;
- Brown Dog tick, the American Dog tick, the Lone Star tick, and the Deer tick (that may transmit Lyme Disease), at all stages; and
- 3. Chewing lice infestations.

PETARMOR™ Plus For Cats contains the active ingredient fipronil and the insect growth regulator (IGR) (S)-methoprene.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply this product. READ ENTIRE LABEL AND ENCLOSED DIRECTIONS

BEFORE EACH USE. CAREFULLY FOLLOW ALL PRECAUTIONARY STATEMENTS AND APPLICABLE USE DIRECTIONS. FOR USE ON CATS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

For topical application only. Apply PETARMOR™ Plus For Cats ONLY to cats and kittens aged 8 weeks or older, including on breeding, pregnant, and lactating queens, as indicated below for control of fleas, flea eggs, ticks, and chewing lice:

How to Apply

 Open the child resistant package according to the directions on the back of the sealed inner package for each pipette.





- 2. Snap the tip of the pipette away from you as shown.
- 3. Part the cat's hair and place the tip of the pipette to the skin level behind the neck and between the shoulders. Ensure that the entire application of PETARMOR™ Plus For Cats is contained in a single spot on the cat's skin. Be sure to squeeze the pipette thoroughly so that the entire contents are applied. Do not apply the product superficially to the cat's hair. Use only one pipette during each application.

Do not touch the area where the application was made until it is dry.

Frequency of Application

Fleas: According to research studies, adult fleas, flea eggs, and flea larvae are killed, and all flea stages' development prevented for up to six weeks following an application of fipronil plus (S)-methoprene. If, however, your cat or kitten is susceptible to flea allergy dermatitis, or if you believe there is a risk of reinfestation, apply once every month.

Ticks: Each application kills ticks for one month or longer. For best control of ticks, apply once every month.

Chewing Lice: Each application kills chewing lice for one month or longer. For best control of chewing lice, apply once every month.

Do not reapply PETARMOR™ Plus For Cats for thirty (30) days.

Please note that there is no need to reapply following your cat's exposure to bathing or water immersion, as PETARMOR™ Plus For Cats remains effective in those conditions.

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

Storage. Store unused application pipettes in the original child-resistant container and outer box only, out of reach of children and animals.

Pesticide Disposal. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Disposal. Nonrefillable container. **If empty:** Do not reuse this container. Place in trash or offer for recycling if available.

First Aic

Have the product container or label with you when calling a poison control center or doctor, or if going for treatment.

If Swallowed: Immediately call a poison control center or doctor for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If on Skin: Rinse skin with plenty of soap and water. Get medical attention if irritation persists.

Precautionary Statements

Hazards to Humans. Caution.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Hazards to Domestic Animals.

For external use only. Do not use on kittens under 8 weeks of age. Sensitivities may occur after using ANY pesticide product for pets. While temporary irritation at the application area may occur, if signs of continued sensitivity occur, consult a veterinarian immediately.

Should any unusual reactions to the application occur, do not reapply before consulting with a veterinarian. Certain medications can interact with pesticides. Consult with your veterinarian before using this product on medicated, debilitated, or aged cats. Call 1-888-908-TICK for 24-hour assistance.

Physical or Chemical Hazards

Flammable: Keep away from heat and open flame.

Warranty

To the extent consistent with applicable law, Sellers make no warranty, express or implied, concerning the use of this product other than as indicated on the labeling. Buyer assumes all risk of use and handling of the product when such use and handling are contrary to the label instructions.

For Cat use only.

* This product is not manufactured or distributed by Merial, the makers of Frontline® Plus

Available Exclusively from FidoPharm, Inc. 777 Township Line Road, Suite 170 Yardley, PA 19067-5508 USA


EPA Reg. No. 86230-3-85495 EPA Est. No. 87688-IND-01


©2011 Fido**#**Pharm, Inc. All rights reserved.

Questions? Comments? 1-888-908-TICK

Made in India


NM







Inkjet Printing Area










Inkjet Printing Area

mm 84





Remove the adhesive backing and attach to your refrigerator door.						
	Ren	Remove the adhesiv	Remove the adhesive backing and a	Remove the adhesive backing and attach to your re	Remove the adhesive backing and attach to your refrigerator doo	Remove the adhesive backing and attach to your refrigerator door.