

For use ONLY on CATS and kittens  
8 weeks and older weighing  
**3 lbs. or more**

**PetLock Plus**  
for  
**CATS**

For use **ONLY** on CATS and kittens  
8 weeks and older weighing  
**3 lbs. or more**

# PetLock Plus

for  
**CATS**

**KILLS FLEAS, TICKS, FLEA EGGS,  
FLEA LARVAE, CHEWING LICE**

Kills all stages of Deer ticks that may carry Lyme disease

- FAST ACTING
- LONG-LASTING
- WATERPROOF

**CONTAINS  
FIPRONIL and  
(S)-METHOPRENE,  
the ACTIVE INGREDIENTS  
used in FRONTLINE PLUS®**  
PetLock® Plus for Cats is not manufactured by  
or distributed by Merial. Frontline Plus® is a  
registered trademark of Merial Limited.

**KEEP OUT OF  
REACH OF CHILDREN  
CAUTION:**

See back panel for additional precautionary statements.

ACTIVE INGREDIENTS:	
Fipronil .....	9.80%
(S)-methoprene .....	11.80%
OTHER INGREDIENTS .....	
TOTAL .....	100.00%

Net Contents: 0.051 fl. oz. (1.5 ml),  
Contains 3 tubes, each 0.017 fl. oz. (0.5 ml)

LOT#:

For use ONLY on CATS and kittens  
8 weeks and older weighing  
**3 lbs. or more**

**PetLock Plus**  
for  
**CATS**

For use ONLY on CATS and kittens  
8 weeks and older weighing  
**3 lbs. or more**

## PetLock Plus

for  
**CATS**

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

### HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on kittens under 8 weeks of age or weighing less than 3 lbs. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Pets may experience some temporary irritation at the site of product application. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Call 1-888-845-4921 for 24-hour assistance.

### PHYSICAL OR CHEMICAL HAZARDS.

**COMBUSTIBLE:** Do not use or store near heat or open flame.

### FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents) you may call 1-888-845-4921 twenty-four (24) hours per day, seven (7) days per week.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.



**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.

### DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

**TO PREVENT HARM TO YOU AND YOUR PET READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS, DOGS, PUPPIES, OR OTHER ANIMALS.**

To kill fleas, all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease), chewing lice and mosquitoes, apply to cats and kittens 8 weeks or older weighing 3 lbs. or more as follows:



1. Remove one applicator tube from the package and hold in an upright position pointed away from your face.
2. Twist dispensing tip clockwise about 1/2 turn while pushing down to break the applicator's seal. Do not remove the dispensing tip.
3. Position the dispensing tip on the cat's back between the shoulder blades. Use the dispensing tip of the tube to part the cat's hair so that the product will be applied at skin level. Squeeze applicator, applying entire contents in a single spot on the animal's skin. Separate treated cat from other pets for 24 hours after treatment has been applied.
4. Reapply once per month.

PetLock® Plus for Cats contains Fipronil and the insect growth regulator (IGR) (S)-Methoprene. PetLock® Plus for Cats effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas, ticks, chewing lice and mosquitoes.

PetLock® Plus for Cats can also be used for the treatment and control of mosquitoes, and flea, tick and chewing lice infestations on breeding, pregnant and lactating queens.

### FREQUENCY OF APPLICATION

When used monthly, PetLock® Plus for Cats completely breaks the flea life cycle and controls tick and chewing lice infestations. Research demonstrates that PetLock® Plus for Cats kills adult fleas, flea eggs, and flea larvae for up to six weeks. PetLock® Plus for Cats also prevents development of all flea stages for up to six weeks. PetLock® Plus for Cats kills ticks for at least one month. A once monthly application is recommended where tick control is needed. Although PetLock® Plus for Cats can control fleas for up to six weeks, if there is a high risk of reinestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

With a monthly application of PetLock® Plus for Cats kills mosquitoes within 24 hours for up to 14 days and within 48 hours for up to 28 days.

PetLock® Plus for Cats remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply PetLock® Plus for Cats for 30 days.

### SIDE EFFECTS

Monitor your cat after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-888-845-4921.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. **PESTICIDE STORAGE.** Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

**PESTICIDE DISPOSAL.** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL.** Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

RM114392

EPA Reg. No. 2596-166-91019  
EPA Est. No. 2596-OH-1


Distributed by: CAP Supply, Inc  
303 Perimeter Center North, Suite 300,  
Atlanta, GA 30346



# PetLock<sup>®</sup> Plus for CATS

## REMINDER STICKERS

The first time you treat your cat, place the First Application Sticker on your calendar. Apply Stickers 2 and 3 to the calendar 30 and 60 days after the first application to remind you it's time to reapply PetLock<sup>®</sup> Plus for Cats.



*For customer service  
please call 1-888-845-4921*

*Distributed by: CAP Supply, Inc  
303 Perimeter Center North, Suite 300, Atlanta, GA 30346*

RM114396

RM114394

EPA Reg. No. 2596-166-91019  
EPA Est. No. 2596-OH-1  
before each use.

Read full label

**CAUTION**

**KEEP OUT OF REACH OF  
CHILDREN**

**PetLock<sup>®</sup> Plus**  
for **CATS**

Only for use on cats  
0.017 fl oz (0.5ml)

**Active Ingredients: Contains**  
**Fipronil 9.8%**  
**(S)-Methoprene 11.8%**