For use ONLY on DOGS and Puppies 8 weeks and older Weighing:

Up to 22 lbs.

FOR DOGS

For use (weeks

on DOGS and Puppies (s and older Weighing: **22 lbs.**

KILLS FLEAS, TICKS, FLEA EGGS, FLEA LARVAE, CHEWING LICE

Kills all stages of Deer ticks that may carry Lyme disease. Aids in Control of sarcoptic mange infestations.

- FAST ACTING
- LONG-LASTING
- ✓ WATERPROOF

For use ONLY on DOGS and Puppies 8 weeks and older Weighing:

Up to 22 lbs.

Net Contents: 0.069 fl. oz. (2.01 ml), Contains 3 tubes, each 0.023 fl. oz. (0.67 ml)

OTHER INGREDIENTS TOTAL

CONTAINS
FIPRONIL and
(S)-METHOPRENE,
the ACTIVE INGREDIENTS
used in FRONTLINE PLUS
Deliction Plus Ingresses







EPA Est. No. 2596-0H-1 Soboley, Inc. 303 Perimeter Center North, Solite 300, Allonto, GA 30346 EPA Reg. No. 2596-765-71079.

Distributed by:

PM112992



PESTICIDE STORAGE: Keep this product in its flightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is indicased by children and animals.

PESTICIDE STORAGE: Keep this product in its flightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is indicased. Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Worste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

It empty: Offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused but any indoor or outdoor drain.

STORAGE AND DISPOSAL

Monitor your dog after application. Side effects may include signs of skin initation such as rediness, scaatching, or other signs of discomfort. Gastromestinal signs such as vormiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarion or all 1-888-843-956.

4. Кереат еvery month.

As Position of the dispensing the dispensing tip.

2. Position the dispensing tip on the dogs's back between the shoulder blades. Use the dispensing tip of the dogs's back part the top of the tube to part the dogs's hoir so that the product will be applied at skin level. Begin squeszing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail.

pointed away from your face. 2. Twist dispensing tip clockwise about % turn while pushing down to break the 1. Remove one applicator tube from the package and hold in an upright position package and know from your face.

INCLUDING BREEDING, PREGNANT AND LACTATING BITCHES. THIS PRODUCT CAN BE USED ON DOGS AND PUPPIES & WEEKS OR OLDER,
USE ONLY ON DOGS OR ON PUPPIES & WEEKS OF AGE OR OLDER,
TOWNING THE BEFORE EACH USE.

It is a violation of Federal law to use thits product in a manner inconsistent with its bing. Do not allow children to apply product.

DIRECTIONS FOR USE

Ub to SS lbs. For use ONLY on DOGS and Puppies 8 weeks and older Weighing:

DO NOT USE ON RABBITS, CATS, KITTENS, OR OTHER ANIMALS.

IF ON SKIN OR CLOTHING: Take off contaminated Rinse skin immediately with plently of water for 1 5-20 min Call a poison control center or doctor for theatment advice.

IF IN EYES: thold eye open and rises slowly and gently with water for 15:20 minutes, flemove contract libraries of proson control and for the first 5 minutes, then control or the first f

PAMALLAWED: Call a paison control center or doctor inmediately for theatment advise. The person sign a gives of water of abole to swallow 0 on out induce vornifing unless that to an do so by a poison control center or d

Hove the product container or label with you when calling a poison control center or doctor, or going for incurrence. The conditional information on this pesticide product (incubring health concerns, mealand consequence, to day persone incoderns you may call 1-888-843-2956 hwenty-flow. (24) hours per day, seven (17) days per week.

COMBUSTIBLE: Do not use or store near heat or open flame.

PHYSICAL OR CHEMICAL HAZARDS

For external use only, Do not use on puppies under 8 weeks of age, Sensibrinies mony occur after using AMY pesticide product for pels. If every destination of the product of the pelse of the sensitivity occur belse up on the mind and the selb end product of pelse. Occurs of vestimental before using this members of the pelse of t

Harmful if swallowed. Causes eye initiation. Avoid combat with skin, eyes or dothing. Wash hands thoroughly with scop and water after handling and before earling, dinking, chewing gum, using abbacco or using the tollest.

HAZARDS TO DOMESTIC ANIMALS.

HAZARDS TO HUMANS. CAUTION. PRECAUTIONARY STATEMENTS





The first time you treat your dog, place the First Application Sticker on your calendar. Apply Stickers 2 and 3 to the calendar 30 and 60 days after the first application to remind you it's time to reapply PetAction® Plus for Dogs.



Distributed by: CAP Supply, Inc 303 Perimeter Center North, Suite 300, Atlanta, GA 30346

For customer service







L667.LLWH EPA Est. No. 2596-UH-1 EPA Reg. No. 2596-165-91019 label before use кеза эссошранунид Keep Out of Reach of Children FOR DOGS PETACTION Only for use on DOGS AND

PUPPIES 8 WEEKS OR OLDER 5 to 22 lbs. 0.023 fl. oz. (0.67 ml.) Active Ingredients: Fipronil 9.8% (S)-Methoprene 8.8% For use ONLY on DOGS and Puppies 8 weeks and older Weighing:

23 to 44 lbs.

weeks. to

KILLS FLEAS, TICKS, FLEA EGGS, FLEA LARVAE, CHEWING LICE

Kills all stages of Deer ticks that may carry Lyme disease. Aids in Control of sarcoptic mange infestations.

- FAST ACTING
- LONG-LASTING
- WATERPROOF

For use ONLY on DOGS and Puppies 8 weeks and older Weighing:

23 to 44 lbs.

Net Contents: 0.135 fl. oz. (4.02 ml), Contains 3 tubes, each 0.045 fl. oz. (1.34 ml)

ACTIVE INGREDIENTS: OTHER INGREDIENTS
TOTAL

CONTAINS
FIPRONIL and
(S)-METHOPRENE,
the ACTIVE INGREDIENTS
Used in FRONTLINE PLUS®
Used in FRONTLINE PLUS®

KEEP OUT OF REACH OF CHILDREN **CAUTION:** See back panel for additional pr



Number

Lot/Batch

RM112997

EPA Est. No. 2596-0H-1 CAP Supply, Inc 303 Perimeter Center North, Suite 300, Atlanta, GA 30346 EPA Reg. No. 2596-165-91019. :yd bətudirtziQ

DO NOT USE ON RABBITS, CATS, KITTENS, OR OTHER ANIMALS.

IF ON SKIN OR CLOTHING: Take off contaminated clathing. Brase skin immediately with plenty of water for 15:20 minutes. Call a poison control center or doctor for treatment advice.

15:10 rai ration vifine go broupwag en pen and gese pola i 2525. Hold eye apen and insea njunuin 27:21 rain vitins a minutes, Manone contract persons a contract persons are contract or project or posicion and pen and a posicion contract contract or project or proj

IF SVALLOWED: Call a poison control center or doctor immediately for theatment advises the doces by a possion control center or doctor. Do not induce vormiting unless tind to un ocessity a possion control center or doctor. Do not give omything by mouth to on uncontrol person.

How the product contains or label with you where calling a poison control center or dodors, or going for institutional for individual control controls week.

How the product contains or label with you may call 1-888-843-2956 twenty-flow (24) hours per day, seems of you have call to the control of the cont



Droader Have proper than proper than proper to the confidence of t

STORAGE AND DISPOSAL

Monitor your dog after application. Side effects may include signs of skin initiation such as redness, scratching, or other signs of discomfort. Gestrointestinal signs such as vomiting or diarthea flave also been reported. If these or other side effects occur, consult your veiteninain or call 1-888-843-863.

4. Кереат ечегу топтh.

3. Position the dispensing tip on the dog's back between the chart be to part the dog's back between the chart field of the top that the begin begin a facility of the top that the product will be applied at skin level. Begin chart the top that the top that the chart of the top of the top top the top that the top that the top the top

applicator's seal. Do not remove the dispensing tip.

I. Remove one applicator tube from the package and hold in an upright position pointed away from your face. 2. Iwist dispensing the dockwise about $\frac{1}{N}$ turn while pushing down to break the





INCLUDING BREEDING, PREGNANT AND LACTATING BITCHES.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

READ ENTIRE LABEL BEFORE EACH USE. DIRECTIONS FOR USE

S3 to dd lps: 8 weeks and older Weighing: Por use ONLY on DOGS and Puppies



COMBUSTIBLE: Do not use or store near heat or open flame. PHYSICAL OR CHEMICAL HAZARDS

For external use only, Do not use on puppies under 8 weeks of age. Sensitivities may occur offer using pesitivite product for pats. If agres confinus, consult a veletionian signs of a sensitivity occur boths you pet with mid soop and insee with large amounts of wother. If agres confinus, consult a veletionian that is mineralizely, Vista may evere more temporary rimited to the product of a veletionian before using this product or debilitated, uped, period or unaring animals. Call 1888-94.50-86 for Q4-hour ozsistance.

HAZARDS TO DOMESTIC ANIMALS.

Hormful if swallowed. Causes eye imination. Avoid control with skin, eyes or dothing. Wash hands thoroughly with scap and water than handing and before eating, dinking, drawing gum, using tobacco or using the tolet.

надавру то нимаиз, салтіон. PRECAUTIONARY STATEMENTS





The first time you treat your dog, place the First Application Sticker on your calendar. Apply Stickers 2 and 3 to the calendar 30 and 60 days after the first application to remind you it's time to reapply PetAction® Plus for Dogs.



Distributed by: CAP Supply, Inc 303 Perimeter Center North, Suite 300, Atlanta, GA 30346

For customer service







Caution Read accompanying Beble lefore use FPA Reg. No. 2596-165-1019 EPA Est. No. 2596-0H-1 RM112996

Keeb Only of Local Person of Control of Control Only for use on DOGS NOD

Only for use on DOGS AND PUPPIES 8 WEEKS OR OLDER 23 to 44 lbs. 0.045 fl. oz. (1.34 ml.) Active Ingredients:

Fipronil 9.8% (S)-Methoprene 8.8%

2596-165-91019 PetAction Plus for Dogs 45-88 lbs 20160915 5 91019 .pdf

For use ONLY on DOGS and Puppies 8 weeks and older Weighing: 45 to 88 lbs.

FOR DOGS

Weeks s and older Weighing: to 88 lbs.

KILLS FLEAS, TICKS, FLEA EGGS, FLEA LARVAE, CHEWING LICE

Kills all stages of Deer ticks that may carry Lyme disease. Aids in Control of sarcoptic mange infestations.

- FAST ACTING
- LONG-LASTING
- WATERPROOF

For use ONLY on DOGS and Puppies 8 weeks and older Weighing: 45 to 88 lbs.

Net Contents: 0.273 fl. oz. (8.04 ml), Contains 3 tubes, each 0.091 fl. oz. (2.68 ml)

ACTIVE INGREDIENTS

8.80% OTHER INGREDIENTS

CONTAINS
FIPRONIL and
(S)-METHOPRENE,
the ACTIVE INGREDIENTS
used in FRONTLINE PLUS used in FRONTLINE PLUS

KEEP OUT OF REACH OF CHILDREN **CAUTION:**



NOT USE ΩN

EPA Est. No. 2596-0H-1

Distributed by: CAP Supply, Inc

nucouscions beisour

303 Perimeter Center North, Suite 300, Atlanta, GA 30346 EPA Reg. No. 2596-165-91019.

RM113195



NO

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE INTEGERS: feep this product in its highly dosed original container, when not in use. Store in a cool, dry (preferably locked) area that is increasable to children and animals.

PESTICIDE DISPOSAL: Worstes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

PESTICIDE DISPOSAL: Mortes resulting from the use of this product may be disposed of on site or at an approved waste disposal found in the use of this product may be disposed on a family family. Out the use of this product may be disposal to the use of the us

Monitor your dog other application. Side effects may include signs of skin initiation such as redness, scratching, or other side effects may include signs of skin imitation signs such as womiting or diarrhea have also been reported. If these or other side effects occur, consult your veteninarian or call 1888-843-2995.


4. Repeat every month.

shoulder blades. Use the dispensing tip of the tube to part the dogs the tube to part the dogs's hair so that the product will be applied at skin level. Begin squeezing our the contents of the tube to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail.

Feneral sever worth applicator's seal. Do not remove the dispensing tip.

3. Position the dispensing tip on the dogs's back between the

provided away from your face. 2. Twist dispensing tip clockwise about % turn while pushing down to break the package and hold in an upright position 1. Remove one applicator tube from the



INCLUDING BREEDING, PREGNANT AND LACTATING BITCHES. USE ONLY ON DOGS OR ON PUPPIES 8 WEEKS OF AGE OR OLDER,
THIS PRODUCT CAN BE USED ON DOGS AND PUPPIES 8 WEEKS OR OLDER, labeling. Do not allow children to apply product.

READ ENTIRE LABEL BEFORE EACH USE.

It is a violation of Federal law to use this product in a manner inconsistent with its DIKECTIONS FOR USE

.sdl 88 ot **2**P For use ONLY on DOGS and Puppies



COMBUSTIBLE: Do not use or store near heat or open flame. PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE ON RABBITS, CATS, KITTENS, OR OTHER ANIMALS.

IF ON SKIN OR CLOTHING: Take off comminate Rinse skin immediately with plenty of water for 15-20 m Call a poison control center or doctor for treatment advice

IF IN EYES: Hold eye open and inse slowly and gently with water for 15-20 minutes, there control exercise the first 5 minutes, the resent, offer the first 5 minutes, the control center or doctor for treatment of object.

IF SUMALLOWED: Call a paison control center or doctor immediately for theatment advice. Hore person sip a glass of water if able to swallow. Do not induce vorniting unless told to the country of the

emergencies or pesticide incidents) you may call 1-888-43-2926 threnty-four (24) hours per day, seven (7) days per week. Have the product container or label with you when calling a poison control center or doctor, or going for the product for additional information on this pesticide product (including health concerns, medical the product of the pro


For exhand use only, Do not use on puppies under 8 weeks of age. Sarainhitiss may occur after using AVV pesticide product for pats. If for exhand use only, Do not use on puppies under 8 weeks of ages of exembly occur bein any own with mit and so mit new whith large and product opposition of consult or evenimental before using this meaning expensive some strangorum undonor until his site of product opposition of consult or evenimental before using this product on debilitation great, regional or mursing armines, Call 1488-843-295 for 24-hour assistance.

HAZARDS TO DOMESTIC ANIMALS.

before eating, diviking, drawing gur, using bibacco or using the roleit.

HAZARDS TO HUMANS. CAUTION. PRECAUTIONARY STATEMENTS





The first time you treat your dog, place the First Application Sticker on your calendar. Apply Stickers 2 and 3 to the calendar 30 and 60 days after the first application to remind you it's time to reapply PetAction® Plus for Dogs.



Distributed by: CAP Supply, Inc 303 Perimeter Center North, Suite 300, Atlanta, GA 30346

For customer service







Children
Read accompanying
label before use
EpA Reg. No. 2596-162-91019
EPA Est. No. 2596-162-91019
EPA Est. No. 2596-103-91019

Keep Qut.of Reach of

FOR DOGS PETACTION' Plus

Only for use on DOGS AND PUPPIES 8 WEEKS OR OLDER 45 – 88 lbs. 0.091 fl. oz. (2.68 ml.) Active Ingredients: Fipronil 9.8% (5)-Methoprene 8.8%

For use ONLY on DOGS and Puppies 8 weeks and older Weighing:

89 to 132 lbs.

FOR DOGS

8 weeks to ONLY on DOGS and Puppies and older Weighing: KILLS FLEAS, TICKS, FLEA EGGS, FLEA LARVAE, CHEWING LICE

Kills all stages of Deer ticks that may carry Lyme disease. Aids in Control of sarcoptic mange infestations.

- FAST ACTING
- LONG-LASTING
- **✓** WATERPROOF

For use ONLY on DOGS and Puppies 8 weeks and older Weighing: 89 to 132 lbs.

Net Contents: 0.408 fl. oz. (12.06 ml), Contains 3 tubes, each 0.136 fl. oz. (4.02 ml)

ACTIVE INGREDIENTS:

CONTAINS
FIPRONIL and
(S)-METHOPRENE,
THE ACTIVE INGREDIENTS
USED IN FRONTLINE PLUS®
USED IN FRONTLINE PLUS®
Dathrings Plus for home instruments and home

KEEP OUT OF REACH OF CHILDREN **CAUTION:**

RM113199



NOT

EPA Est. No. 2596-0H-1

:yd bətudirtsiQ

nucouscions beisour

CAP Supply, Inc 303 Perimeter Center North, Suite 300, Atlanta, GA 30346 EPA Reg. No. 2596-165-91019.



NO **LON**

inoccessible to children and animals.

PESTICIDE DISPOSAL: Warster resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTRINER DISPOSAL: Warster resulting from the continuer. On on to teuse or refill this container.

If empty, Offer for recycling, if available: If partly filled: Call your local solid waste agency for disposal instructions. Never place unused broad and in the contract of the contract

o not contaminate water, food or feed by storage and disposal. **PESTICUDE STORAGE**: Keep this product in 1st fightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is increasable to the cool of the

STORAGE AND DISPOSAL

Gastrointestinal signs such as vomiting ot diarrhea have also been reported. It these or other side ettects occur, consult your veternarian or call : Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort.

4. Repeat every month.

to mobilicator's seal. Do not remove the dispensing fing.

3. Position the dispensing it pon the dogs's back between the shoulder blades. Use the dispensing it of the tube to part the dogs's hair so that the product will be applied at skin level. Begin aguesting out the contents of the tube to form a stripe as you move from the contents of the tube to form a stripe as you move the manner.

turn while pushing down to break the pointed away from your face.

2. Twist dispensing tip clockwise about 1/s the state of the state package and hold in an upright position 1. Remove one applicator tube from the



INCLUDING BREEDING, PREGNANT AND LACTATING BITCHES. THIS PRODUCT CAN BE USED ON POGS AND PUPPILS & WEEKS OF ACE OR OLDER, READ EŇTIRE LABEL BEFORE ĖÁĆH USE.

labeling. Do not allow children to apply product.

sti ritiw tratsisnooni rannom a ni touborq sirit asu ot wal larabat to noitaloiv a si tl

DIRECTIONS FOR USE

.edl SE1 ot e8 8 weeks and older Weighing: səiddinə pue sann uo xann əsn so-

IF SWALLOWED: Call a poison conthol canter or doctor immediately for insument ability for the arment ability or they be serve up a glass of water if able to swallow. Do not induce vorniting unless tald to do so by a pusion control center or doctor. Do not give anything by month to an Hove the product combiner of label with you when calling a paison control center or doctor, or gaing for machiners. To colladorior information on this pestidade particularly formation and plength consensor, medical en **GIA T2811**

COMBUSTIBLE: Do not use or store near heat or open flame.

DO NOT USE ON RABBITS, CATS, KITTENS, OR OTHER ANIMALS.

Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contuminated dothing.

IF IN EYES: Hold eye open and inse slowly and gently with water for 15-20 minutes, then control lenses, if present, after the first 5 minutes, then control entire to doctor for the dimentification by Call a policy control entire or doctor for the dimension advice.

PHYSICAL OR CHEMICAL HAZARDS


For external use only, Do not use on puppies under 8 weeks of age, Sensibrinies moy occur other using AMY pasticide product for pelt. If ever external uses only, Do not use on puppies under 8 weeks of age, and a sensition of a sensition of a sensition of the se

HAZARDS TO DOMESTIC ANIMALS.

Hormful if swallowed, causes eye imitation. Avoid contact with skin, syes or dothing. Worsh hands thoroughly with scop and water after branding and before eating, chewing gum, using tobacco or using the toles:

нахакру то нимаиз. Салтюм. PRECAUTIONARY STATEMENTS





The first time you treat your dog, place the First Application Sticker on your calendar. Apply Stickers 2 and 3 to the calendar 30 and 60 days after the first application to remind you it's time to reapply PetAction® Plus for Dogs.



Distributed by: CAP Supply, Inc 303 Perimeter Center North, Suite 300, Atlanta, GA 30346

For customer service







RM113198

Kead accompanying
[abel before use
EPA Reg. No. 2596-165-91019
EPA Est. No. 2596-1019

Caution

Keep Out of Reach of Children

FOR DOGS PETACTION Plus

Only for use on DOGS AND PUPPIES 8 WEEKS OR OLDER 89 – 132 lbs. 0.136 fl. oz. (4.02 ml.)

Active Ingredients: Fipronil 9.8%

(S)-Methoprene 8.8%