



Directions for Use

How to open

- 1. Remove product tubes from the package.
- 2. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.


How to apply

- 1. Invert tube over dog and use open end to part dog's hair.
- 2. Squeeze tube firmly to apply all of the solution to the dog's skin as a spot to the dog's back between the shoulder blades.




3 Month Application Tracke

For year-round protection, apply SENTRY® FIPROGUARD® PLUS for dogs monthly.



First Application



SENTRY FIPROGUARD plus for dogs

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE

HAZARDS TO HUMANS, CAUTION, Harmful if swallowed. Causes eve irritation, Avoid contact with skin, eves or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying

l		FIRST AID
	If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
ı	If in eyes:	Flush eyes with plenty of water. Call a doctor if irritation persists.

Wash with plenty of soap and water. Get medical attention if irritation persists HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also

t is a violation of Federal law to use this product in a manner inconsistent with its labeling, DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on cats, rabbits or animals other than dogs. Do not allow your dog to ingest this product. Do not use on puppies under 8 weeks of age or less than 4 lbs. Use entire contents of tube on each dog. Do not split on tube between dogs. Do not use multiple tubes on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

Side Effects: Monitor your dog after application. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.



DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact

How to open: Remove product tubes from the package. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line. How to apply: Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin,

as directed below. Do not apply more often than once every 4 weeks. Only for Dogs Weighing 4-22 lbs. Do not apply to dogs weighing less than 4 lbs.: Apply one tube (0.67 mL (0.023 fl oz) as a spot to the dog's back between the shoulder blades.

Use this product monthly for complete control of flea, tick, and chewing lice infestations. Studies show that this product kills adult fleas for up to three months. Apply monthly if your dog is at high risk for flea reinfestation. Apply monthly to control ticks and chewing lice. This product remains effective even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

f you have questions or comments about this product, please write: SENTRY Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.

Distributed by: Sergeant's Pet Care Products, Inc., Omaha, NE 68154-0399 In Case of Emergency, call: 1-800-781-4738 Non-Emergency, call: 1-800-224-PETS (7387)

EPA Reg. No. 2517-134

EPA Est. No. 2517-NE-02



PR

2m

ACTIVE INGREDIENTS:

CAUTION

(S)-methoprene. 8.80%

OTHER INGREDIENT:.... 81.40%

KEEP OUT OF REACH OF CHILDREN

Net Contents: 0.069 fl oz (2.01 mL)

Three 0.023 fl oz (0.67 mL) applicators

TOP C

ARD

SENTRY FIPROGUARD plus for dogs



Kills fleas, flea eggs, flea larvae, ticks & chewing lice

- fast acting
- long lasting
- waterproof



*This product is not manufactured or distributed Merial, the makers of FRONTLINE® Plus for dogs.

LIFT HERE FOR MORE INFORMATION



SENTRY FIPROGUARD plus for dogs

- ▶ Breaks the flea life cycle
- ► Kills flea eggs & flea larvae for up to 12 weeks
- ▶ Stops and prevents infestation of listed pests for 4 weeks
- Kills adult fleas, which may be a source of flea allergy dermatitis
- Prevents all stages of the flea life cycle from developing
- ▶ Kills all stages of deer ticks, including those that may transmit Lyme disease
- Kills brown dog ticks, American dog ticks, and lone star ticks
- Rapid elimination of chewing lice infestation
- Controls mites that may cause sarcoptic mange
- Can be used on puppies 8 weeks of age
- Can be used on breeding, pregnant, and lactating female dogs
- Fast acting
- Long lasting
- Waterproof

SENTRY® FIPROGUARD® PLUS for dogs contains Fipronil and (S)-methoprene, an insect growth regulator (IGR), to effectively kill fleas and ticks, including those that may transmit Lyme disease. The active ingredients in this product feature a sustained release formula developed for fast acting and long lasting control of fleas, ticks, and chewing lice for up to four weeks on dogs.

ADULT FLEA

EA LARVAE


6 Step Topical Checklist

- ☐ Read the label completely and follow directions
- ☐ Weigh your dog
- ☐ Do NOT use dog products on cats
- □ Do NOT treat with more than one pesticide product at a time ☐ Separate animals after treatment
- to avoid chance of ingestion
- □ Do NOT split tubes between pets

SPROGE

AND

P006100 AORH









Directions for Use

How to open

- 1. Remove product tubes from the package.
- 2. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.


How to apply

- 1. Invert tube over dog and use open end to part dog's hair.
- 2. Squeeze tube firmly to apply all of the solution to the dog's skin as a spot to the dog's back between the shoulder blades.



3 Month **Application Tracker**

For year-round protection, apply SENTRY® **FIPROGUARD®** PLUS for dogs monthly.



dd

First Application

DATE: MM

AND on the p

SENTRY FIPROGUARD plus for dogs

READ ENTIRE LABEL BEFORE EACH USE. LISE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product.

LIKO I AID

735	dysfunction. If you	actor, ageac, pregiant or harbing ougs. Consult a Vetermatian Detrote using on bugs with Andron upgarant of og is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying d tick control product.	
		FIRST AID	
ЩO	If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.	
100	If in eyes:	Flush eyes with plenty of water. Call a doctor if irritation persists.	
	If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.	
	HOT LINE NUMBER		
	SEN IPROGUZ	dysfunction. If you any topical flea ar	

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-781-4738 for emergency medical treatment information.

t is a violation of Federal law to use this product in a manner inconsistent with its labeling, DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on cats, rabbits or animals other than dogs. Do not allow your dog to inges this product. Do not use on puppies under 8 weeks of age or less than 23 lbs. Use entire contents of tube on each dog. Do not split one tube between dogs. Do not use multiple tubes on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

Side Effects: Monitor your dog after application. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary irritation at the site of product application such as release, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.



DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact

How to open: Remove product tubes from the package. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skill as directed below. Do not apply more often than once every 4 weeks

Only for Dogs Weighing 23-44 lbs.: Apply one tube (1.34 mL) (0.045 fl oz) as a spot to the dog's back bet

FREQUENCY OF APPLICATION

Use this product monthly for complete control of fleattick, and chewing lice infestations. Studies show that this product kills adult fleas for up to three months. Apply monthly if your dog is at high risk for flea reinfestation. Apply monthly to control ticks and chewing lice. This product remains effective even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

f you have questions or comments about this product, please write SÉNTRY Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399

Distributed by: Sergeant's Pet Care Products, Inc., Omaha, NE 68154-0399 In Case of Emergency, call: 1-800-781-4738

Non-Emergency, call: 1-800-224-PETS (7387)

EPA Reg. No. 2517-134 EPA Est. No. 2517-NE-02

P006101 AORH

3 IIII

ACTIVE INGREDIENTS:

CAUTION

(S)-methoprene. 8.80%

OTHER INGREDIENT:.... 81.40%

KEEP OUT OF REACH OF CHILDREN

Net Contents: 0.135 fl oz (4.02 mL)

Three 0.045 fl oz (1.34 mL) applicators

FIPR

о́ П

力

ARD: dogs

とい

For use ONLY on dogs 23 - 44 lbs

SENTRY FIPROGUARD plus for dogs

Compare to FRONTLINE® Plus for dogs, contains the same active ingredients*

Kills fleas, flea eggs, flea larvae, ticks & chewing lice

- fast acting
- long lasting
- waterproof



This product is not manufactured or distributed b Merial, the makers of FRONTLINE Plus for dogs. FRONTLINE* is a registered trademark of Merial.

LIFT HERE FOR MORE INFORMATION




SENTRY FIPROGUARD plus for dogs

ADULT FLEA

FLEA PUPA

LEA LARVAE

- ▶ Breaks the flea life cycle
- ► Kills flea eggs & flea larvae for up to 12 weeks
- ▶ Stops and prevents infestation of listed pests for 4 weeks
- ► Kills adult fleas, which may be a source of flea allergy dermatitis
- Prevents all stages of the flea life cycle from developing
- ▶ Kills all stages of deer ticks, including those that may transmit Lyme disease
- ▶ Kills brown dog ticks, American dog ticks, and lone star ticks
- ► Rapid elimination of chewing lice infestation
- Controls mites that may cause sarcoptic mange
- ► Can be used on puppies 8 weeks of age
- and older
- ► Can be used on breeding, pregnant and lactating female dogs
- ▶ Fast acting
- ▶ Long lasting
- ▶ Waterproof



6 Step Topical Checklist

- ☐ Read the label completely and follow directions
- ☐ Weigh your dog
- ☐ Do NOT use dog products on cats
- to avoid chance of ingestion

one pesticide product at a time

☐ Separate animals after treatment

□ Do NOT treat with more than

☐ Do NOT split tubes between pets

PK2792

PLUS for dogs READ ENTIRE LABEL BEFORE EACH USE, USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE.

FIPRO**GUARD**

sql 88 - 97



 \Box

P

PLUS for dogs

FIPROGUARD.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet,

HAZARDS TO DOMESTIC ANIMALS. For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-800-781-4738

	FIRST AID
If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Flush eyes with plenty of water. Call a doctor if irritation persists.
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.
	HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE, FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY, FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

Do not use on puppies under 8 weeks of age. Do not split one tube between dogs. Do not use multiple tubes on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Consult a veterinarian before using this product on debilitated, aged, or medicated dogs. Can be used on breeding, pregnant, or lactating dogs. Consult a veterinarian before using on dogs with known organ dysfunction. Dogs may experience some temporary irritation at the site of product application. Certain medications can interact with pesticides. Sensitivities may occur after using ANY pesticide product on dogs. If signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

How to open: Remove product tubes from the package. Separate one tube from the others. Holding the tube with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply: Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every 4 weeks.

FREQUENCY OF APPLICATION

Use FIPROGUARD™ PLUS monthly for complete control of flea, tick, and chewing lice infestations. Studies show that FIPROGUARD "PLUS kills adult fleas for up to three months. Apply monthly if your dog is at high risk for flea reinfestation. Apply monthly to control ticks and chewing lice. FIPROGUARD" PLUS remains effective even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 4 weeks.

For Dogs Weighing 45 - 88 lbs.: Apply one tube (2.68 mL)(0.091 fl oz) as a spot on the dog's back between the

In Case of Emergency, call: 1-800-781-4738 Non-Emergency, call: 1-800-224-PETS (7387) If you have questions or comments about this product, please write: SENTRY Consumer Response,

Distributed by: Sergeant's Pet Care Products, Inc. P.O. Box 540399, Omaha, NE 68154-0399 EPA Reg. No. 2517-134 EPA Est. No. 2517-TN-1





ACTIVE INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN

Net Contents: Three 0.091 fl oz (2.68 mL) applicators

CAUTION

OTHER INGREDIENT**: 81.40%

diethylene alycol monoethyl ether

.8.80%

100.00%

(S)-methoprene – the active ingredients used in Frontline Plus® for dogs*

For use ONLY on dogs

45-88 lbs over 8 weeks of age

KILLS

- m fleas
- ticks
- * chewing lice
- 🔥 flea eggs
- **¬** flea larvae
- **Controls flea reinfestation** for up to 3 months
- Controls mites that may cause sarcoptic mange
- Waterproof

* FIPROGUARD™ PLUS for dogs is not manufactured by or distributed by Merial. Frontline Plus® is a registered trademark of Merial.

LIFT HERE FOR MORE INFORMATION



► Kills adult fleas, flea eggs, flea larvae, and prevents the development of pupae for up to 3 months

FLEA PUPA

LEA LARVAE

- Kills all stages of deer ticks
- ► Kills ticks including those that may transmit Lyme disease
- ▶ Kills brown dog ticks, American dog ticks, lone star ticks, and deer ticks
- ► Controls mites that may cause sarcoptic mange
- ► Can be used on breeding, pregnant, and lactating dogs
- Fast acting
- Long lasting

The active ingredients in FIPROGUARD $^{\rm TM}$ PLUS feature a sustained release formula developed for fast acting and long lasting control of fleas, ticks, and chewing lice for up to 4 weeks on dogs.

FiproGuard Plus 45-88 04FEB11 22 see dieline ART INSTRUCTION FOR THE PRINTER Sernents

Checklist ☐ Read the label completely and follow directions ☐ Weigh your pet ☐ Do NOT use dog products

☐ Do NOT split tubes between pets 3 Month Application Tracker Second Application For year-round

Directions for Use

6 Step Topical

How to Open

How to Apply

1. Remove product tubes from the package.

2. Separate one tube from the others. Holding the tube with

1. Invert tube over dog and use open end to part dog's hair.

2. Squeeze tube firmly to apply all of the solution to the dog's skin as a spot to the dog's back between the shoulder blades.

notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

protection, apply FIPROGUARD™ PLUS monthly.

☐ Do NOT treat with more than one

☐ Separate animals after treatment

to avoid chance of ingestion

pesticide product at a time

STORAGE AND DISPOSAL emove tube from the pack until ready to use. S and notes. Do not refrinerate. Protect from dire

ROGU

م

层

Made in USA

45

0

00

use

ONLY

on dogs

For use ONLY on dogs

SENTRY FIPE OF GOOGS



Directions for Use

How to open

- 1. Remove product tubes from the package.
- 2. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply

- 1. Invert tube over dog and use open end to part dog's hair.
- 2. Squeeze tube firmly to apply all of the solution to the dog's skin as a spot to the dog's back between the shoulder blades.



3 Month

protection, **FIPROGUARD®** PLUS for dogs monthly.

PROGU for

AND

STORAGE A

SENTRY FIPROGUARD PLUS

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE.

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticid roduct at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product.

	FIRST AID
If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce voniting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Flush eyes with plenty of water. Call a doctor if irritation persists.
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.
	HOT I WE WHATER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-781-4738 for emergency medical treatment information.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND YOUR DOG. READ ENTIRE LABEL BEFORE EACH USE, FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on cats, rabbits or animals other than doos. Do not allow your dog to ingest this product. Do not use on puppies under 8 weeks of age or less than 89 lbs. Use entire contents of tube on each dog. Do not split one tube between dogs. Do not use multiple tubes on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

Side Effects: Monitor your dog after application. Some dogs may experience temporary startle effects when any product is applied Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.



DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact

How to open; Remove product tubes from the package. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line

How to apply: Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every 4 weeks

Only for Dogs Weighing 89-132 lbs. Do not use two tubes on dogs greater than 132 lbs. Apply one tub (4.02 mL) (0.136 fl oz) as a spot to the doo's back between the shoulder blades.

FREQUENCY OF APPLICATION

Use this product monthly for complete control of flea, tick, and chewing lice infestations. Studies show that this product kills adult fleas for up to three months. Apply monthly if your dog is at high risk for flea reinfestation. Apply monthly to control ticks and chewing lice. This product remains effective even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

If you have questions or comments about this product, please write: SENTRY Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.

Distributed by: Sergeant's Pet Care Products, Inc., Omaha, NE 68154-0399

In Case of Emergency, call: 1-800-781-4738 Non-Emergency, call: 1-800-224-PETS (7387)

EPA Reg. No. 2517-134 EPA Est. No. 2517-NE-02



3 IIIII

ACTIVE INGREDIENTS:

(S)-methoprene. 8.80%

OTHER INGREDIENT:.... 81.40%

KEEP OUT OF REACH OF CHILDREN CAUTION

Net Contents: 0.408 fl oz (12.06 mL)

Three 0.136 fl oz (4.02 mL) applicators

FIPR

2m

ARD dogs

For use ONLY on dogs 89 - 132 lbs

SENTRY, FIPROGUARD plus for dogs



flea larvae, ticks & chewing lice


- fast acting
- long lasting
- waterproof



LIFT HERE



- ▶ Breaks the flea life cycle
- ► Kills flea eggs & flea larvae for up to 12 weeks
- Stops and prevents infestation of listed pests for 4 weeks
- ▶ Kills adult fleas, which may be a source of flea allergy dermatitis
- Prevents all stages of the flea life cycle from developing
- ▶ Kills all stages of deer ticks, including those that may transmit Lyme disease
- ▶ Kills brown dog ticks, American dog ticks, and lone star ticks
- ▶ Rapid elimination of chewing lice infestation
- ► Controls mites that may cause sarcoptic mange
- ► Can be used on puppies 8 weeks of age
- ► Can be used on breeding, pregnant, and lactating female dogs
- Fast acting
- Long lasting
- Waterproof



ADULT FLEA

LEA LARVAE


6 Step Topical Checklist

- ☐ Read the label completely and follow directions
- ☐ Weigh your dog
- ☐ Do NOT use dog products on cats
- one pesticide product at a time

☐ Do NOT treat with more than

FLEA PUPAI

- ☐ Separate animals after treatment to avoid chance of ingestion
- □ Do NOT split tubes between pets



Application Tracker

For year-round apply SENTRY® First Application DATE: MM Second Application DATE: MM Third Application DATE: MM

89 32 lbs

P006103 AORH