



3 MONTH SUPPLY

FOR USE **ONLY** ON DOGS
UP TO 22 LBS
OVER 8 WEEKS OF AGE

With **Insect Growth Regulator** to Break Flea Life Cycle

Spectra Sure **IGR** FOR DOGS

Contains Fipronil & (S)-methoprene, the active ingredients used in Frontline Plus® for dogs*

KILLS

-  **Fleas**  **Ticks**
-  **Chewing Lice**
-  **Flea Eggs**
-  **Flea Larvae**

*Spectra Sure™ IGR for dogs is not manufactured by or distributed by Merial. Frontline Plus® is a registered trademark of Merial.

ACTIVE INGREDIENTS

Fipronil	9.80%
(S)-methoprene	8.80%
OTHER INGREDIENT**	81.40%
TOTAL	100.00%

**diethylene glycol monoethyl ether

LIFT HERE FOR MORE INFO

KEEP OUT OF REACH OF CHILDREN



DO NOT USE ON CATS

CAUTION

See Back Panel for Additional Precautionary Statements

EASY TO USE

FAST ACTING

WATERPROOF

LONG LASTING

NET CONTENTS: 3-0.023 FL OZ (0.67 mL) APPLICATORS



▶ Easy to use


▶ Long lasting

Spectra Sure **IGR** FOR DOGS

Dual Action!

Fipronil with (S)-methoprene IGR (insect growth regulator) effectively breaks the flea life cycle

Kills adult fleas, flea eggs, flea larvae and prevents the development of pupae for up to three months



Controls flea reinfestation for up to 12 weeks

Kills adult fleas, which may be a source of flea allergy dermatitis

Controls mites that may cause sarcoptic mange

Kills ticks including those that may transmit Lyme disease

Kills brown dog ticks, American dog ticks, lone star ticks, and all stages of deer ticks

Can be used on breeding, pregnant, and lactating dogs

Effective after bathing and exposure to water and sunlight

▶ Fast acting

▶ Waterproof

FOR DOGS

UP TO 22 LBS

Directions for Use

How to open

1. Remove product tubes from the package.
2. Separate one tube from the others. Holding the tube with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply

1. Invert tube over dog and use open end to part dog's hair.
2. Squeeze tube firmly to apply all of the solution to the dog's skin as a spot on the dog's back between the shoulder blades.



For year-round protection, apply monthly

6 Step Checklist

1. Read the label completely and follow directions.
2. Weigh your pet.
3. Do NOT use dog products on cats.
4. Do NOT treat with more than one pesticide product at a time.
5. Separate animals after treatment to avoid chance of ingestion.
6. Do NOT split tubes between pets.

3 Month Tracker

Treatment 1 mm / dd / yy

Treatment 2 mm / dd / yy

Treatment 3 mm / dd / yy

FOR USE ONLY ON DOGS
UP TO 22 LBS
OVER 8 WEEKS OF AGE

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F/25°C) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

STORAGE AND DISPOSAL

Made in the USA

Spectra Sure IGR

UP TO 22 LBS



Contains Fipronil and S-Methoprene Insect Growth Regulator (IGR) to effectively kill fleas & ticks.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-855-777-0658 for 24-hour assistance.

FIRST AID

If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Flush eyes with plenty of water. Call a doctor if irritation persists.
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-855-777-0658 for emergency medical treatment information.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

Do not use on puppies under 8 weeks of age. Do not split one tube between dogs. Do not use multiple tubes on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Consult a veterinarian before using this product on debilitated, aged, or medicated dogs. Can be used on breeding, pregnant, or lactating dogs. Consult a veterinarian before using on dogs with known organ dysfunction. Dogs may experience some temporary irritation at the site of product application. Certain medications can interact with pesticides. Sensitivities may occur after using ANY pesticide product on dogs. If signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

How to open: Remove product tubes from the package. Separate one tube from the others. Holding the tube with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply: Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every 4 weeks.

FREQUENCY OF APPLICATION

Use Spectra Sure™ IGR monthly for complete control of flea, tick and chewing lice infestations. Studies show that Spectra Sure™ IGR kills adult fleas for up to three months. Apply monthly if your dog is at high risk for flea reinfestation. Apply monthly to control ticks and chewing lice. Spectra Sure™ IGR remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

For Dogs Weighing up to 22 lbs: Apply one tube (0.023 fl oz) (0.67 mL) as a spot on the dog's back between the shoulder blades.

In Case of Emergency, call: 1-855-777-0658

Non-Emergency, call: 1-800-821-5570

Or write: Durvet, Inc., P.O. Box 279, Blue Springs, MO 64013

Dist. by Durvet, Inc.

100 S.E. Magellan Drive

Blue Springs, MO 64014

EPA Reg. No. 2517-134-12281

EPA Est. No. 2517-TN-1

P003887 ACRR ISS11XB03

Made in the USA



02925




3 MONTH SUPPLY

FOR USE ONLY ON DOGS
23 TO 44 LBS
OVER 8 WEEKS OF AGE

With Insect Growth Regulator to Break Flea Life Cycle

Spectra Sure IGR FOR DOGS



EASY TO USE

FAST ACTING

WATERPROOF

LONG LASTING

Contains Fipronil & (S)-methoprene, the active ingredients used in Frontline Plus® for dogs*

KILLS

- Fleas Ticks
- Chewing Lice
- Flea Eggs
- Flea Larvae

*Spectra Sure™ IGR for dogs is not manufactured by or distributed by Merial. Frontline Plus® is a registered trademark of Merial.

ACTIVE INGREDIENTS

Fipronil	9.80%
(S)-methoprene	8.80%
OTHER INGREDIENT**	81.40%
TOTAL	100.00%

**diethylene glycol monoethyl ether

LIFT HERE FOR MORE INFO

KEEP OUT OF REACH OF CHILDREN



CAUTION

See Back Panel for Additional Precautionary Statements

NET CONTENTS: 3-0.045 FL OZ (1.34 mL) APPLICATORS



▶ Easy to use


▶ Long lasting

Spectra Sure IGR FOR DOGS

Dual Action!

Fipronil with (S)-methoprene IGR (insect growth regulator) effectively breaks the flea life cycle

Kills adult fleas, flea eggs, flea larvae and prevents the development of pupae for up to three months



Controls flea reinfestation for up to 12 weeks

Kills adult fleas, which may be a source of flea allergy dermatitis

Controls mites that may cause sarcoptic mange

Kills ticks including those that may transmit Lyme disease

Kills brown dog ticks, American dog ticks, lone star ticks, and all stages of deer ticks

Can be used on breeding, pregnant, and lactating dogs

Effective after bathing and exposure to water and sunlight

► Fast acting



► Waterproof

FOR DOGS

23 TO 44 LBS

Directions for Use

How to open

1. Remove product tubes from the package.
2. Separate one tube from the others. Holding the tube with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply

1. Invert tube over dog and use open end to part dog's hair.
2. Squeeze tube firmly to apply all of the solution to the dog's skin as a spot on the dog's back between the shoulder blades.



For year-round protection, apply monthly

6 Step Checklist

1. Read the label completely and follow directions.
2. Weigh your pet.
3. Do NOT use dog products on cats.
4. Do NOT treat with more than one pesticide product at a time.
5. Separate animals after treatment to avoid chance of ingestion.
6. Do NOT split tubes between pets.

3 Month Tracker

Treatment 1 mm / dd / yy

Treatment 2 mm / dd / yy

Treatment 3 mm / dd / yy

FOR USE ONLY ON DOGS
23 TO 44 LBS
OVER 8 WEEKS OF AGE

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F/25°C) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.
CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

STORAGE AND DISPOSAL

Made in the USA

Contains Fipronil and S-Methoprene Insect Growth Regulator (IGR) to effectively kill fleas & ticks.

Spectra Sure IGR

23 TO 44 LBS



READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE. PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-855-777-0658 for 24-hour assistance.

FIRST AID

If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Flush eyes with plenty of water. Call a doctor if irritation persists.
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-855-777-0658 for emergency medical treatment information.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

Do not use on puppies under 8 weeks of age. Do not split one tube between dogs. Do not use multiple tubes on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Consult a veterinarian before using this product on debilitated, aged, or medicated dogs. Can be used on breeding, pregnant, or lactating dogs. Consult a veterinarian before using on dogs with known organ dysfunction. Dogs may experience some temporary irritation at the site of product application. Certain medications can interact with pesticides. Sensitivities may occur after using ANY pesticide product on dogs. If signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

How to open: Remove product tubes from the package. Separate one tube from the others. Holding the tube with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply: Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every 4 weeks.

FREQUENCY OF APPLICATION

Use Spectra Sure™ IGR monthly for complete control of flea, tick and chewing lice infestations. Studies show that Spectra Sure™ IGR kills adult fleas for up to three months. Apply monthly if your dog is at high risk for flea reinfestation. Apply monthly to control ticks and chewing lice. Spectra Sure™ IGR remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

For Dogs Weighing 23 to 44 lbs: Apply one tube (0.045 fl oz) (1.34 mL) as a spot on the dog's back between the shoulder blades.

In Case of Emergency, call: 1-855-777-0658

Non-Emergency, call: 1-800-821-5570

Or write: Durvet, Inc., P.O. Box 279, Blue Springs, MO 64013

Dist. by Durvet, Inc.

100 S.E. Magellan Drive

Blue Springs, MO 64014

EPA Reg. No. 2517-134-12281

EPA Est. No. 2517-TN-1

P003888 ACRR ISS11XB03

Made in the USA



02926



3 MONTH SUPPLY

FOR USE **ONLY** ON DOGS
45 TO 88 LBS
OVER 8 WEEKS OF AGE

With Insect Growth Regulator to Break Flea Life Cycle

Spectra Sure IGR FOR DOGS

Contains Fipronil & (S)-methoprene, the active ingredients used in Frontline Plus® for dogs*

KILLS

-  **Fleas**  **Ticks**
-  **Chewing Lice**
-  **Flea Eggs**
-  **Flea Larvae**

*Spectra Sure™ IGR for dogs is not manufactured by or distributed by Merial. Frontline Plus® is a registered trademark of Merial.

ACTIVE INGREDIENTS	
Fipronil	9.80%
(S)-methoprene	8.80%
OTHER INGREDIENT**	81.40%
TOTAL	100.00%
**diethylene glycol monoethyl ether	

LIFT HERE FOR MORE INFO

KEEP OUT OF REACH OF CHILDREN



CAUTION
See Back Panel for Additional Precautionary Statements

EASY TO USE

FAST ACTING

WATERPROOF

LONG LASTING

NET CONTENTS: 3-0.091 FL OZ (2.68 mL) APPLICATORS



▶ Easy to use


▶ Long lasting

Spectra Sure IGR FOR DOGS

Dual Action!

Fipronil with (S)-methoprene IGR (insect growth regulator) effectively breaks the flea life cycle

Kills adult fleas, flea eggs, flea larvae and prevents the development of pupae for up to three months



Controls flea reinfestation for up to 12 weeks

Kills adult fleas, which may be a source of flea allergy dermatitis

Controls mites that may cause sarcoptic mange

Kills ticks including those that may transmit Lyme disease

Kills brown dog ticks, American dog ticks, lone star ticks, and all stages of deer ticks

Can be used on breeding, pregnant, and lactating dogs

Effective after bathing and exposure to water and sunlight

▶ Fast acting



▶ Waterproof

FOR DOGS

45 TO 88 LBS

Directions for Use

How to open

1. Remove product tubes from the package.
2. Separate one tube from the others. Holding the tube with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply

1. Invert tube over dog and use open end to part dog's hair.
2. Squeeze tube firmly to apply all of the solution to the dog's skin as a spot on the dog's back between the shoulder blades.



For year-round protection, apply monthly

6 Step Checklist

1. Read the label completely and follow directions.
2. Weigh your pet.
3. Do NOT use dog products on cats.
4. Do NOT treat with more than one pesticide product at a time.
5. Separate animals after treatment to avoid chance of ingestion.
6. Do NOT split tubes between pets.

3 Month Tracker

Treatment 1 mm dd yy

Treatment 2 mm dd yy

Treatment 3 mm dd yy

FOR USE ONLY ON DOGS
45 TO 88 LBS
OVER 8 WEEKS OF AGE

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F/25°C) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.
CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

STORAGE AND DISPOSAL

Made in the USA

Contains Fipronil and S-Methoprene Insect Growth Regulator (IGR) to effectively kill fleas & ticks.

Spectra Sure IGR

45 TO 88 LBS



READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE. PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-855-777-0658 for 24-hour assistance.

FIRST AID

If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Flush eyes with plenty of water. Call a doctor if irritation persists.
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-855-777-0658 for emergency medical treatment information.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

Do not use on puppies under 8 weeks of age. Do not split one tube between dogs. Do not use multiple tubes on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Consult a veterinarian before using this product on debilitated, aged, or medicated dogs. Can be used on breeding, pregnant, or lactating dogs. Consult a veterinarian before using on dogs with known organ dysfunction. Dogs may experience some temporary irritation at the site of product application. Certain medications can interact with pesticides. Sensitivities may occur after using ANY pesticide product on dogs. If signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

How to open: Remove product tubes from the package. Separate one tube from the others. Holding the tube with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply: Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every 4 weeks.

FREQUENCY OF APPLICATION

Use Spectra Sure™ IGR monthly for complete control of flea, tick and chewing lice infestations. Studies show that Spectra Sure™ IGR kills adult fleas for up to three months. Apply monthly if your dog is at high risk for flea reinfestation. Apply monthly to control ticks and chewing lice. Spectra Sure™ IGR remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

For Dogs Weighing 45 to 88 lbs: Apply one tube (0.091 fl oz) (2.68 mL) as a spot on the dog's back between the shoulder blades.

In Case of Emergency, call: 1-855-777-0658

Non-Emergency, call: 1-800-821-5570

Or write: Durvet, Inc., P.O. Box 279, Blue Springs, MO 64013

Dist. by Durvet, Inc.

100 S.E. Magellan Drive

Blue Springs, MO 64014

EPA Reg. No. 2517-134-12281


EPA Est. No. 2517-TN-1

P003889 ACRR ISS11XB03

Made in the USA



02927



3 MONTH SUPPLY

FOR USE **ONLY** ON DOGS
89 TO 132 LBS
OVER 8 WEEKS OF AGE

With **Insect Growth Regulator** to Break Flea Life Cycle

Spectra Sure **IGR** FOR DOGS

Contains Fipronil & (S)-methoprene, the active ingredients used in Frontline Plus® for dogs*

KILLS

- Fleas Ticks
- Chewing Lice
- Flea Eggs
- Flea Larvae

*Spectra Sure™ IGR for dogs is not manufactured by or distributed by Merial. Frontline Plus® is a registered trademark of Merial.

ACTIVE INGREDIENTS	
Fipronil	9.80%
(S)-methoprene	8.80%
OTHER INGREDIENT**	81.40%
TOTAL	100.00%
**diethylene glycol monoethyl ether	

LIFT HERE FOR MORE INFO

KEEP OUT OF REACH OF CHILDREN



CAUTION
See Back Panel for Additional Precautionary Statements

NET CONTENTS: 3-0.136 FL OZ (4.02 mL) APPLICATORS



▶ Easy to use


▶ Long lasting

Spectra Sure **IGR** FOR DOGS

Dual Action!

Fipronil with (S)-methoprene IGR (insect growth regulator) effectively breaks the flea life cycle

Kills adult fleas, flea eggs, flea larvae and prevents the development of pupae for up to three months



Controls flea reinfestation for up to 12 weeks

Kills adult fleas, which may be a source of flea allergy dermatitis

Controls mites that may cause sarcoptic mange


Kills ticks including those that may transmit Lyme disease

Kills brown dog ticks, American dog ticks, lone star ticks, and all stages of deer ticks

Can be used on breeding, pregnant, and lactating dogs

Effective after bathing and exposure to water and sunlight

▶ Fast acting



▶ Waterproof

FOR DOGS **89 TO 132 LBS**

Directions for Use

How to open

1. Remove product tubes from the package.
2. Separate one tube from the others. Holding the tube with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply

1. Invert tube over dog and use open end to part dog's hair.
2. Squeeze tube firmly to apply all of the solution to the dog's skin from the back of the neck to a point midway between the neck and tail.



For year-round protection, apply monthly

6 Step Checklist

1. Read the label completely and follow directions.
2. Weigh your pet.
3. Do NOT use dog products on cats.
4. Do NOT treat with more than one pesticide product at a time.
5. Separate animals after treatment to avoid chance of ingestion.
6. Do NOT split tubes between pets.

3 Month Tracker

Treatment 1 / / /
mm dd yy

Treatment 2 / / /
mm dd yy

Treatment 3 / / /
mm dd yy

FOR USE ONLY ON DOGS
89 TO 132 LBS
OVER 8 WEEKS OF AGE

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F/25°C) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.
CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

STORAGE AND DISPOSAL

Made in the USA

Contains Fipronil and S-Methoprene Insect Growth Regulator (IGR) to effectively kill fleas & ticks.

Spectra Sure IGR

89 TO 132 LBS



READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE. PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-855-777-0658 for 24-hour assistance.

FIRST AID

If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Flush eyes with plenty of water. Call a doctor if irritation persists.
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-855-777-0658 for emergency medical treatment information.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

Do not use on puppies under 8 weeks of age. Do not split one tube between dogs. Do not use multiple tubes on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Consult a veterinarian before using this product on debilitated, aged, or medicated dogs. Can be used on breeding, pregnant, or lactating dogs. Consult a veterinarian before using on dogs with known organ dysfunction. Dogs may experience some temporary irritation at the site of product application. Certain medications can interact with pesticides. Sensitivities may occur after using ANY pesticide product on dogs. If signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

How to open: Remove product tubes from the package. Separate one tube from the others. Holding the tube with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply: Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every 4 weeks.

FREQUENCY OF APPLICATION

Use Spectra Sure™ IGR monthly for complete control of flea, tick and chewing lice infestations. Studies show that Spectra Sure™ IGR kills adult fleas for up to three months. Apply monthly if your dog is at high risk for flea reinfestation. Apply monthly to control ticks and chewing lice. Spectra Sure™ IGR remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

For Dogs Weighing 89 to 132 lbs: Apply one tube (0.136 fl oz)(4.02 mL) from the back of the neck to a point midway between the neck and tail.

In Case of Emergency, call: 1-855-777-0658

Non-Emergency, call: 1-800-821-5570

Or write: Duvet, Inc., P.O. Box 279, Blue Springs, MO 64013

Dist. by Duvet, Inc.

100 S.E. Magellan Drive

Blue Springs, MO 64014

EPA Reg. No. 2517-134-12281

EPA Est. No. 2517-TN-1

P003890 ACRR ISS11XB03

Made in the USA



02928