



P01000 RGRU

Tevrapet™ FirstAct™ Plus For Dogs is a registered trademark of Teva Brands.
EPA Est No. 74720-DEU-01
EPA Reg. No. 88052-15-92413
Made in Germany



DO NOT USE ON CATS
Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

Manufactured for Teva Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127
Call 1-800-775-9416.
Questions or comments about this product.

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage and disposal. PESTICIDE STORAGE: Store unused product in original container only, out of reach of children and animals. PESTICIDE DISPOSAL: If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available.

SIDE EFFECTS See package insert for side effects.
Precaution at consumer: If used no poodle or beagle, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.
Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 6 pounds.
Tevrapet™ FirstAct™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. Tevrapet™ FirstAct™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.
FirstAct™ Plus For Dogs is fast-acting, long-lasting, waterproof, and easy to use. Tevrapet™ FirstAct™ Plus For Dogs contains the active ingredients fipronil and (S)-Methoprene that effectively kills and controls fleas, ticks, and chewing lice. Tevrapet™ FirstAct™ Plus For Dogs kills flea larvae on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month. Although Tevrapet™ FirstAct™ Plus For Dogs can control fleas for up to three months, flea eggs, and flea larvae on your dog for up to three months, there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month. Ticks: Tevrapet™ FirstAct™ Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of chewing lice for at least one month. For best control of chewing lice, apply once every month. SARCOPTIC MITTES: Applied once a month, Tevrapet™ FirstAct™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.
Do not reapply Tevrapet™ FirstAct™ Plus For Dogs for 30 days.

FREQUENCY OF APPLICATION
FLEAs: When used monthly, Tevrapet™ FirstAct™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months. Although Tevrapet™ FirstAct™ Plus For Dogs can control fleas for up to three months, there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month. Ticks: Tevrapet™ FirstAct™ Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of chewing lice for at least one month. For best control of chewing lice, apply once every month. SARCOPTIC MITTES: Applied once a month, Tevrapet™ FirstAct™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.
Do not reapply Tevrapet™ FirstAct™ Plus For Dogs for 30 days.

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER



USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

tevräpet
FIRSTACTplus
FOR DOGS



Kills Fleas, Flea Eggs and Larvae, Chewing Lice
Kills all stages of ticks, including those that may transmit Lyme disease. Aids in control of sarcoptic mange mite infestations.
Fast-Acting • Long-Lasting • Waterproof

Contains the same active ingredients as Frontline® Plus for Dogs*

3 APPLICATORS



NET CONTENTS: 0.069 fl. oz.
3 applicators each containing 0.023 fl. oz.

ACTIVE INGREDIENTS:

Fipronil	9.8%
(S)-Methoprene	8.8%
OTHER INGREDIENTS:	81.4%
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN
CAUTION SEE LABEL INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS

Manufactured for: Teva Brands, LLC
9100 F Street, Suite 200, Omaha, NE 68127

How To Apply
To apply Tevrapet™ FirstAct™ Plus for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

Fleas: Kills fleas, flea eggs and flea larvae. Prevents all flea stages (eggs, larvae, pupae) from developing. Kills newly emerged fleas before they lay eggs. Kills fleas which may cause flea allergy dermatitis.
Lice: Rapidly controls infestations of chewing lice.

How to Open
To kill adult fleas, flea eggs and larvae, chewing lice, all stages of ticks (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product ONLY to dogs and puppies (8 weeks or older) as follows.
1 Tear through perforation.
2 Fold back the safety tab.
3 Cut with scissors to open applicator.

Mites: Aids in control of sarcoptic mange mite infestations.
Ticks: Kills all stages of ticks (larva, nymph, and adult). Brown dog ticks (Rhipicephalus sanguineus), American dog ticks (Dermacentor variabilis), Lone Star ticks (Amblyomma americanum), Deer ticks (Ixodes scapularis) which may carry Lyme disease.

How To Apply
To apply Tevrapet™ FirstAct™ Plus for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

How to Open
To kill adult fleas, flea eggs and larvae, chewing lice, all stages of ticks (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product ONLY to dogs and puppies (8 weeks or older) as follows.
1 Tear through perforation.
2 Fold back the safety tab.
3 Cut with scissors to open applicator.

How To Apply
To apply Tevrapet™ FirstAct™ Plus for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

How To Apply
To apply Tevrapet™ FirstAct™ Plus for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

How to Open
To kill adult fleas, flea eggs and larvae, chewing lice, all stages of ticks (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product ONLY to dogs and puppies (8 weeks or older) as follows.
1 Tear through perforation.
2 Fold back the safety tab.
3 Cut with scissors to open applicator.

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

4Z10030094_000_01

tevräpet
FIRSTACTplus
FOR DOGS

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING 6-22 lbs. AND 8 WEEKS OR OLDER

4Z10030094_000_01

tevräpet™
FIRSTACT^{plus}
FOR DOGS

Use **Only** On Dogs And Puppies Weighing
6-22 lbs. AND 8 WEEKS
OR OLDER

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease.

Aids in control of sarcoptic mange mite infestations.

Fast-Acting • Long-Lasting • Waterproof

ACTIVE INGREDIENTS:

Fipronil.....	9.8%
(S)-Methoprene.....	8.8%
OTHER INGREDIENTS.....	81.4%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at 1-800-775-9416 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS.

CAUTION. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use only. FOR USE ON DOGS AND PUPPIES ONLY. Do not use on puppies under 6 pounds or on puppies under 8 weeks of age. DO NOT USE ON CATS OR OTHER ANIMALS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-800-775-9416 for 24-hour assistance.

SIDE EFFECTS

Monitor your dog after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or us at 1-800-775-9416.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow children to apply product.

TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

TevraPet™ FirstAct™ Plus For Dogs contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks and chewing lice. TevraPet™ FirstAct™ Plus For Dogs is fast-acting, long-lasting, waterproof, and easy to use. TevraPet™ FirstAct™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. TevraPet™ FirstAct™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.

Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 6 pounds.


Do not use more than one applicator per dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.

To kill adult fleas, flea eggs and larvae, chewing lice, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows.



HOW TO OPEN:

1 Tear through perforation.



2 Fold back the safety tab.



3 Cut with scissors to open applicator.



HOW TO APPLY:

To apply TevraPet™ FirstAct™ Plus for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Fleas: When used monthly, TevraPet™ FirstAct™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months. Although TevraPet™ FirstAct™ Plus For Dogs can control fleas for up to three months, if there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.

Ticks: TevraPet™ FirstAct™ Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain

Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.

Chewing Lice: TevraPet™ FirstAct™ Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.

Sarcoptic Mites: Applied once a month, TevraPet™ FirstAct™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.

Do not reapply TevraPet™ FirstAct™ Plus For Dogs for 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals. **PESTICIDE DISPOSAL. If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

HOW SUPPLIED

TevraPet™ FirstAct™ Plus is available in convenient sizes for all sized dogs 6 to 132 lbs.

6-22 lbs. 0.069 fl. oz. (2.01 mL), 3 applicators each containing 0.023 fl. oz. (0.67 mL), 3 doses
23-44 lbs. 0.135 fl. oz. (4.02 mL), 3 applicators each containing 0.045 fl. oz. (1.34 mL); 3 doses
45-88 lbs. 0.273 fl. oz. (8.04 mL), 3 applicators each containing 0.091 fl. oz. (2.68 mL); 3 doses
89-132 lbs. 0.408 fl. oz. (12.06 mL), 3 applicators each containing 0.136 fl. oz. (4.02 mL); 3 doses

WARRANTY

To the extent consistent with applicable law, Tevra Brands, LLC., and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.

Manufactured for: Tevra Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127

Questions or comments about this product, call 1-800-775-9416.



DO NOT USE ON CATS

Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

TevraPet™ FirstAct™ Plus For Dogs is a registered trademark of Tevra Brands.

Made in Germany

kloc

USE ONLY ON DOGS AND PUPPIES WEIGHING
23-44 lbs. AND 8 WEEKS OR OLDER

tevräpet
FIRSTACTplus
FOR DOGS

How To Apply
To apply Tevräpet™ FirstAct™ Plus for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

Mites:
Aids in control of sarcoptic mange mite infestations.

Ticks:
Kills all stages of ticks (larva, nymph, and adult): Brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), Lone Star ticks (*Amblyomma americanum*), Deer ticks (*Ixodes scapularis*) which may carry Lyme disease.

Fleas:
Kills fleas, flea eggs and flea larvae. Prevents all flea stages developing. Kills newly emerged fleas before they lay eggs. Kills fleas which may cause flea allergy dermatitis.

Lice:
Rapidly controls infestations of chewing lice.

How to Open

- 1 Tear through perforation.
- 2 Fold back the safety tab.
- 3 Cut with scissors to open applicator.

To kill adult fleas, flea eggs and larvae, chewing lice, all stages of ticks (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows.

NET CONTENTS: 0.135 fl. oz.
3 applicators each containing 0.045 fl. oz.

ACTIVE INGREDIENTS:

Fipronil	9.8%
(S)-Methoprene	8.3%
OTHER INGREDIENTS:	81.9%
TOTAL:	100.0%

CAUTION SEE LABEL INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS

Manufactured for: Teva Brands, LLC
9100 F Street, Suite 200, Omaha, NE 68127

tevräpet™
FIRSTACTplus
FOR DOGS

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease. Aids in control of sarcoptic mange mite infestations.

Fast-Acting • Long-Lasting • Waterproof

3 APPLICATORS



Contains the same active ingredients as **Frontline® Plus for Dogs**



USE ONLY ON DOGS AND PUPPIES WEIGHING
23-44 lbs. AND 8 WEEKS OR OLDER

tevräpet
FIRSTACTplus
FOR DOGS



USE ONLY ON DOGS AND PUPPIES WEIGHING
23-44 lbs. AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING

FREQUENCY OF APPLICATION
TEVRAPEL™ FirstAct™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months, if there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.
TICKS: Tevräpet™ FirstAct™ Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of chewing lice, apply once every month.
CHEWING LICE: Tevräpet™ FirstAct™ Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.
SARCOPTIC MITES: Applied once a month, Tevräpet™ FirstAct™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.
Do not reapply Tevräpet™ FirstAct™ Plus For Dogs for 30 days.

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE STORAGE: Store unused product in original container only, out of reach of children and animals.
PESTICIDE DISPOSAL, If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **CONTAINER HANDLING:** Never place unused product down any indoor or refill this container. **If empty:** Place in trash or offer for recycling if available.

Manufactured for
Teva Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127
Call 1-800-775-9416.
Questions or comments about this product.

TEVRAPEL™ FirstAct™ Plus For Dogs contains the active ingredients fipronil and (S)-Methoprene that effectively kills and controls fleas, ticks, and chewing lice. Tevräpet™ FirstAct™ Plus For Dogs is fast-acting, long-lasting, waterproof, and easy to use. Tevräpet™ FirstAct™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. Tevräpet™ FirstAct™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.
Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 23 pounds.
DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.
SIDE EFFECTS See package insert for side effects.
Precaution at consumer: If used on poodle beer angles, no use este producto hasta que la etiqueta le haya sido explicadamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

DO NOT USE ON CATS
Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

88052-15-92413 Tevräpet First Act Plus for Dogs 23-44 lbs_20170801_6_92413_.pdf
EPA Reg. No. 88052-15-92413
EPA Est No. 74720-DEU-01
registered trademark of Teva Brands.
Tevräpet™ FirstAct™ Plus For Dogs is a Made in Germany



EPA Reg. No. 88052-15-92413
Batch No.

tevräpet
FIRSTACTplus
FOR DOGS

AZ10030094.000.01

tevräpet™
FIRSTACT^{plus}
FOR DOGS

For Use **Only** On Dogs And Puppies Weighing
23-44 lbs. AND 8 WEEKS
OR OLDER

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease.

Aids in control of sarcoptic mange mite infestations.

Fast-Acting • Long-Lasting • Waterproof

ACTIVE INGREDIENTS:

Fipronil.....	9.8%
(S)-Methoprene.....	8.8%
OTHER INGREDIENTS.....	81.4%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at 1-800-775-9416 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS.

CAUTION. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use only. FOR USE ON DOGS AND PUPPIES ONLY. Do not use on puppies under 23 pounds or on puppies under 8 weeks of age. DO NOT USE ON CATS OR OTHER ANIMALS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-800-775-9416 for 24-hour assistance.

SIDE EFFECTS

Monitor your dog after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or us at 1-800-775-9416.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow children to apply product.

TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

TevraPet™ FirstAct™ Plus For Dogs contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks and chewing lice. TevraPet™ FirstAct™ Plus For Dogs is fast-acting, long-lasting, waterproof, and easy to use. TevraPet™ FirstAct™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. TevraPet™ FirstAct™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.

Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 23 pounds.


Do not use more than one applicator per dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.

To kill adult fleas, flea eggs and larvae, chewing lice, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows.



HOW TO OPEN:


1 Tear through perforation.



2 Fold back the safety tab.



3 Cut with scissors to open applicator.



HOW TO APPLY:

To apply TevraPet™ FirstAct™ Plus for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Fleas: When used monthly, TevraPet™ FirstAct™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months. Although TevraPet™ FirstAct™ Plus For Dogs can control fleas for up to three months, if there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.

Ticks: TevraPet™ FirstAct™ Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain

Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.

Chewing Lice: TevraPet™ FirstAct™ Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.

Sarcoptic Mites: Applied once a month, TevraPet™ FirstAct™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.

Do not reapply TevraPet™ FirstAct™ Plus For Dogs for 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals. **PESTICIDE DISPOSAL. If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

HOW SUPPLIED

TevraPet™ FirstAct™ Plus is available in convenient sizes for all sized dogs 6 to 132 lbs.

6-22 lbs. 0.069 fl. oz. (2.01 mL), 3 applicators each containing 0.023 fl. oz. (0.67 mL), 3 doses
23-44 lbs. 0.135 fl. oz. (4.02 mL), 3 applicators each containing 0.045 fl. oz. (1.34 mL); 3 doses
45-88 lbs. 0.273 fl. oz. (8.04 mL), 3 applicators each containing 0.091 fl. oz. (2.68 mL); 3 doses
89-132 lbs. 0.408 fl. oz. (12.06 mL), 3 applicators each containing 0.136 fl. oz. (4.02 mL); 3 doses

WARRANTY

To the extent consistent with applicable law, Tevra Brands, LLC., and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.

Manufactured for: Tevra Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127

Questions or comments about this product, call 1-800-775-9416.



DO NOT USE ON CATS

Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

TevraPet™ FirstAct™ Plus For Dogs is a registered trademark of Tevra Brands.

Made in Germany



Made in Germany
EPA Reg. No. 88052-15-92413
EPA Est. No. 74720-DEU-01
Tevrapet® FirstAct™ Plus For Dogs is a registered trademark of Tevra Brands.



DO NOT USE ON CATS
Keep cats away from treated dogs for 24 hours. If applied to cat or ingested by a cat, contact your veterinarian.

SIDE EFFECTS See package insert for side effects.
Precautionary information is used on the label in English, Spanish, and French. (To the user, if you cannot speak English, do not use this product until the label has been fully explained to you.)

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 45 pounds.
Tevrapet® FirstAct™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. Tevrapet® FirstAct™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.
Tevrapet® FirstAct™ Plus For Dogs is fast-acting, long-lasting, waterproof, and easy to use. (S)-Methoprene that effectively kills and controls fleas, ticks, and chewing lice. Tevrapet® FirstAct™ Plus For Dogs contains the active ingredients fipronil and

Manufactured for Tevra Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127
Call 1-800-775-9416.
Questions or comments about this product.

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage and disposal. PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals. PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **CONTAINER HANDLING.** Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available.

FREQUENCY OF APPLICATION
FEAS: When used monthly, Tevrapet® FirstAct™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months. Although Tevrapet® FirstAct™ Plus For Dogs can control fleas for up to three months, there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.
TICKS: Tevrapet® FirstAct™ Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.
CHEWING LICE: Tevrapet® FirstAct™ Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.
SARCOPTIC MITES: Applied once a month, Tevrapet® FirstAct™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.
Do not reapply Tevrapet® FirstAct™ Plus For Dogs for 30 days.

kloc

45-88 lbs. AND 8 WEEKS OR OLDER
USE ONLY ON DOGS AND PUPPIES WEIGHING

45-88 lbs. AND 8 WEEKS OR OLDER
USE ONLY ON DOGS AND PUPPIES WEIGHING

45-88 lbs. AND 8 WEEKS OR OLDER
USE ONLY ON DOGS AND PUPPIES WEIGHING



tevrapiet® FIRSTACTplus™ FOR DOGS

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease. Aids in control of sarcoptic mange mite infestations.

Fast-Acting • Long-Lasting • Waterproof

3 APPLICATORS

Contains the same active ingredients as **Frontline® Plus for Dogs***



NET CONTENTS: 0.273 fl. oz.
3 applicators each containing 0.091 fl. oz.


ACTIVE INGREDIENTS:

Fipronil	9.8%
(S)-Methoprene (ethofofenproxer)	8.8%
OTHER INGREDIENTS:	81.4%
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN
CAUTION SEE LABEL INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS



DO NOT USE ON CATS
Manufactured by: Tevra Brands, LLC
9100 F Street, Suite 200, Omaha, NE 68127



How to Apply
To apply Tevrapet® FirstAct™ Plus for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

Fleas: Kills fleas, flea eggs and flea larvae. Prevents all flea stages (eggs, larvae, pupae) from developing. Kills newly emerged fleas before they lay eggs. Kills fleas which may cause flea allergy dermatitis.

Lice: Rapidly controls infestations of chewing lice.

Ticks: Kills all stages of ticks (larva, nymph, and adult). Brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), Lone Star ticks (*Amblyomma americanum*), Deer ticks (*Ixodes scapularis*) which may carry Lyme disease.

Mites: Aids in control of sarcoptic mange mite infestations.

How to Open
To kill adult fleas, flea eggs and larvae, chewing lice, all stages of ticks (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows.

- 1 Tear through perforation.
- 2 Fold back the safety tab.
- 3 Cut with scissors to open applicator.

45-88 lbs. AND 8 WEEKS OR OLDER
USE ONLY ON DOGS AND PUPPIES WEIGHING

tevrapiet® FIRSTACTplus™ FOR DOGS

EPA Reg. No. 88052-15-92413
Batch No.

tevrapiet® FIRSTACTplus™ FOR DOGS
45-88 lbs. AND 8 WEEKS OR OLDER
USE ONLY ON DOGS AND PUPPIES WEIGHING

tevräpet™
FIRSTACT^{plus}
FOR DOGS

Use **Only** On Dogs And Puppies Weighing
45-88 lbs. AND 8 WEEKS
OR OLDER

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease.

Aids in control of sarcoptic mange mite infestations.

Fast-Acting • Long-Lasting • Waterproof

ACTIVE INGREDIENTS:

Fipronil.....	9.8%
(S)-Methoprene.....	8.8%
OTHER INGREDIENTS.....	81.4%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at 1-800-775-9416 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS.

CAUTION. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use only. FOR USE ON DOGS AND PUPPIES ONLY. Do not use on puppies under 45 pounds or on puppies under 8 weeks of age. DO NOT USE ON CATS OR OTHER ANIMALS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-800-775-9416 for 24-hour assistance.

SIDE EFFECTS

Monitor your dog after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or us at 1-800-775-9416.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow children to apply product.

TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

TevraPet™ FirstAct™ Plus For Dogs contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks and chewing lice. TevraPet™ FirstAct™ Plus For Dogs is fast-acting, long-lasting, waterproof, and easy to use. TevraPet™ FirstAct™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. TevraPet™ FirstAct™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.

Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 45 pounds.


Do not use more than one applicator per dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.

To kill adult fleas, flea eggs and larvae, chewing lice, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows.



HOW TO OPEN:

1 Tear through perforation.



2 Fold back the safety tab.



3 Cut with scissors to open applicator.



HOW TO APPLY:

To apply TevraPet™ FirstAct™ Plus for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Fleas: When used monthly, TevraPet™ FirstAct™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months. Although TevraPet™ FirstAct™ Plus For Dogs can control fleas for up to three months, if there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.

Ticks: TevraPet™ FirstAct™ Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain

Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.

Chewing Lice: TevraPet™ FirstAct™ Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.

Sarcoptic Mites: Applied once a month, TevraPet™ FirstAct™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.

Do not reapply TevraPet™ FirstAct™ Plus For Dogs for 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals. **PESTICIDE DISPOSAL. If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

HOW SUPPLIED

TevraPet™ FirstAct™ Plus is available in convenient sizes for all sized dogs 6 to 132 lbs.

6-22 lbs. 0.069 fl. oz. (2.01 mL), 3 applicators each containing 0.023 fl. oz. (0.67 mL), 3 doses
23-44 lbs. 0.135 fl. oz. (4.02 mL), 3 applicators each containing 0.045 fl. oz. (1.34 mL); 3 doses
45-88 lbs. 0.273 fl. oz. (8.04 mL), 3 applicators each containing 0.091 fl. oz. (2.68 mL); 3 doses
89-132 lbs. 0.408 fl. oz. (12.06 mL), 3 applicators each containing 0.136 fl. oz. (4.02 mL); 3 doses

WARRANTY

To the extent consistent with applicable law, Tevra Brands, LLC., and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.

Manufactured for: Tevra Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127

Questions or comments about this product, call 1-800-775-9416.



DO NOT USE ON CATS

Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

TevraPet™ FirstAct™ Plus For Dogs is a registered trademark of Tevra Brands.

Made in Germany



Manufactured for
Teva Brands, LLC, 9100 F Street, Suite 200, Omaha, NE 68127
Call 1-800-775-9416.
Questions or comments about this product.

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage and disposal.
Pesticide STORAGE: Store unused product in original container only, out of reach of children and animals. **PESTICIDE DISPOSAL, if partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. If empty, place in trash or offer for recycling if available.



DO NOT USE ON CATS
Keep cats away from treated dogs for 24 hours if applied to a cat or ingested.
By cat, contact your veterinarian.

SIDE EFFECTS See package insert for side effects.
Flea action at consumption: si utilisé no puaede leer (ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: if you cannot speak English, do not use this product until the label has been fully explained to you).

DIRECTIONS FOR USE
Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 89 pounds.
Tevrapet™ FirstAct™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. Tevrapet™ FirstAct™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

FREQUENCY OF APPLICATION
FLEAS: When used monthly, Tevrapet™ FirstAct™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months. Although Tevrapet™ FirstAct™ Plus For Dogs can control fleas for up to three months, there is a high risk of re-infestation or fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.
TICKS: Tevrapet™ FirstAct™ Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.
CHEWING LICE: Tevrapet™ FirstAct™ Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.
SARCOPTIC MITES: Applied once a month, Tevrapet™ FirstAct™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.
Do not reapply Tevrapet™ FirstAct™ Plus For Dogs for 30 days.

kloc

USE ONLY ON DOGS AND PUPPIES WEIGHING **89-132 lbs.** AND 8 WEEKS OR OLDER

tevräpet
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING **89-132 lbs.** AND 8 WEEKS OR OLDER

USE ONLY ON DOGS AND PUPPIES WEIGHING **89-132 lbs.** AND 8 WEEKS OR OLDER



tevräpet™
FIRSTACTplus
FOR DOGS

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease. Aids in control of sarcoptic mange mite infestations.

Fast-Acting • Long-Lasting • Waterproof

3 APPLICATORS



Contains the same active ingredients as **Frontline® Plus for Dogs***



DO NOT USE ON CATS

NET CONTENTS: 0.408 fl. oz.
3 applicators each containing 0.136 fl. oz.

ACTIVE INGREDIENTS:

Fluralaner.....	9.8%
(S)-Methoprene.....	8.8%
OTHER INGREDIENTS.....	81.4%
TOTAL:.....	100.0%

KEEP OUT OF REACH OF CHILDREN
CAUTION SEE LABEL INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS

Manufactured for: Teva Brands, LLC
9100 F Street, Suite 200, Omaha, NE 68127

tevräpet™
FIRSTACTplus
FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING **89-132 lbs.** AND 8 WEEKS OR OLDER

How To Apply
To apply Tevrapet™ FirstAct™ Plus for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

Fleas: Kills fleas, flea eggs and flea larvae. Prevents all flea stages (eggs, larvae, pupae) from developing. Kills newly emerged fleas before they lay eggs. Kills fleas which may cause flea allergy dermatitis.

Lice: Rapidly controls infestations of chewing lice.

Mites: Aids in control of sarcoptic mange mite infestations. Kills all stages of ticks (larva, nymph, and adult; Brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), Lone Star ticks (*Amblyomma americanum*), Deer ticks (*Ixodes scapularis*) which may carry Lyme disease.



How to Open

- 1 Tear through perforation.
- 2 Fold back the safety tab.
- 3 Cut with scissors to open applicator.

tevräpet
FIRSTACTplus
FOR DOGS

EPA Reg. No. 88052-15-92413
Batch No.

AZ10030094.000.01

tevräpet™
FIRSTACT^{plus}
FOR DOGS

Use **Only** On Dogs And Puppies Weighing
89-132 lbs. AND 8 WEEKS
OR OLDER

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease.

Aids in control of sarcoptic mange mite infestations.

Fast-Acting • Long-Lasting • Waterproof

ACTIVE INGREDIENTS:

Fipronil.....	9.8%
(S)-Methoprene.....	8.8%
OTHER INGREDIENTS.....	81.4%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at 1-800-775-9416 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS.

CAUTION. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use only. FOR USE ON DOGS AND PUPPIES ONLY. Do not use on puppies under 89 pounds or on puppies under 8 weeks of age. DO NOT USE ON CATS OR OTHER ANIMALS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-800-775-9416 for 24-hour assistance.

SIDE EFFECTS

Monitor your dog after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or us at 1-800-775-9416.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow children to apply product.

TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

TevraPet™ FirstAct™ Plus For Dogs contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks and chewing lice. TevraPet™ FirstAct™ Plus For Dogs is fast-acting, long-lasting, waterproof, and easy to use. TevraPet™ FirstAct™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. TevraPet™ FirstAct™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.

Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 89 pounds.

Do not use more than one applicator per dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.

To kill adult fleas, flea eggs and larvae, chewing lice, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows.



HOW TO OPEN:

1 Tear through perforation.



2 Fold back the safety tab.



3 Cut with scissors to open applicator.



HOW TO APPLY:

To apply TevraPet™ FirstAct™ Plus for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Fleas: When used monthly, TevraPet™ FirstAct™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months. Although TevraPet™ FirstAct™ Plus For Dogs can control fleas for up to three months, if there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.

Ticks: TevraPet™ FirstAct™ Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain

Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.

Chewing Lice: TevraPet™ FirstAct™ Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.

Sarcoptic Mites: Applied once a month, TevraPet™ FirstAct™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.

Do not reapply TevraPet™ FirstAct™ Plus For Dogs for 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals. **PESTICIDE DISPOSAL. If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

HOW SUPPLIED

TevraPet™ FirstAct™ Plus is available in convenient sizes for all sized dogs 6 to 132 lbs.

6-22 lbs. 0.069 fl. oz. (2.01 mL), 3 applicators each containing 0.023 fl. oz. (0.67 mL), 3 doses
23-44 lbs. 0.135 fl. oz. (4.02 mL), 3 applicators each containing 0.045 fl. oz. (1.34 mL); 3 doses
45-88 lbs. 0.273 fl. oz. (8.04 mL), 3 applicators each containing 0.091 fl. oz. (2.68 mL); 3 doses
89-132 lbs. 0.408 fl. oz. (12.06 mL), 3 applicators each containing 0.136 fl. oz. (4.02 mL); 3 doses

WARRANTY

To the extent consistent with applicable law, Tevra Brands, LLC., and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.

Manufactured for: Tevra Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127

Questions or comments about this product, call 1-800-775-9416.



DO NOT USE ON CATS

Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

TevraPet™ FirstAct™ Plus For Dogs is a registered trademark of Tevra Brands.

Made in Germany