



Vetality™ Firstsect™ Plus for Dogs is a registered trademark of Teva Brands.
EPA Est No. 74720-DEU-01
EPA Reg. No. 88052-15-92413
Made in Germany



DO NOT USE ON CATS
Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

Precautional consumption: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE STORAGE: Store unused product in original container only, out of reach of children and animals.
PESTICIDE DISPOSAL, if partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.
CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available.

FREQUENCY OF APPLICATION
FLEAS: When used monthly, Vetality™ Firstsect™ Plus for Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months. Although Vetality™ Firstsect™ Plus for Dogs can control fleas for up to three months, there is a high risk of re-infestation if fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.
TICKS: Vetality™ Firstsect™ Plus for Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once for at least one month. For best control of chewing lice, apply once every month.
SARCOPTIC MITES: Applied once a month, Vetality™ Firstsect™ Plus for Dogs aids in the control of sarcoptic mange mite infestations.
Do not reapply Vetality™ Firstsect™ Plus for Dogs for 30 days.

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.
SIDE EFFECTS See package insert for side effects.
Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 6 pounds.
Vetality™ Firstsect™ Plus for Dogs remains effective even after bathing, water immersion, or exposure to sunlight. Vetality™ Firstsect™ Plus for Dogs can also be used on breeding, pregnant, and lactating bitches.
Vetality™ Firstsect™ Plus for Dogs is fast-acting, long-lasting, waterproof, and easy to use. (S)-Methoprene that effectively kills and controls fleas, ticks, and chewing lice. Vetality™ Firstsect™ Plus for Dogs contains the active ingredients fipronil and

6-22 lbs. OR OLDER AND 8 WEEKS
USE ONLY ON DOGS AND PUPPIES WEIGHING

6-22 lbs. OR OLDER AND 8 WEEKS
USE ONLY ON DOGS AND PUPPIES WEIGHING

6-22 lbs. OR OLDER AND 8 WEEKS
USE ONLY ON DOGS AND PUPPIES WEIGHING

6-22 lbs. OR OLDER AND 8 WEEKS
USE ONLY ON DOGS AND PUPPIES WEIGHING



Vetality Firstsect plus FOR DOGS

Contains the same active ingredients as Frontline® Plus for Dogs*

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease. Aids in control of sarcoptic mange mite infestations.
Fast-Acting • Long-Lasting • Waterproof

3 APPLICATORS



NET CONTENTS: 0.069 fl. oz.
3 applicators each containing 0.023 fl. oz.

ACTIVE INGREDIENTS:
Fipronil..... 9.8%
(S)-Methoprene..... 8.8%
OTHER INGREDIENTS:..... 81.4%
TOTAL:..... 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION
SEE LABEL INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS



Manufactured for: Teva Brands, LLC., 9100 F Street, Suite 200, Omaha, NE 68127

How To Apply
To apply Vetality™ Firstsect™ Plus for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades.
Squeeze applicator, applying entire contents in single spot to the dog's skin. Avoid superficial application to the dog's hair.
Allow area to dry before touching treated area. Only one applicator per treatment is needed.

Mites:
Aids in control of sarcoptic mange mite infestations.
Kills all stages of ticks (larva, nymph, and adult; Brown dog ticks (Rhipicephalus sanguineus), American dog ticks (Dermacentor variabilis), Lone Star ticks (Amblyomma americanum), Deer ticks (Ixodes scapularis) which may carry Lyme disease.

Ticks:
Kills all stages of ticks (larva, nymph, and adult; Brown dog ticks (Rhipicephalus sanguineus), American dog ticks (Dermacentor variabilis), Lone Star ticks (Amblyomma americanum), Deer ticks (Ixodes scapularis) which may carry Lyme disease.

Fleas:
Kills fleas, flea eggs and flea larvae. Prevents all flea stages (eggs, larvae, pupae) from developing. Kills newly emerged fleas before they lay eggs. Kills fleas which may cause flea allergy dermatitis.

Lice:
Rapidly controls infestations of chewing lice.

How to Open
To kill adult fleas, flea eggs and larvae, chewing lice, all stages of Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows:

- 1 Tear through perforation.
- 2 Fold back the safety tab.
- 3 Cut with scissors to open applicator.

Vetality Firstsect plus FOR DOGS

EPA Reg. No. 88052-15-92413
Batch No.

kloc

Anzeichnungs-MI...

10030094

6-22 lbs. OR OLDER AND 8 WEEKS
USE ONLY ON DOGS AND PUPPIES WEIGHING

Vetality **Firstsect plus** FOR DOGS

vetality Firstect^{plus} FOR DOGS

Use **Only** On Dogs And Puppies Weighing
6-22 lbs. AND 8 WEEKS
OR OLDER

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease.

Aids in control of sarcoptic mange mite infestations.

Fast-Acting • Long-Lasting • Waterproof

ACTIVE INGREDIENTS:

Fipronil.....	9.8%
(S)-Methoprene.....	8.8%
OTHER INGREDIENTS.....	81.4%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at 1-800-775-9416 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS.

CAUTION. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use only. FOR USE ON DOGS AND PUPPIES ONLY. Do not use on puppies under 6 pounds or on puppies under 8 weeks of age. DO NOT USE ON CATS OR OTHER ANIMALS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-800-775-9416 for 24-hour assistance.

SIDE EFFECTS

Monitor your dog after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or us at 1-800-775-9416.

To kill adult fleas, flea eggs and larvae, chewing lice, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow children to apply product.

TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

Vetality™ Firstect™ Plus For Dogs contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks and chewing lice. Vetality™ Firstect™ Plus For Dogs is fast-acting, long-lasting, waterproof, and easy to use. Vetality™ Firstect™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. Vetality™ Firstect™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.



Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 6 pounds.

Do not use more than one applicator per dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.



HOW TO OPEN:

- 1 Tear through perforation.



- 2 Fold back the safety tab.



- 3 Cut with scissors to open applicator.



HOW TO APPLY:

To apply Vetality™ Firstect™ Plus For Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Fleas: When used monthly, Vetality™ Firstect™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months. Although Vetality™ Firstect™ Plus For Dogs can control fleas for up to three months, if there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.

Ticks: Vetality™ Firstect™ Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain

Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.

Chewing Lice: Vetality™ Firstect™ Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.

Sarcoptic Mites: Applied once a month, Vetality™ Firstect™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.

Do not reapply Vetality™ Firstect™ Plus For Dogs for 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals. **PESTICIDE DISPOSAL. If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

HOW SUPPLIED

Vetality™ Firstect™ Plus is available in convenient sizes for all sized dogs 6 to 132 lbs.

6-22 lbs. 0.069 fl. oz. (2.01 mL), 3 applicators each containing 0.023 fl. oz. (0.67 mL), 3 doses

23-44 lbs. 0.135 fl. oz. (4.02 mL), 3 applicators each containing 0.045 fl. oz. (1.34 mL); 3 doses

45-88 lbs. 0.273 fl. oz. (8.04 mL), 3 applicators each containing 0.091 fl. oz. (2.68 mL); 3 doses

89-132 lbs. 0.408 fl. oz. (12.06 mL), 3 applicators each containing 0.136 fl. oz. (4.02 mL); 3 doses

WARRANTY

To the extent consistent with applicable law, Tevra Brands, LLC., and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.

Manufactured for: Tevra Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127

Questions or comments about this product, call 1-800-775-9416.



DO NOT USE ON CATS

Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.


Vetality™ Firstect™ Plus For Dogs is a registered trademark of Tevra Brands.

Made in Germany



Vetality™ Firstsect™ Plus For Dogs is a registered trademark of Tevra Brands.
EPA Est. No. 74720-DEU-01
EPA Reg. No. 88052-15-92413
Made in Germany

Manufactured for
Tevra Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127
Call 1-800-775-9416.
Questions or comments about this product.



DO NOT USE ON CATS
Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE STORAGE: Store unused product in original container only, out of reach of children and animals. **PESTICIDE DISPOSAL:** If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available.

SIDE EFFECTS See package insert for side effects.
Precation at consumption: is used no puce leat ingles, no use este producto hasta que la equeneta le haye sido expicada amplemente. (To the user: if you cannot speak English, do not use this product until the label has been fully explained to you).
USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.
FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH LABELING. **Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH LABELING.** Do not allow children to use this product in a manner inconsistent with its labeling. Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 23 pounds.
DIRECTIONS FOR USE
Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 23 pounds.
Vetality™ Firstsect™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. Vetality™ Firstsect™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.
Vetality™ Firstsect™ Plus For Dogs is fast-acting, long-lasting, waterproof, and easy to use. (S)-Methoprene has been shown to kill and control fleas, ticks, and chewing lice. Vetality™ Firstsect™ Plus For Dogs contains the active ingredients fipronil and (S)-Methoprene that effectively kills and controls fleas, ticks, and chewing lice. Vetality™ Firstsect™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months, if there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.
TICKS: Vetality™ Firstsect™ Plus For Dogs kills larvae, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.
CHEWING LICE: Vetality™ Firstsect™ Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.
SARCOPTIC MITES: Applied once a month, Vetality™ Firstsect™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.
Do not reapply Vetality™ Firstsect™ Plus For Dogs for 30 days.

kloc

USE ONLY ON DOGS AND PUPPIES WEIGHING **23-44 lbs.** AND 8 WEEKS OR OLDER

Firstsect plus FOR DOGS
vetality

Firstsect plus FOR DOGS
vetality

FLEAS TICKS CHEWING LICE

USE ONLY ON DOGS AND PUPPIES WEIGHING **23-44 lbs.** AND 8 WEEKS OR OLDER

vetality™ Firstsect plus™ FOR DOGS

Contains the same active ingredients as **Frontline® Plus for Dogs***

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease. Aids in control of sarcoptic mange mite infestations.

Fast-Acting • Long-Lasting • Waterproof

3 APPLICATORS



NET CONTENTS: 0.135 fl. oz.
3 applicators each containing 0.045 fl. oz.

ACTIVE INGREDIENTS:
Fipronil 9.8%
(S)-Methoprene 8.8%
OTHER INGREDIENTS: 81.4%
TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN
CAUTION SEE LABEL INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS



Manufactured for: Tevra Brands, LLC., 9100 F Street, Suite 200, Omaha, NE 68127

How To Apply
To apply Vetality™ Firstsect™ Plus for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades.
Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair.
Allow area to dry before touching treated area. Only one applicator per treatment is needed.

Fleas: Kills fleas, flea eggs and flea larvae. Prevents all flea stages (eggs, larvae, pupae) from developing. Kills the newly emerged fleas before they lay eggs. Kills fleas which may cause flea allergy dermatitis.
Lice: Rapidly controls infestations of chewing lice.

Ticks: Kills all stages of ticks (larva, nymph, and adult). Brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), Lone Star ticks (*Amblyomma americanum*), Deer ticks (*Ixodes scapularis*) which may carry Lyme disease.

- How to Open**
- 1 Tear through perforation.
 - 2 Fold back the safety tab.
 - 3 Cut with scissors to open applicator.
- To kill adult fleas, flea eggs and larvae, chewing lice, all stages of ticks (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows.

USE ONLY ON DOGS AND PUPPIES WEIGHING **23-44 lbs.** AND 8 WEEKS OR OLDER

vetality **Firstsect plus** FOR DOGS

EPA Reg. No. 88052-15-92413
Batch No.

Firstsect plus FOR DOGS
vetality

AZ10030094_000_01

vetality Firstect^{plus} FOR DOGS

Use **Only** On Dogs And Puppies Weighing
23-44 lbs. AND 8 WEEKS
OR OLDER

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease.

Aids in control of sarcoptic mange mite infestations.

Fast-Acting • Long-Lasting • Waterproof

ACTIVE INGREDIENTS:

Fipronil.....	9.8%
(S)-Methoprene.....	8.8%
OTHER INGREDIENTS.....	81.4%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at 1-800-775-9416 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS.

CAUTION. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use only. FOR USE ON DOGS AND PUPPIES ONLY. Do not use on puppies under 23 pounds or on puppies under 8 weeks of age. DO NOT USE ON CATS OR OTHER ANIMALS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-800-775-9416 for 24-hour assistance.

SIDE EFFECTS

Monitor your dog after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or us at 1-800-775-9416.

To kill adult fleas, flea eggs and larvae, chewing lice, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow children to apply product.

TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

Vetality™ Firstect™ Plus For Dogs contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks and chewing lice. Vetality™ Firstect™ Plus For Dogs is fast-acting, long-lasting, waterproof, and easy to use. Vetality™ Firstect™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. Vetality™ Firstect™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.

Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 23 pounds.

Do not use more than one applicator per dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.



HOW TO OPEN:

- 1 Tear through perforation.



- 2 Fold back the safety tab.



- 3 Cut with scissors to open applicator.



HOW TO APPLY:

To apply Vetality™ Firstect™ Plus For Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Fleas: When used monthly, Vetality™ Firstect™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months. Although Vetality™ Firstect™ Plus For Dogs can control fleas for up to three months, if there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.

Ticks: Vetality™ Firstect™ Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain

Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.

Chewing Lice: Vetality™ Firstect™ Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.

Sarcoptic Mites: Applied once a month, Vetality™ Firstect™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.

Do not reapply Vetality™ Firstect™ Plus For Dogs for 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals. **PESTICIDE DISPOSAL. If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

HOW SUPPLIED

Vetality™ Firstect™ Plus is available in convenient sizes for all sized dogs 6 to 132 lbs.

6-22 lbs. 0.069 fl. oz. (2.01 mL), 3 applicators each containing 0.023 fl. oz. (0.67 mL), 3 doses

23-44 lbs. 0.135 fl. oz. (4.02 mL), 3 applicators each containing 0.045 fl. oz. (1.34 mL); 3 doses

45-88 lbs. 0.273 fl. oz. (8.04 mL), 3 applicators each containing 0.091 fl. oz. (2.68 mL); 3 doses

89-132 lbs. 0.408 fl. oz. (12.06 mL), 3 applicators each containing 0.136 fl. oz. (4.02 mL); 3 doses

WARRANTY

To the extent consistent with applicable law, Tevra Brands, LLC., and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.

Manufactured for: Tevra Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127

Questions or comments about this product, call 1-800-775-9416.



DO NOT USE ON CATS

Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

Vetality™ Firstect™ Plus For Dogs is a registered trademark of Tevra Brands.

Made in Germany



Made in Germany
EPA Reg. No. 88052-15-92413
EPA Est. No. 74720-DEU-01
registered trademark of Teva Brands.



DO NOT USE ON CATS
Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

Manufactured for
Teva Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127
call 1-800-775-9416.
Questions or comments about this product.

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE STORAGE: Store unused product in original container only, out of reach of children and animals. **PESTICIDE DISPOSAL:** If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

SIDE EFFECTS: See package insert for side effects.
PRECAUTION AT CONSUMER: If used on pet, no use este producto hasta que la etiqueta le haya sido aplicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

FREQUENCY OF APPLICATION
FEAS: When used monthly, Vetality™ Firstect™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months. Although Vetality™ Firstect™ Plus For Dogs can control fleas for up to three months, there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.
TICKS: Vetality™ Firstect™ Plus For Dogs kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.
CHEWING LICE: Vetality™ Firstect™ Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.
SARCOPTIC MITES: Applied once a month, Vetality™ Firstect™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.
Do not reapply Vetality™ Firstect™ Plus For Dogs for 30 days.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.** USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.
Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 45 pounds.
Vetality™ Firstect™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.
Vetality™ Firstect™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight.
Vetality™ Firstect™ Plus For Dogs is fast-acting, long-lasting, waterproof, and easy to use.

45-88 lbs. OR OLDER
AND 8 WEEKS
USE ONLY ON DOGS AND PUPPIES WEIGHING

vetality Firstectplus FOR DOGS

vetality Firstectplus FOR DOGS

45-88 lbs. OR OLDER
AND 8 WEEKS
USE ONLY ON DOGS AND PUPPIES WEIGHING



45-88 lbs. OR OLDER
AND 8 WEEKS
USE ONLY ON DOGS AND PUPPIES WEIGHING

vetality Firstectplus FOR DOGS

Contains the same active ingredients as **Frontline® Plus for Dogs***

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease. Aids in control of sarcoptic mange mite infestations.

Fast-Acting • Long-Lasting • Waterproof

3 APPLICATORS



*Vetality™ Firstect™ Plus is not manufactured by or distributed by Merial Limited. Frontline® is a registered trademark of Merial Limited.

NET CONTENTS: 0.273 fl. oz.
3 applicators each containing 0.091 fl. oz.

ACTIVE INGREDIENTS:
Fipronil..... 9.8%
S-Methoprene..... 8.8%
OTHER INGREDIENTS..... 81.4%
TOTAL..... 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION
SEE LABEL INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS



DO NOT USE ON CATS

Manufactured for: Teva Brands, LLC., 9100 F Street, Suite 200, Omaha, NE 68127

vetality Firstectplus FOR DOGS

45-88 lbs. OR OLDER
AND 8 WEEKS
USE ONLY ON DOGS AND PUPPIES WEIGHING

How To Apply
To apply Vetality™ Firstect™ Plus for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades.
Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair.
Allow area to dry before touching treated area. Only one applicator per treatment is needed.

Fleas: Kills fleas, flea eggs and flea larvae. Prevents all flea stages (eggs, larvae, pupae) from developing. Kills newly emerged fleas before they lay eggs. Kills fleas which may cause flea allergy dermatitis.

Lice: Rapidly controls infestations of chewing lice.

Mites: Aids in control of sarcoptic mange mite infestations.
Ticks: Kills all stages of ticks (larva, nymph, and adult; Brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), Lone Star ticks (*Amblyomma americanum*), Deer ticks (*Ixodes scapularis*) which may carry Lyme disease.



How to Open
To kill adult fleas, flea eggs and larvae, chewing lice, all stages of ticks (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows.

vetality Firstectplus FOR DOGS

EPA Reg. No. 88052-15-92413
Batch No.

vetality Firstect^{plus} FOR DOGS

Use **Only** On Dogs And Puppies Weighing
45-88 lbs. AND 8 WEEKS
OR OLDER

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease.

Aids in control of sarcoptic mange mite infestations.

Fast-Acting • Long-Lasting • Waterproof

ACTIVE INGREDIENTS:

Fipronil.....	9.8%
(S)-Methoprene.....	8.8%
OTHER INGREDIENTS.....	81.4%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at 1-800-775-9416 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS.

CAUTION. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use only. FOR USE ON DOGS AND PUPPIES ONLY. Do not use on puppies under 45 pounds or on puppies under 8 weeks of age. DO NOT USE ON CATS OR OTHER ANIMALS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-800-775-9416 for 24-hour assistance.

SIDE EFFECTS

Monitor your dog after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or us at 1-800-775-9416.

To kill adult fleas, flea eggs and larvae, chewing lice, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow children to apply product.

TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

Vetality™ Firstect™ Plus For Dogs contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks and chewing lice. Vetality™ Firstect™ Plus For Dogs is fast-acting, long-lasting, waterproof, and easy to use. Vetality™ Firstect™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. Vetality™ Firstect™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.

Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 45 pounds.

Do not use more than one applicator per dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.



HOW TO OPEN:

- 1 Tear through perforation.



- 2 Fold back the safety tab.



- 3 Cut with scissors to open applicator.



HOW TO APPLY:

To apply Vetality™ Firstect™ Plus For Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Fleas: When used monthly, Vetality™ Firstect™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months. Although Vetality™ Firstect™ Plus For Dogs can control fleas for up to three months, if there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.

Ticks: Vetality™ Firstect™ Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain

Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.

Chewing Lice: Vetality™ Firstect™ Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.

Sarcoptic Mites: Applied once a month, Vetality™ Firstect™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.

Do not reapply Vetality™ Firstect™ Plus For Dogs for 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals. **PESTICIDE DISPOSAL. If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

HOW SUPPLIED

Vetality™ Firstect™ Plus is available in convenient sizes for all sized dogs 6 to 132 lbs.

6-22 lbs. 0.069 fl. oz. (2.01 mL), 3 applicators each containing 0.023 fl. oz. (0.67 mL), 3 doses

23-44 lbs. 0.135 fl. oz. (4.02 mL), 3 applicators each containing 0.045 fl. oz. (1.34 mL); 3 doses

45-88 lbs. 0.273 fl. oz. (8.04 mL), 3 applicators each containing 0.091 fl. oz. (2.68 mL); 3 doses

89-132 lbs. 0.408 fl. oz. (12.06 mL), 3 applicators each containing 0.136 fl. oz. (4.02 mL); 3 doses

WARRANTY

To the extent consistent with applicable law, Tevra Brands, LLC., and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.

Manufactured for: Tevra Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127

Questions or comments about this product, call 1-800-775-9416.



DO NOT USE ON CATS

Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.


Vetality™ Firstect™ Plus For Dogs is a registered trademark of Tevra Brands.

Made in Germany



Vetality™ Firstsect™ Plus For Dogs is a registered trademark of Teva Brands.
EPA Est No. 74720-DEU-01
EPA Reg. No. 88052-15-92413
Made in Germany

Manufactured for Teva Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127
call 1-800-775-9416.
Questions or comments about this product.



DO NOT USE ON CATS
Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE STORAGE: Store unused product in original container only, out of reach of children and animals. **PESTICIDE DISPOSAL:** If partly filled, call your local waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

SIDE EFFECTS See package insert for side effects.
Precautional consumer: si usted no puede leer ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: if you cannot speak English, do not use this product until the label has been fully explained to you).
DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.**
USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.
Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 89 pounds.
Vetality™ Firstsect™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. Vetality™ Firstsect™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.

FREQUENCY OF APPLICATION
FLEAS: When used monthly, Vetality™ Firstsect™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months. Although Vetality™ Firstsect™ Plus For Dogs can control fleas for up to three months, there is a high risk of re-infestation of fleas on your dog if the dog has fleas which may cause flea allergy dermatitis. Apply this product once a month.
TICKS: Vetality™ Firstsect™ Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.
CHEWING LICE: Vetality™ Firstsect™ Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once a month.
SARCOPTIC MITES: Applied once a month, Vetality™ Firstsect™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.
Do not reapply Vetality™ Firstsect™ Plus For Dogs for 30 days.

kloc

USE ONLY ON DOGS AND PUPPIES WEIGHING **89-132 lbs. OR OLDER** AND 8 WEEKS

Vetality Firstsectplus FOR DOGS

Vetality Firstsectplus FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING **89-132 lbs. OR OLDER** AND 8 WEEKS



USE ONLY ON DOGS AND PUPPIES WEIGHING **89-132 lbs. OR OLDER** AND 8 WEEKS

Vetality FirstsectTM plus FOR DOGS

Contains the same active ingredients as **Frontline® Plus for Dogs***

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease. Aids in control of sarcoptic mange mite infestations.

Fast-Acting • Long-Lasting • Waterproof

3 APPLICATORS



NET CONTENTS: 0.408 fl. oz.
3 applicators each containing 0.136 fl. oz.

ACTIVE INGREDIENTS:	
Fipronil	9.8%
(S)-Methoprene	8.8%
OTHER INGREDIENTS:	81.4%
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION SEE LABEL INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS



Manufactured for: Teva Brands, LLC, 9100 F Street, Suite 200, Omaha, NE 68127

USE ONLY ON DOGS AND PUPPIES WEIGHING **89-132 lbs. OR OLDER** AND 8 WEEKS

How to Apply
To apply Vetality™ Firstsect™ Plus for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades.
Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair.
Allow area to dry before touching treated area. Only one applicator per treatment is needed.

Fleas:
Kills fleas, flea eggs and flea larvae. Prevents all flea stages (eggs, larvae, pupae) from developing. Kills newly emerged fleas before they lay eggs. Kills fleas which may cause flea allergy dermatitis.

Lice:
Rapidly controls infestations of chewing lice.

Mites:
Aids in control of sarcoptic mange mite infestations. Kills all stages of ticks (larva, nymph, and adult). Brown dog ticks (Rhipicephalus sanguineus), American dog ticks (Dermacentor variabilis), Lone Star ticks (Amblyomma americanum), Deer ticks (Ixodes scapularis) which may carry Lyme disease.

- How to Open**
- 1 Tear through perforation.
 - 2 Fold back the safety tab.
 - 3 Cut with scissors to open applicator.

To kill adult fleas, flea eggs and larvae, chewing lice, all stages of ticks (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows.

Vetality Firstsectplus FOR DOGS

EPA Reg. No. 88052-15-92413
Batch No.

4A21003094 000 01

vetality Firstect^{plus} FOR DOGS

Use **Only** On Dogs And Puppies Weighing
89-132 lbs. AND 8 WEEKS
OR OLDER

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease.

Aids in control of sarcoptic mange mite infestations.

Fast-Acting • Long-Lasting • Waterproof

ACTIVE INGREDIENTS:

Fipronil.....	9.8%
(S)-Methoprene.....	8.8%
OTHER INGREDIENTS.....	81.4%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at 1-800-775-9416 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS.

CAUTION. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use only. FOR USE ON DOGS AND PUPPIES ONLY. Do not use on puppies under 89 pounds or on puppies under 8 weeks of age. DO NOT USE ON CATS OR OTHER ANIMALS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-800-775-9416 for 24-hour assistance.

SIDE EFFECTS

Monitor your dog after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or us at 1-800-775-9416.

To kill adult fleas, flea eggs and larvae, chewing lice, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow children to apply product.

TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

Vetality™ Firstect™ Plus For Dogs contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks and chewing lice. Vetality™ Firstect™ Plus For Dogs is fast-acting, long-lasting, waterproof, and easy to use. Vetality™ Firstect™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. Vetality™ Firstect™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.


Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 89 pounds.

Do not use more than one applicator per dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.



HOW TO OPEN:


- 1 Tear through perforation.



- 2 Fold back the safety tab.



- 3 Cut with scissors to open applicator.



HOW TO APPLY:

To apply Vetality™ Firstect™ Plus For Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Fleas: When used monthly, Vetality™ Firstect™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months. Although Vetality™ Firstect™ Plus For Dogs can control fleas for up to three months, if there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.

Ticks: Vetality™ Firstect™ Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain

Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.

Chewing Lice: Vetality™ Firstect™ Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.

Sarcoptic Mites: Applied once a month, Vetality™ Firstect™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.

Do not reapply Vetality™ Firstect™ Plus For Dogs for 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals. **PESTICIDE DISPOSAL. If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

HOW SUPPLIED

Vetality™ Firstect™ Plus is available in convenient sizes for all sized dogs 6 to 132 lbs.

6-22 lbs. 0.069 fl. oz. (2.01 mL), 3 applicators each containing 0.023 fl. oz. (0.67 mL), 3 doses

23-44 lbs. 0.135 fl. oz. (4.02 mL), 3 applicators each containing 0.045 fl. oz. (1.34 mL); 3 doses

45-88 lbs. 0.273 fl. oz. (8.04 mL), 3 applicators each containing 0.091 fl. oz. (2.68 mL); 3 doses

89-132 lbs. 0.408 fl. oz. (12.06 mL), 3 applicators each containing 0.136 fl. oz. (4.02 mL); 3 doses

WARRANTY

To the extent consistent with applicable law, Tevra Brands, LLC., and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.

Manufactured for: Tevra Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127

Questions or comments about this product, call 1-800-775-9416.



DO NOT USE ON CATS

Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

Vetality™ Firstect™ Plus For Dogs is a registered trademark of Tevra Brands.

Made in Germany